Bench.in.6

LINKS
CONTRACT FURNITURE INC.

Whether you are revamping or moving into a new office space, Bench`s offerings of quick-ship modern office furniture are waiting to transform your commercial spaces in no time.

The following products can be shipped in 6 business days from time of order.

These products are available in all listed sizes and three laminate colours: Cappuccino (CP), Nutmeg (NM), True White (TW).

Orders received by 12:00 noon will ship in 6 business days.

Orders must be clearly tagged *QUICKSHIP* or *BENCH IN 6* and cannot be combined with non-quickship items. Orders will be held for freight consolidation unless instructed otherwise.

Every effort will be made to fulfill orders regardless of quantity.
Please contact Customer service prior to placing your order to confirm our ability to meet your needs. Occasionally, demand exceeds capacity, upon which orders will be subject to availablity.

2018

Bench TR1

Work table. Free standing 24"D or 30"D work surface.



	CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
24"D	TR1-2436-C	501	36/914	24/610	29.5/749	6.0/0.17	33/15
	TR1-2442-C	524	42/1067	24/610	29.5/749	6.4/0.18	36/16
	TR1-2448-C	546	48/1219	24/610	29.5/749	6.8/0.19	40/18
	TR1-2454-C	568	54/1372	24/610	29.5/749	7.2/0.20	44/20
	TR1-2460-C	589	60/1524	24/610	29.5/749	7.2/0.20	46/21
	TR1-2466-C	634	66/1676	24/610	29.5/749	7.2/0.20	50/23
	TR1-2472-C	678	72/1829	24/610	29.5/749	7.3/0.21	55/25
30"D	TR1-3036-C	557	36/914	30/762	29.5/749	6.6/0.19	38/17
	TR1-3042-C	579	42/1067	30/762	29.5/749	7.0/0.20	42/19
	TR1-3048-C	601	48/1219	30/762	29.5/749	7.4/0.21	48/22
	TR1-3054-C	623	54/1372	30/762	29.5/749	7.9/0.22	54/24
	TR1-3060-C	644	60/1524	30/762	29.5/749	7.9/0.22	57/26
	TR1-3066-C	689	66/1676	30/762	29.5/749	7.9/0.22	62/28
	TR1-3072-C	734	72/1829	30/762	29.5/749	8.1/0.23	66/30

Bench TR2

Work table. Two person, connected 24"D or 30"D work surfaces.



For configurations with divider panels add "-G" to desk code.
i.e. TR2-2472-G-C

with gap

	CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
24"D	TR2-2436-C	702	36/914	48/1219	29.5/749	9.8/0.28	65/29
	TR2-2442-C	734	42/1067	48/1219	29.5/749	10.1/0.29	73/33
	TR2-2448-C	764	48/1219	48/1219	29.5/749	10.5/0.30	80/36
	TR2-2454-C	795	54/1372	48/1219	29.5/749	10.9/0.31	82/37
	TR2-2460-C	826	60/1524	48/1219	29.5/749	10.9/0.31	85/39
	TR2-2466-C	887	66/1676	48/1219	29.5/749	10.9/0.31	95/43
	TR2-2472-C	949	72/1829	48/1219	29.5/749	11.0/0.31	110/50
30"D	TR2-3036-C	779	36/914	60/1524	29.5/749	10.2/0.29	76/34
	TR2-3042-C	810	42/1067	60/1524	29.5/749	10.7/0.30	84/38
	TR2-3048-C	842	48/1219	60/1524	29.5/749	11.1/0.31	95/43
	TR2-3054-C	872	54/1372	60/1524	29.5/749	11.6/0.33	108/49
	TR2-3060-C	903	60/1524	60/1524	29.5/749	11.6/0.33	114/52
	TR2-3066-C	965	66/1676	60/1524	29.5/749	11.6/0.33	123/56
	TR2-3072-C	1026	72/1829	60/1524	29.5/749	11.8/0.33	133/60

Bench TR4

Work table. Four person, connected 24"D or 30"D work surfaces.

For configurations with divider panels add "-G" to desk code.
i.e. TR4-2472-G-C

with gap

	CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
24"D	TR4-2436-C	1333	72/1829	48/1219	29.5/749	14.9/0.42	130/59
	TR4-2442-C	1393	84/2134	48/1219	29.5/749	15.6/0.44	145/66
	TR4-2448-C	1451	96/2438	48/1219	29.5/749	16.2/0.46	160/73
	TR4-2454-C	1511	108/2743	48/1219	29.5/749	16.9/0.48	165/75
	TR4-2460-C	1569	120/3048	48/1219	29.5/749	16.9/0.48	169/77
	TR4-2466-C	1685	132/3353	48/1219	29.5/749	16.9/0.48	190/86
	TR4-2472-C	1802	144/3658	48/1219	29.5/749	17.0/0.48	220/100
30"D	TR4-3036-C	1481	72/1829	60/1524	29.5/749	15.9/0.45	152/69
	TR4-3042-C	1539	84/2134	60/1524	29.5/749	16.6/0.47	175/79
	TR4-3048-C	1597	96/2438	60/1524	29.5/749	17.6/0.50	190/86
	TR4-3054-C	1657	108/2743	60/1524	29.5/749	18.4/0.52	210/95
	TR4-3060-C	1715	120/3048	60/1524	29.5/749	18.4/0.52	228/103
	TR4-3066-C	1832	132/3353	60/1524	29.5/749	18.4/0.52	246/112
	TR4-3072-C	1949	144/3658	60/1524	29.5/749	18.5/0.52	265/120

These products are available in all listed sizes and three laminate choices: Cappuccino (**CP**), Nutmeg (**NM**), and True White (**TW**).
Every effort will be made to fulfill orders regardless of quantity. Please contact Customer service prior to placing your order to confirm our ability to meet your needs. Occasionally, demand exceeds capacity, upon which orders will be subject to availablity.

Bench TR6

Work table. Six person, connected 24”D or 30”D work surfaces.



For configurations with divider panels add “-G” to desk code.
i.e. TR6-2472-G-C

with gap

	CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
24”D	TR6-2436-C	2134	108/2743	48/1219	29.5/749	20.5/0.58	195/88
	TR6-2442-C	2228	126/3200	48/1219	29.5/749	21.6/0.61	228/103
	TR6-2448-C	2320	144/3658	48/1219	29.5/749	22.7/0.64	240/109
	TR6-2454-C	2416	162/4115	48/1219	29.5/749	23.8/0.67	249/113
	TR6-2460-C	2509	180/4572	48/1219	29.5/749	23.8/0.67	254/115
	TR6-2466-C	2697	198/5029	48/1219	29.5/749	23.8/0.67	285/129
	TR6-2472-C	2884	216/5486	48/1219	29.5/749	24.0/0.68	330/150
30”D	TR6-3036-C	2368	108/2743	60/1524	29.5/749	22.0/0.62	228/103
	TR6-3042-C	2461	126/3200	60/1524	29.5/749	23.3/0.66	250/113
	TR6-3048-C	2556	144/3658	60/1524	29.5/749	24.7/0.70	285/129
	TR6-3054-C	2650	162/4115	60/1524	29.5/749	26.0/0.74	315/143
	TR6-3060-C	2744	180/4572	60/1524	29.5/749	26.0/0.74	342/155
	TR6-3066-C	2931	198/5029	60/1524	29.5/749	26.0/0.74	369/167
	TR6-3072-C	3117	216/5486	60/1524	29.5/749	26.5/0.75	398/181

Bench TR2A

Work table. Two person, connected 24”D or 30”D work surfaces.

	CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
24”D	TR2A-2436-C	933	72/1829	24/610	29.5/749	7.6/0.22	60/27
	TR2A-2442-C	979	84/2134	24/610	29.5/749	8.0/0.23	67/30
	TR2A-2448-C	1025	96/2438	24/610	29.5/749	8.4/0.24	75/34
	TR2A-2454-C	1072	108/2743	24/610	29.5/749	8.7/0.25	83/38
	TR2A-2460-C	1115	120/3048	24/610	29.5/749	8.7/0.25	87/39
	TR2A-2466-C	1208	132/3353	24/610	29.5/749	8.7/0.25	95/43
	TR2A-2472-C	1301	144/3658	24/610	29.5/749	8.8/0.25	105/48
30”D	TR2A-3036-C	1047	72/1829	30/762	29.5/749	8.1/0.23	71/32
	TR2A-3042-C	1094	84/2134	30/762	29.5/749	8.6/0.24	79/36
	TR2A-3048-C	1140	96/2438	30/762	29.5/749	9.1/0.26	90/41
	TR2A-3054-C	1186	108/2743	30/762	29.5/749	9.5/0.27	103/47
	TR2A-3060-C	1231	120/3048	30/762	29.5/749	9.5/0.27	109/49
	TR2A-3066-C	1323	132/3353	30/762	29.5/749	9.5/0.27	118/54
	TR2A-3072-C	1415	144/3658	30/762	29.5/749	9.6/0.27	128/58

Bench TR3A

Work table. Three person, connected 24”D or 30”D work surfaces.



	CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
24”D	TR3A-2436-C	1344	108/2743	24/610	29.5/749	9.4/0.27	88/40
	TR3A-2442-C	1413	126/3200	24/610	29.5/749	9.8/0.28	98/44
	TR3A-2448-C	1483	144/3658	24/610	29.5/749	10.2/0.29	110/50
	TR3A-2454-C	1552	162/4115	24/610	29.5/749	10.5/0.30	122/55
	TR3A-2460-C	1619	180/4572	24/610	29.5/749	12.5/0.35	128/58
	TR3A-2466-C	1757	198/5029	24/610	29.5/749	13.1/0.37	140/64
	TR3A-2472-C	1896	216/5486	24/610	29.5/749	13.6/0.39	155/70
30”D	TR3A-3036-C	1516	108/2743	30/762	29.5/749	9.9/0.28	104/47
	TR3A-3042-C	1586	126/3200	30/762	29.5/749	10.4/0.29	116/53
	TR3A-3048-C	1655	144/3658	30/762	29.5/749	10.9/0.31	133/60
	TR3A-3054-C	1725	162/4115	30/762	29.5/749	11.3/0.32	152/69
	TR3A-3060-C	1790	180/4572	30/762	29.5/749	11.3/0.32	161/73
	TR3A-3066-C	1929	198/5029	30/762	29.5/749	11.3/0.32	175/79
	TR3A-3072-C	2068	216/5486	30/762	29.5/749	11.4/0.32	189/86

These products are available in all listed sizes and three laminate choices: Cappuccino (**CP**), Nutmeg (**NM**), and True White (**TW**).
Every effort will be made to fulfill orders regardless of quantity. Please contact Customer service prior to placing your order to confirm our ability to meet your needs. Occasionally, demand exceeds capacity, upon which orders will be subject to availablity.

Bench TRL

Work table. 24”D or 30”D worksurface with 24”D x 36”-48” return on left side.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
TRL-2460-2436-C	983	60/1524	60/1524	29.5/749	8.3/0.24	65/29
TRL-2460-2442-C	1004	60/1524	66/1676	29.5/749	8.3/0.24	70/32
TRL-2460-2448-C	1026	60/1524	72/1829	29.5/749	8.3/0.24	75/34
TRL-2466-2436-C	1022	66/1676	60/1524	29.5/749	8.6/0.24	70/32
TRL-2466-2442-C	1044	66/1676	66/1676	29.5/749	8.6/0.24	75/34
TRL-2466-2448-C	1066	66/1676	72/1829	29.5/749	8.6/0.24	80/36
TRL-2472-2436-C	1062	72/1829	60/1524	29.5/749	8.9/0.25	78/35
TRL-2472-2442-C	1083	72/1829	66/1676	29.5/749	8.9/0.25	83/38
TRL-2472-2448-C	1106	72/1829	72/1829	29.5/749	8.9/0.25	88/40
TRL-3060-2436-C	1031	60/1524	66/1676	29.5/749	9.0/0.25	80/36
TRL-3060-2442-C	1054	60/1524	72/1829	29.5/749	9.0/0.25	85/39
TRL-3060-2448-C	1076	60/1524	78/1981	29.5/749	9.0/0.25	90/41
TRL-3066-2436-C	1072	66/1676	66/1676	29.5/749	9.3/0.26	84/38
TRL-3066-2442-C	1094	66/1676	72/1829	29.5/749	9.3/0.26	89/40
TRL-3066-2448-C	1115	66/1676	78/1981	29.5/749	9.3/0.26	94/43
TRL-3072-2436-C	1111	72/1829	66/1676	29.5/749	9.7/0.27	89/40
TRL-3072-2442-C	1133	72/1829	72/1829	29.5/749	9.7/0.27	94/43
TRL-3072-2448-C	1155	72/1829	78/1981	29.5/749	9.7/0.27	99/45

Bench TRR

Work table. 24”D or 30”D worksurface with 24”D x 36”-48” return on right side.

TRR-2460-2436-C	983	60/1524	60/1524	29.5/749	8.3/0.24	65/29
TRR-2460-2442-C	1004	60/1524	66/1676	29.5/749	8.3/0.24	70/32
TRR-2460-2448-C	1026	60/1524	72/1829	29.5/749	8.3/0.24	75/34
TRR-2466-2436-C	1022	66/1676	60/1524	29.5/749	8.6/0.24	70/32
TRR-2466-2442-C	1044	66/1676	66/1676	29.5/749	8.6/0.24	75/34
TRR-2466-2448-C	1066	66/1676	72/1829	29.5/749	8.6/0.24	80/36
TRR-2472-2436-C	1062	72/1829	60/1524	29.5/749	8.9/0.25	78/35
TRR-2472-2442-C	1083	72/1829	66/1676	29.5/749	8.9/0.25	83/38
TRR-2472-2448-C	1106	72/1829	72/1829	29.5/749	8.9/0.25	88/40
TRR-3060-2436-C	1031	60/1524	66/1676	29.5/749	9.0/0.25	80/36
TRR-3060-2442-C	1054	60/1524	72/1829	29.5/749	9.0/0.25	85/39
TRR-3060-2448-C	1076	60/1524	78/1981	29.5/749	9.0/0.25	90/41
TRR-3066-2436-C	1072	66/1676	66/1676	29.5/749	9.3/0.26	84/38
TRR-3066-2442-C	1094	66/1676	72/1829	29.5/749	9.3/0.26	89/40
TRR-3066-2448-C	1115	66/1676	78/1981	29.5/749	9.3/0.26	94/43
TRR-3072-2436-C	1111	72/1829	66/1676	29.5/749	9.7/0.27	89/40
TRR-3072-2442-C	1133	72/1829	72/1829	29.5/749	9.7/0.27	94/43
TRR-3072-2448-C	1155	72/1829	78/1981	29.5/749	9.7/0.27	99/45

These products are available in all listed sizes and three laminate choices: Cappuccino (**CP**), Nutmeg (**NM**), and True White (**TW**).
Every effort will be made to fulfill orders regardless of quantity. Please contact Customer service prior to placing your order to confirm our ability to meet your needs. Occasionally, demand exceeds capacity, upon which orders will be subject to availablity.

Mobile Pedestals

Mobile pedestal on casters. Two box and one file drawer with ball bearing suspension on the file drawer and on box drawer. Locking drawers. Four casters.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
CAB-1622-TMBBF	614	16/406	22/559	26.5/673	6/0.17	80/36

Divider Panel Set

12"H Divider Panel.

Fabric (**F**)
TRPS-____-F
JK76 Fabric Only

Frosted (**Z**)
TRPS-____-Z

TRPS-1254-F-JK76	401	54/1372	0.75/19	12/305	0.6/0.02	8/4
TRPS-1260-F-JK76	421	60/1524	0.75/19	12/305	0.7/0.02	8/4
TRPS-1266-F-JK76	444	66/1676	0.75/19	12/305	0.7/0.02	9/4
TRPS-1254-Z	401	54/1372	0.75/19	12/305	0.6/0.02	8/4
TRPS-1260-Z	421	60/1524	0.75/19	12/305	0.7/0.02	8/4
TRPS-1266-Z	444	66/1676	0.75/19	12/305	0.7/0.02	9/4

Wire Management Tray

Available on desks with widths of 48" and larger.



TRWM-48	88	43/1092	7.25/184	3/76		3.8/2

Power/Data Center

Brushed Chrome electrical port.



ELE-PORT-200	515	Please specify position when ordering

These products are available in all listed sizes and three solid colour laminate choices: Cappuccino (**CP**), Nutmeg (**NM**), and True White (**TW**). No two tone colour option. Every effort will be made to fulfill orders regardless of quantity. Please contact Customer service prior to placing your order to confirm our ability to meet your needs. Occasionally, demand exceeds capacity, upon which orders will be subject to availablity.

LINKS CONTRACT FURNITURE INC.

LINKS' Creative Solutions . . . The Industry Leader!

While every effort is made to ensure the accuracy of information contained in this price list at the time of publication, we cannot accept responsibility for inaccuracies resulting from printing errors or omissions. We reserve the right to make product improvements and price changes without notice.

© Copyright 2018 Links Contract Furniture Inc.. All Rights Reserved.

Head Office/Showroom:	131 Ormont Dr. Toronto Ontario Canada M9L 2S3	
Local & International:	P: 416.745.8910 F: 416.745.8779	
Toll Free - North America:	P: 855-50-LINKS (855.505.4657)	F: 855-51-LINKS (855.515.4657)
Email:	info@linkscontract.com	
Website:	linkscontract.com	

GREENGUARD Indoor Air Quality Certified