



Bench

by Links Contract



2020 Pricing



Our innovative Bench series boasts sleek, stylish components that promote diversity and simplicity. All floor standing units come standard with adjustable glides, while a polished metal support frame finishes our attractive new series.

Bench by Links is a creative fusion of stylish design, aesthetics and functional modularity. This freestanding benching system lends a unique lightness while also being exceedingly practical for daily usage.

Bench offers units for storage space, mounted hutches, privacy panels, upholstered seat cushions, surface mount electrics and a cable management tray. These features create working environments that are alive and inspirational in many kinds of offices. From classic offices to open concept layouts, the endless possibilities of the Bench series will surely enhance creativity and productivity in the workplace.

A wide range of options

Bench consists of a minimum of modules that can be combined in various ways to suit different needs to create workstations and storage space.

The Bench system can be adapted to the needs of companies that seek contemporary office design and a workplace with a clear identity. The system, the desks and modules are easy to install and reconfigure.

Individual & Multiple work areas

Bench employs a design that is not often found in office areas, and comes in friendly colours that give every office a cosy vibrant touch. The design serves to create a vitalising and inspiring work environment in all kinds of offices from open-plan studios to minimalistic individual offices.

Simple cable management

Electrical cables feed through to cable trays that run horizontally under the unit and easily connect to any existing electrical outlet.

Bench At A Glance

2 Workstations

TR1, TR2
TR4, TR6
TR2A, TR3A
TRR, TRL

8 Pedestals

Mobile Pedestals

9 Cabinets

Cabinets - 22"H

10 Credenzas and Cushions

Credenzas - 22"H
Seat Cushions

13 Post Mounted Hutches

20" High Hutch (6" Posts)

14 Bench Panels and Accessories

Divider Panel Set

15 Bench Electrical and Accessories

Wire Management Tray
Power/Data Center
Bench Modesty Panels

16 Collaborative Power Options (Daisy Chain)

18 Tables

20 Electrical Placement Options, Specifications

21 Specifications

22 Links Contract Furniture At A Glance




Bench TR1

Work table. Free standing 24"D or 30"D work surface.



			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	

24"D	TR1-2436-C	558	36/914	24/610	29.5/749	6.0/0.17	33/15
	TR1-2442-C	582	42/1067	24/610	29.5/749	6.4/0.18	36/16
	TR1-2448-C	607	48/1219	24/610	29.5/749	6.8/0.19	40/18
	TR1-2454-C	631	54/1372	24/610	29.5/749	7.2/0.20	44/20
	TR1-2460-C	655	60/1524	24/610	29.5/749	7.2/0.20	46/21
	TR1-2466-C	705	66/1676	24/610	29.5/749	7.2/0.20	50/23
	TR1-2472-C	754	72/1829	24/610	29.5/749	7.3/0.21	55/25
30"D	TR1-3036-C	618	36/914	30/762	29.5/749	6.6/0.19	38/17
	TR1-3042-C	644	42/1067	30/762	29.5/749	7.0/0.20	42/19
	TR1-3048-C	668	48/1219	30/762	29.5/749	7.4/0.21	48/22
	TR1-3054-C	692	54/1372	30/762	29.5/749	7.9/0.22	54/24
	TR1-3060-C	717	60/1524	30/762	29.5/749	7.9/0.22	57/26
	TR1-3066-C	765	66/1676	30/762	29.5/749	7.9/0.22	62/28
	TR1-3072-C	815	72/1829	30/762	29.5/749	8.1/0.23	66/30



Bench TR2

Work table. Two person, connected 24"D or 30"D work surfaces.




For configurations with divider panels add "-G" to desk code.
i.e. TR2-2472-G-C



with gap



24"D	TR2-2436-C	780	36/914	48/1219	29.5/749	9.8/0.28	65/29
	TR2-2442-C	814	42/1067	48/1219	29.5/749	10.1/0.29	73/33
	TR2-2448-C	848	48/1219	48/1219	29.5/749	10.5/0.30	80/36
	TR2-2454-C	882	54/1372	48/1219	29.5/749	10.9/0.31	82/37
	TR2-2460-C	917	60/1524	48/1219	29.5/749	10.9/0.31	85/39
	TR2-2466-C	986	66/1676	48/1219	29.5/749	10.9/0.31	95/43
	TR2-2472-C	1054	72/1829	48/1219	29.5/749	11.0/0.31	110/50
30"D	TR2-3036-C	866	36/914	60/1524	29.5/749	10.2/0.29	76/34
	TR2-3042-C	899	42/1067	60/1524	29.5/749	10.7/0.3	84/38
	TR2-3048-C	933	48/1219	60/1524	29.5/749	11.1/0.31	95/43
	TR2-3054-C	968	54/1372	60/1524	29.5/749	11.6/0.33	108/49
	TR2-3060-C	1003	60/1524	60/1524	29.5/749	11.6/0.33	114/52
	TR2-3066-C	1072	66/1676	60/1524	29.5/749	11.6/0.33	123/56
	TR2-3072-C	1139	72/1829	60/1524	29.5/749	11.8/0.33	133/60




For additional specification instructions see pages 20-21.
Refer to pages 15-17 for electrical options.
Divider panel sets and components available starting on page 14.

Bench TR4

Work table. Four person, connected 24"D or 30"D work surfaces.



For configurations with divider panels add "-G" to desk code.
i.e. TR4-2472-G-C




with gap



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

24"D	TR4-2436-C	1482	72/1829	48/1219	29.5/749	14.9/0.42	130/59
	TR4-2442-C	1547	84/2134	48/1219	29.5/749	15.6/0.44	145/66
	TR4-2448-C	1612	96/2438	48/1219	29.5/749	16.2/0.46	160/73
	TR4-2454-C	1677	108/2743	48/1219	29.5/749	16.9/0.48	165/75
	TR4-2460-C	1742	120/3048	48/1219	29.5/749	16.9/0.48	169/77
	TR4-2466-C	1872	132/3353	48/1219	29.5/749	16.9/0.48	190/86
	TR4-2472-C	2002	144/3658	48/1219	29.5/749	17.0/0.48	220/100
30"D	TR4-3036-C	1644	72/1829	60/1524	29.5/749	15.9/0.45	152/69
	TR4-3042-C	1709	84/2134	60/1524	29.5/749	16.6/0.47	175/79
	TR4-3048-C	1775	96/2438	60/1524	29.5/749	17.6/0.50	190/86
	TR4-3054-C	1840	108/2743	60/1524	29.5/749	18.4/0.52	210/95
	TR4-3060-C	1906	120/3048	60/1524	29.5/749	18.4/0.52	228/103
	TR4-3066-C	2035	132/3353	60/1524	29.5/749	18.4/0.52	246/112
	TR4-3072-C	2165	144/3658	60/1524	29.5/749	18.5/0.52	265/120



Bench TR6

Work table. Six person, connected 24"D or 30"D work surfaces.




For configurations with divider panels add "-G" to desk code.
i.e. TR6-2472-G-C



with gap



24"D	TR6-2436-C	2371	108/2743	48/1219	29.5/749	20.5/0.58	195/88
	TR6-2442-C	2474	126/3200	48/1219	29.5/749	21.6/0.61	228/103
	TR6-2448-C	2578	144/3658	48/1219	29.5/749	22.7/0.64	240/109
	TR6-2454-C	2683	162/4115	48/1219	29.5/749	23.8/0.67	249/113
	TR6-2460-C	2787	180/4572	48/1219	29.5/749	23.8/0.67	254/115
	TR6-2466-C	2995	198/5029	48/1219	29.5/749	23.8/0.67	285/129
	TR6-2472-C	3204	216/5486	48/1219	29.5/749	24.0/0.68	330/150
30"D	TR6-3036-C	2630	108/2743	60/1524	29.5/749	22.0/0.62	228/103
	TR6-3042-C	2734	126/3200	60/1524	29.5/749	23.3/0.66	250/113
	TR6-3048-C	2838	144/3658	60/1524	29.5/749	24.7/0.70	285/129
	TR6-3054-C	2943	162/4115	60/1524	29.5/749	26.0/0.74	315/143
	TR6-3060-C	3047	180/4572	60/1524	29.5/749	26.0/0.74	342/155
	TR6-3066-C	3256	198/5029	60/1524	29.5/749	26.0/0.74	369/167
	TR6-3072-C	3463	216/5486	60/1524	29.5/749	26.5/0.75	398/181




For additional specification instructions see pages 20-21.

Refer to pages 15-17 for electrical options.

Divider panel sets and components available starting on page 14.


Bench TR2A

Work table. Two person, connected 24"D or 30"D work surfaces.




		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

24"D	TR2A-2436-C	1035	72/1829	24/610	29.5/749	7.6/0.22	60/27
	TR2A-2442-C	1088	84/2134	24/610	29.5/749	8.0/0.23	67/30
	TR2A-2448-C	1138	96/2438	24/610	29.5/749	8.4/0.24	75/34
	TR2A-2454-C	1190	108/2743	24/610	29.5/749	8.7/0.25	83/38
	TR2A-2460-C	1239	120/3048	24/610	29.5/749	8.7/0.25	87/39
	TR2A-2466-C	1342	132/3353	24/610	29.5/749	8.7/0.25	95/43
	TR2A-2472-C	1445	144/3658	24/610	29.5/749	8.8/0.25	105/48
30"D	TR2A-3036-C	1163	72/1829	30/762	29.5/749	8.1/0.23	71/32
	TR2A-3042-C	1216	84/2134	30/762	29.5/749	8.6/0.24	79/36
	TR2A-3048-C	1265	96/2438	30/762	29.5/749	9.1/0.26	90/41
	TR2A-3054-C	1318	108/2743	30/762	29.5/749	9.5/0.27	103/47
	TR2A-3060-C	1367	120/3048	30/762	29.5/749	9.5/0.27	109/49
	TR2A-3066-C	1469	132/3353	30/762	29.5/749	9.5/0.27	118/54
	TR2A-3072-C	1572	144/3658	30/762	29.5/749	9.6/0.27	128/58




Bench TR3A

Work table. Three person, connected 24"D or 30"D work surfaces.



24"D	TR3A-2436-C	1492	108/2743	24/610	29.5/749	9.4/0.27	88/40
	TR3A-2442-C	1570	126/3200	24/610	29.5/749	9.8/0.28	98/44
	TR3A-2448-C	1647	144/3658	24/610	29.5/749	10.2/0.29	110/50
	TR3A-2454-C	1723	162/4115	24/610	29.5/749	10.5/0.30	122/55
	TR3A-2460-C	1798	180/4572	24/610	29.5/749	12.5/0.35	128/58
	TR3A-2466-C	1952	198/5029	24/610	29.5/749	13.1/0.37	140/64
	TR3A-2472-C	2106	216/5486	24/610	29.5/749	13.6/0.39	155/70
30"D	TR3A-3036-C	1684	108/2743	30/762	29.5/749	9.9/0.28	104/47
	TR3A-3042-C	1761	126/3200	30/762	29.5/749	10.4/0.29	116/53
	TR3A-3048-C	1838	144/3658	30/762	29.5/749	10.9/0.31	133/60
	TR3A-3054-C	1915	162/4115	30/762	29.5/749	11.3/0.32	152/69
	TR3A-3060-C	1988	180/4572	30/762	29.5/749	11.3/0.32	161/73
	TR3A-3066-C	2143	198/5029	30/762	29.5/749	11.3/0.32	175/79
	TR3A-3072-C	2297	216/5486	30/762	29.5/749	11.4/0.32	189/86





For additional specification instructions see pages 20-21.
Refer to pages 15-17 for electrical options.
Divider panel sets and components available starting on page 14.





Bench TRL


Work table. 24"D or 30"D worksurface with 24"D x 36"-48" return on left side.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
TRR-2460-2436-C	1091	60/1524	60/1524	29.5/749	8.3/0.24	65/29
TRR-2460-2442-C	1115	60/1524	66/1676	29.5/749	8.3/0.24	70/32
TRR-2460-2448-C	1139	60/1524	72/1829	29.5/749	8.3/0.24	75/34
TRR-2466-2436-C	1135	66/1676	60/1524	29.5/749	8.6/0.24	70/32
TRR-2466-2442-C	1160	66/1676	66/1676	29.5/749	8.6/0.24	75/34
TRR-2466-2448-C	1184	66/1676	72/1829	29.5/749	8.6/0.24	80/36
TRR-2472-2436-C	1179	72/1829	60/1524	29.5/749	8.9/0.25	78/35
TRR-2472-2442-C	1203	72/1829	66/1676	29.5/749	8.9/0.25	83/38
TRR-2472-2448-C	1227	72/1829	72/1829	29.5/749	8.9/0.25	88/40
TRR-3060-2436-C	1147	60/1524	66/1676	29.5/749	9.0/0.25	80/36
TRR-3060-2442-C	1170	60/1524	72/1829	29.5/749	9.0/0.25	85/39
TRR-3060-2448-C	1195	60/1524	78/1981	29.5/749	9.0/0.25	90/41
TRR-3066-2436-C	1190	66/1676	66/1676	29.5/749	9.3/0.26	84/38
TRR-3066-2442-C	1216	66/1676	72/1829	29.5/749	9.3/0.26	89/40
TRR-3066-2448-C	1239	66/1676	78/1981	29.5/749	9.3/0.26	94/43
TRR-3072-2436-C	1235	72/1829	66/1676	29.5/749	9.7/0.27	89/40
TRR-3072-2442-C	1259	72/1829	72/1829	29.5/749	9.7/0.27	94/43
TRR-3072-2448-C	1283	72/1829	78/1981	29.5/749	9.7/0.27	99/45

Bench TRR

Work table. 24"D or 30"D worksurface with 24"D x 36"-48" return on right side.




TRL-2460-2436-C	1091	60/1524	60/1524	29.5/749	8.3/0.24	65/29
TRL-2460-2442-C	1115	60/1524	66/1676	29.5/749	8.3/0.24	70/32
TRL-2460-2448-C	1139	60/1524	72/1829	29.5/749	8.3/0.24	75/34
TRL-2466-2436-C	1135	66/1676	60/1524	29.5/749	8.6/0.24	70/32
TRL-2466-2442-C	1160	66/1676	66/1676	29.5/749	8.6/0.24	75/34
TRL-2466-2448-C	1184	66/1676	72/1829	29.5/749	8.6/0.24	80/36
TRL-2472-2436-C	1179	72/1829	60/1524	29.5/749	8.9/0.25	78/35
TRL-2472-2442-C	1203	72/1829	66/1676	29.5/749	8.9/0.25	83/38
TRL-2472-2448-C	1227	72/1829	72/1829	29.5/749	8.9/0.25	88/40
TRL-3060-2436-C	1147	60/1524	66/1676	29.5/749	9.0/0.25	80/36
TRL-3060-2442-C	1170	60/1524	72/1829	29.5/749	9.0/0.25	85/39
TRL-3060-2448-C	1195	60/1524	78/1981	29.5/749	9.0/0.25	90/41
TRL-3066-2436-C	1190	66/1676	66/1676	29.5/749	9.3/0.26	84/38
TRL-3066-2442-C	1216	66/1676	72/1829	29.5/749	9.3/0.26	89/40
TRL-3066-2448-C	1239	66/1676	78/1981	29.5/749	9.3/0.26	94/43
TRL-3072-2436-C	1235	72/1829	66/1676	29.5/749	9.7/0.27	89/40
TRL-3072-2442-C	1259	72/1829	72/1829	29.5/749	9.7/0.27	94/43
TRL-3072-2448-C	1283	72/1829	78/1981	29.5/749	9.7/0.27	99/45

For additional specification instructions see pages 20-21.

Refer to pages 15-17 for electrical options.

Divider panel sets and components available starting on page 14.

Mobile Pedestals




Mobile pedestal on casters. One box and one file drawer with ball bearing suspension on the file drawer and on box drawer. Locking drawers. Four casters.

P - Specify pull handle style

		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

CAB-1622-TMBF	616	16/406	22/559	21/533	5/0.14	65/29
CAB-1622-TMBF-P	675	With optional handles				



Mobile pedestal on casters. One box and one file drawer with ball bearing suspension on the file drawer and on box drawer. Locking drawers. Four casters. Cushioned seat. Refer to Links Fabric cards for available fabric selection.

P - Specify pull handle style


CAB-1622-TMBF-SE	874	16/406	22/559	24/610	6/0.17	65/29
CAB-1622-TMBF-SE-P	932	With optional handles				



Mobile pedestal on casters. Two box and one file drawer with ball bearing suspension on the file drawer and on box drawer. Locking drawers. Four casters.

P - Specify pull handle style

CAB-1622-TMBBF	681	16/406	22/559	26.5/673	6/0.17	80/36
CAB-1622-TMBBF-P	769	With optional handles				



Mobile pedestal on casters. Two file drawer with ball bearing suspension on both drawers. Locking drawers. Four casters.


P - Specify pull handle style

CAB-1622-TMFF	681	16/406	22/559	26.5/673	6/0.17	80/36
CAB-1622-TMFF-P	740	With optional handles				

For additional specification instructions and pull handle options see pages 20-21.
 Refer to Links Fabric card for available fabric options.

Cabinets - 22"H

Storage cabinet with locking doors.



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

CAB-2024-22-RSC-P	575	24/610	20/508	22/559	6.4/0.18	66/30
CAB-2024-22-LSC-P	575	24/610	20/508	22/559	6.4/0.18	66/30
CAB-2030-22-SC-P	600	30/762	20/508	22/559	8.0/0.23	74/34
CAB-2036-22-SC-P	625	36/914	20/508	22/559	9.6/0.27	81/37

P - Specify pull handle style

Box/File cabinet. One file drawer, one box drawer. Locking Drawers.



CAB-2024-22-BF-P	725	24/610	20/508	22/559	6.4/0.18	88/40
CAB-2030-22-BF-P	749	30/762	20/508	22/559	8.0/0.23	96/44
CAB-2036-22-BF-P	774	36/914	20/508	22/559	9.6/0.27	103/47

P - Specify pull handle style

MAX 30lb LOAD CAPACITY

Open cabinet with three adjustable shelves.




CAB-2024-22-OS	687	24/610	20/508	22/559	6.4/0.18	88/40
CAB-2030-22-OS	600	30/762	20/508	22/559	8.0/0.23	96/44
CAB-2036-22-OS	625	36/914	20/508	22/559	9.6/0.27	103/47



For additional specification instructions and pull handle options see pages 20-21.

Credenzas - 22"H

Double storage cabinet credenza with locking doors.




		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)

CAB-2060-22-SCSC-P	1214	60/1524	20/508	22/559	16.0/0.45	148/67
CAB-2072-22-SCSC-P	1251	72/1829	20/508	22/559	19.2/0.54	162/73

P - Specify pull handle style


Double box/file cabinet credenza. One file drawer, one box drawer each cabinet. Locking Drawers.



CAB-2060-22-BFBF-P	1515	60/1524	20/508	22/559	16.0/0.45	192/87
CAB-2072-22-BFBF-P	1552	72/1829	20/508	22/559	19.2/0.54	206/93


P - Specify pull handle style

Double open shelf credenza. Three adjustable shelves in each cabinet.



CAB-2060-22-OSOS	1214	60/1524	20/508	22/559	16.0/0.45	192/87
CAB-2072-22-OSOS	1251	72/1829	20/508	22/559	19.2/0.54	206/93


Storage cabinet, box/file credenza. One file drawer, one box drawer. Locking doors and drawers.



CAB-2060-22-SCBF-P	1351	60/1524	20/508	22/559	16.0/0.45	170/77
CAB-2072-22-SCBF-P	1388	72/1829	20/508	22/559	19.2/0.54	184/83

P - Specify pull handle style

Storage cabinet, bookcase credenza. Three adjustable shelves in open shelf cabinet. Locking doors on storage cabinet.




CAB-2060-22-SCOS-P	1214	60/1524	20/508	22/559	16.0/0.45	170/77
CAB-2072-22-SCOS-P	1251	72/1829	20/508	22/559	19.2/0.54	184/83

P - Specify pull handle style

For additional specification instructions and pull handle options see pages 20-21.

Credenzas - 22"H

Box/file cabinet, bookcase credenza. One file drawer, one box drawer. Three adjustable shelves in open shelf cabinet. Locking drawers on box/file cabinet.




		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)

CAB-2060-22-BFOS-P	1351	60/1524	20/508	22/559	16.0/0.45	192/87
CAB-2072-22-BFOS-P	1388	72/1829	20/508	22/559	19.2/0.54	206/93

P - Specify pull handle style


Box/file cabinet, storage cabinet credenza. One file drawer, one box drawer. Locking drawers and doors.



CAB-2060-22-BFSC-P	1351	60/1524	20/508	22/559	16.0/0.45	170/77
CAB-2072-22-BFSC-P	1388	72/1829	20/508	22/559	19.2/0.54	184/83

P - Specify pull handle style


Bookcase, storage cabinet credenza. Three adjustable shelves in open shelf cabinet. Locking doors on storage cabinet.



CAB-2060-22-OSSC-P	1214	60/1524	20/508	22/559	16.0/0.45	170/77
CAB-2072-22-OSSC-P	1251	72/1829	20/508	22/559	19.2/0.54	184/83

P - Specify pull handle style

Bookcase, box/file cabinet credenza. Three adjustable shelves in open shelf cabinet. One file drawer, one box drawer. Locking drawers on box/file cabinet.




CAB-2060-22-OSBF-P	1351	60/1524	20/508	22/559	16.0/0.45	192/87
CAB-2072-22-OSBF-P	1388	72/1829	20/508	22/559	19.2/0.54	206/93

P - Specify pull handle style

Seat Cushions

Upholstered seat cushions for placement above credenzas are available in all Links Fabric options.




ACC-2024-SEAT	276	24/610	20/508
ACC-2030-SEAT	300	30/762	20/508
ACC-2036-SEAT	326	36/914	20/508

For additional specification instructions and pull handle options see pages 20-21. Refer to Links Fabric cards for available fabric selection.



20" High Hutch (6" Posts)

Hutch mounted on two 6" posts for hutches 18"-36" wide, four 6" posts for hutches 42" and wider. Center Divider included on hutches 42" and wider.



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)
TRPH-1418-20	364	18/457	14/356	20/508	0.6/0.02	13/6
TRPH-1424-20	401	24/610	14/356	20/508	0.8/0.02	16/7
TRPH-1430-20	438	30/762	14/356	20/508	1.0/0.03	19/9
TRPH-1436-20	469	36/914	14/356	20/508	1.2/0.03	24/11
TRPH-1442-20	504	42/1067	14/356	20/508	1.4/0.04	28/13
TRPH-1448-20	538	48/1219	14/356	20/508	1.6/0.05	32/15
TRPH-1454-20	573	54/1372	14/356	20/508	1.8/0.05	36/16
TRPH-1460-20	609	60/1524	14/356	20/508	2.0/0.06	40/18
TRPH-1466-20	642	66/1676	14/356	20/508	2.2/0.06	44/20
TRPH-1472-20	674	72/1829	14/356	20/508	2.4/0.07	48/22



For additional specification instructions see pages 20-21.


Divider Panel Set

12"H Divider Panel.




CODE	PRICE				WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	(L)	(W)	(F)	(Z)	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)
TRPS-1224-	221	271	318	318	24/610	0.75/19	12/305	0.4/0.01	6/2.7
TRPS-1230-	226	285	344	344	30/762	0.75/19	12/305	0.4/0.01	7/3.2
TRPS-1236-	233	301	369	369	36/914	0.75/19	12/305	0.5/0.01	7/3.2
TRPS-1242-	239	316	393	393	42/1067	0.75/19	12/305	0.6/0.01	7/3.2
TRPS-1248-	245	331	418	418	48/1219	0.75/19	12/305	0.6/0.02	8/3.6
TRPS-1254-	257	351	444	444	54/1372	0.75/19	12/305	0.7/0.02	8/3.6
TRPS-1260-	270	369	467	467	60/1524	0.75/19	12/305	0.7/0.02	8/3.6
TRPS-1266-	287	391	494	494	66/1676	0.75/19	12/305	0.8/0.02	9/4.1
TRPS-1272-	307	412	518	518	72/1829	0.75/19	12/305	0.8/0.02	9/4.1

18"H Divider Panel.





TRPS-1824-	286	352	414	414	24/610	0.75/19	18/457	0.5/0.01	7/3.2
TRPS-1830-	295	371	447	447	30/762	0.75/19	18/457	0.5/0.01	8/3.6
TRPS-1836-	302	392	480	480	36/914	0.75/19	18/457	0.6/0.02	8/3.6
TRPS-1842-	311	410	511	511	42/1067	0.75/19	18/457	0.7/0.02	8/3.6
TRPS-1848-	318	429	543	543	48/1219	0.75/19	18/457	0.7/0.02	9/4.1
TRPS-1854-	333	456	578	578	54/1372	0.75/19	18/457	0.8/0.02	9/4.1
TRPS-1860-	351	480	608	608	60/1524	0.75/19	18/457	0.8/0.02	9/4.1
TRPS-1866-	373	508	643	643	66/1676	0.75/19	18/457	0.9/0.03	10/4.5
TRPS-1872-	397	536	673	673	72/1829	0.75/19	18/457	0.9/0.03	10/4.5





Standard mounting using desk gap.

Note: divider panels for Bench are recommended a size down. i.e. on a 72"W desk a 66" panel is generally standard.




To specify Bench panels on desk ends, or surfaces that do not have a gap to accommodate panel mounting, specify "A" at end of panel code. i.e. TRPS-1224-F-A



Laminate (L)
TRPS-____-L
(see samples for finish colour selection)




Fabric (F)
TRPS-____-F
(see fabric cards for available selection)



Whiteboard (W)
TRPS-____-W




Frosted (Z)
TRPS-____-Z



Laminate (L)
TRPS-____-L-A
(see samples for finish colour selection)



Fabric (F)
TRPS-____-F-A
(see fabric cards for available selection)



Whiteboard (W)
TRPS-____-W-A




Frosted (Z)
TRPS-____-Z-A

For additional specification instructions see pages 20-21.
Refer to Links Fabric cards for available fabric selection.

Wire Management Tray

Available on desks with widths of 48" and larger.



Power/Data Center

Metal Finish Electrical Port.



2 voice/data ports/housing
(jacks not included)



Power Center. Plastic



1 Open Data/2 Power/1 Open Data

Bench Modesty Panels

Modesty panels are specified by desk size.



View from right side of desk

For additional specification instructions see pages 20-21.
See page 18 for ELE-PORT position placement specifications.


		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)

TRWM-48	98	43/1092	7.25/184	3/76		3.8/2
---------	----	---------	----------	------	--	-------

ELE-PORT-200	573	Please specify position when ordering
Add (-SL) for Silver finish or (-BK) for Black finish		

ELE-PORT-400	345	Please specify position when ordering
Add (-BK) for Black finish or (-WH) for White finish		

TR-MOD-36-L	227	30/762	0.75/19	12/305
TR-MOD-42-L	233	36/914	0.75/19	12/305
TR-MOD-48-L	239	42/1067	0.75/19	12/305
TR-MOD-54-L	245	48/1219	0.75/19	12/305
TR-MOD-60-L	257	54/1372	0.75/19	12/305
TR-MOD-66-L	270	60/1524	0.75/19	12/305
TR-MOD-72-L	289	66/1676	0.75/19	12/305
TR-MOD-36-Z	344	30/762	0.75/19	12/305
TR-MOD-42-Z	369	36/914	0.75/19	12/305
TR-MOD-48-Z	393	42/1067	0.75/19	12/305
TR-MOD-54-Z	418	48/1219	0.75/19	12/305
TR-MOD-60-Z	444	54/1372	0.75/19	12/305
TR-MOD-66-Z	467	60/1524	0.75/19	12/305
TR-MOD-72-Z	494	66/1676	0.75/19	12/305





Links Contract Furniture's non-sequential power system allows users to "daisy chain" multiple power centers together, requiring only one unit to be plugged into a wall outlet. This system works with the Links ELE-PORT-250 (Black) and ELE-PORT-260 (Silver) power and data port. The system enables a connection of up to 8 power/data centers off of one infeed. A three-way splitter allows users to extend or consolidate power access as needed. A smart LED indicator will illuminate green when everything is connected and ready, while a red light indicates that too many units have been linked.

Features:

- Customizable infeed cord lengths
- Non-sequential; arrange and re-arrange quickly and in any order.
- Multi-directional splitters
- UL 962 recognized



Go Team!



Plug & Go

A 15-amp plug infeed allows you to start almost anywhere



A Mind Of Its Own

iQ does the thinking, so you can just plug in and get to work



Snap Together, Branch Out

Modular connections and 3-way splitters make layouts easy

		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3) (lbs/kg)
Daisy Chain Starter.						
ELE-PORT-250 (Black)	ELE-PORT-250-START	1287				
ELE-PORT-260 (Silver)	ELE-PORT-260-START	1287				

Surface mount power/data center with customizable cord lengths. Please specify position when ordering.

ELE-PORT-250 (Black)
ELE-PORT-260 (Silver)


ELE-PORT-250-24	786	24/610
ELE-PORT-260-24	786	24/610
ELE-PORT-250-36	801	36/914
ELE-PORT-260-36	801	36/914
ELE-PORT-250-48	819	48/1219
ELE-PORT-260-48	819	48/1219
ELE-PORT-250-60	832	60/1524
ELE-PORT-260-60	832	60/1524
ELE-PORT-250-72	845	72/1829
ELE-PORT-260-72	845	72/1829

**Surface mount electrical port comes standard with two (2) electrical receptacles and housing for optional voice/data plugs.
Contact customer service for additional options.**

Drawings must be provided with order.



Racetrack Shape

1" thick top with matching edge. 120"W to 192"W have two piece top.




		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

TBL-0006-TRTR	1019	72/1829	36/914	29.5/749	4.5/0.13	100/45
TBL-0008-TRTR	1197	96/2438	42/1067	29.5/749	7.5/0.21	120/54
TBL-0010-TRTR	1772	120/3048	48/1219	29.5/749	10.5/0.30	160/73
TBL-0012-TRTR	1909	144/3658	48/1219	29.5/749	11.0/0.31	210/95
TBL-0014-TRTR	2126	168/4267	48/1219	29.5/749	11.5/0.33	240/109
TBL-0016-TRTR	2391	192/4877	48/1219	29.5/749	14.5/0.41	290/132





Boat Shape

1" thick top with matching edge. 120"W to 192"W have two piece top.




TBL-0006-BSTR	1019	72/1829	36/914	29.5/749	4.5/0.13	100/45
TBL-0008-BSTR	1197	96/2438	42/1067	29.5/749	7.5/0.21	120/54
TBL-0010-BSTR	1772	120/3048	48/1219	29.5/749	10.5/0.30	160/73
TBL-0012-BSTR	1909	144/3658	48/1219	29.5/749	11.0/0.31	210/95
TBL-0014-BSTR	2126	168/4267	48/1219	29.5/749	11.5/0.33	240/109
TBL-0016-BSTR	2391	192/4877	48/1219	29.5/749	14.5/0.41	290/132





Rectangular

1" thick top with matching edge. 120"W to 192"W have two piece top.



TBL-0006-RCTR	1019	72/1829	36/914	29.5/749	4.5/0.13	100/45
TBL-0008-RCTR	1197	96/2438	42/1067	29.5/749	7.5/0.21	120/54
TBL-0010-RCTR	1772	120/3048	48/1219	29.5/749	10.5/0.30	160/73
TBL-0012-RCTR	1909	144/3658	48/1219	29.5/749	11.0/0.31	210/95
TBL-0014-RCTR	2126	168/4267	48/1219	29.5/749	11.5/0.33	240/109
TBL-0016-RCTR	2391	192/4877	48/1219	29.5/749	14.5/0.41	290/132




Round

1" thick top with matching edge.




		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

TBL-3030-RDTR	601	30/762	30/762	29.5/749	5.0/0.14	50/23
TBL-3636-RDTR	618	36/914	36/914	29.5/749	6.0/0.17	60/27
TBL-4242-RDTR	673	42/1067	42/1067	29.5/749	7.0/0.20	70/32
TBL-4848-RDTR	730	48/1219	48/1219	29.5/749	8.0/0.23	80/36
TBL-5454-RDTR	1024	54/1372	54/1372	29.5/749	9.0/0.25	90/41



Square Top


1" thick top with matching edge.



TBL-3030-SQTR	601	30/762	30/762	29.5/749	5.0/0.14	50/23
TBL-3636-SQTR	618	36/914	36/914	29.5/749	6.0/0.17	60/27
TBL-4242-SQTR	673	42/1067	42/1067	29.5/749	7.0/0.20	70/32
TBL-4848-SQTR	730	48/1219	48/1219	29.5/749	8.0/0.23	80/36
TBL-5454-SQTR	1024	54/1372	54/1372	29.5/749	9.0/0.25	90/41




End/Coffee Tables



TBL-2024-ETTR	558	24/610	20/508	18/457
TBL-2442-ETTR	582	42/1067	24/610	18/457

X-Base



TR-20-XB-29	278	20/508	20/508	28/711
TR-24-XB-29	297	24/610	24/610	28/711
TR-30-XB-29	300	30/762	30/762	28/711
TR-36-XB-29	505	36/914	36/914	28/711

For additional specification instructions see pages 20-21.
 Refer to pages 15-17 for electrical options.

Power/Data Center


The ELE-PORT is a compact workspace accessory that provides convenient power and data distribution.

Item Codes:

ELE-PORT-100 (Black) & ELE-PORT-200 (Silver).
 ELE-PORT-250 (Black) & ELE-PORT-260 (Silver)
 daisy chain. See pages 15-17 for pricing/images.

ELE-PORT Specifications:

- ELE-PORT may be ordered on all worksurfaces.
- 10 foot black cord included.
- ELE-PORT are available in standard worksurface locations (shown below)
- ELE-PORTs may be placed in custom locations, a drawing is required indicating exact vertical and horizontal locations for the center of the cutout.



Cut-out placed on user side of beams/base.

Grommet/ELE-PORT Position Codes

POS1	Left/Left User Side
POS2	Center/Center User Side
POS3	Right/Right User Side
POS4	Left/Center User Side
POS5	Right/Center User Side

Grommets and Power/Data

- Grommets are available in same locations as ELE-PORTS seen above.
- Grommets may be placed in custom locations, a drawing is required indicating exact locations.
- Grommets are not standard on Bench work-surfaces but may be added if requested. One grommet available on all worksurfaces at no upcharge. Add \$76 list for each additional grommet.
- Black or Silver available for both grommets and power/data units.



ACC-OG-BK
Black Grommet
 (Standard)



ACC-OG-SL
Silver Grommet
 (Optional)

Thickness

Worksurfaces:	1" (25mm) thick/1 1/2" (38mm) thick.
Drawer Fronts:	5/8" (16mm) thick.
Doors:	5/8" (16mm) thick.
Shelves:	5/8" (16mm) thick.

Industry Standards

- Greenguard Certified.

Sizes and Weights

- Weights are approximate and are not exact.
- Height does not include floor levelers. (some exceptions apply to height)

Finishes / Color Specifications

- Storage units may be ordered one-tone or two-tone.
- Legs and support beams available in Silver with Chrome accents.

To Specify one-tone or two-tone colors:

- First code denotes the worksurface, second code denotes the (cabinet) base/drawer/door/shelf color.
- To order one-tone color units, specify first code and second code identically.
i.e. CO/CO or CO - Cognac top with Cognac base.
- To order two-tone color units, specify worksurface and (cabinet) base code separately. **i.e. CO/SA - Cognac top and fronts with Sahara base.**

TOPS:

Nutmeg (NM)	Chocolate Walnut (CW)
Classic Mahogany (CM)	Cherry Henna (CH)
Cognac (CO)	Sahara (SA)
Riviera Maple (RM)	Willow Gray (WG)
True White (TW)	Storm Gray (SG)
Cappuccino (CP)	Gray (GR)
Milky Way (MW)	London Fog (LN)
Windy City (WC)	

BASES (CAB):

Nutmeg (NM)	Chocolate Walnut (CW)
Classic Mahogany (CM)	Cherry Henna (CH)
Cognac (CO)	Sahara (SA)
Riviera Maple (RM)	Willow Gray (WG)
True White (TW)	Storm Gray (SG)
Chamois Black (BK)	Cappuccino (CP)
Gray (GR)	Milky Way (MW)
London Fog (LN)	Windy City (WC)

ACCENTS:

Lime Burst (LB)
Strawberry Fields (SF)
Aqua Breeze (AB)

*Accent colors can be used on anything made of 5/8" (16mm) laminate. Generally this is for drawer/door fronts, shelves, and Bench hutches.

Worksurfaces and Beams

- Worksurfaces are 1" (25mm) edged on all 4 sides.
- Leg and support beams are a 3" (76mm) anodized aluminum profiles available in silver only, with Chrome finish connectors.
- Worksurfaces are pre-drilled for connection to bases, and other components where applicable.
- Edges are user friendly, 3mm thick "Tough Guard" edged; beveled edges improve user comfort and product durability.
- Leveler shape is square body with rounded bottom, allowing for easy leveling of units and the additional space between frame and floor, minimizing moisture from carpet or floor.
- Floor levelers plastic base is 5/8" (16mm) high, with 1 1/4" (32mm) high threaded stem allowing 1" (25mm) height adjustment.

Doors, Drawers, and Shelves

- Drawer/Door fronts and shelves are 5/8" (16mm) thick solid core particle board finished on both sides with thermofused laminate.
- Drawer/Door fronts & shelves have 3mm thick "Tough Guard" edging on all 4 sides.
- Interior drawer construction in black finish.
- Drawers/Doors, open with front pull handles drilled 128mm apart, allowing for a wide comfortable grip.
- Box drawers, File drawers operate on ball bearing suspension slides for smooth and quiet operation.
- Box drawers operate on full extension ball-bearing slides, tested for 75lbs /34kg
- File drawers operate on full extension ball bearing slides, tested for 100lbs /45kg.
- File drawers are standard with file support rails, accepting letter or legal hanging files, allowing front to back or side to side filing.
- Drawers are 18" (457mm) depth.
- Cabinet doors operate on self closing hinges for smooth and quiet operation, are standard with 35mm half overlay and 40mm full overlay clip on hinges.
- Hutch doors are available in sliding option only.

Lock Specifications

- Locks are standard with an interchangeable lock core.
- Locks are standard in black and silver finishes.
- Locks are standard with collapsible key preventing damage to key.
- Lock core can be changed allowing multiple units to be keyed alike.
- Lock core can be changed allowing multiple units in a common area to be keyed differently (50 different cores available).
- One lock is standard on all locking cabinets
- Identical lock numbers are automatically supplied on the same unit.
- Core removable key available, master key available.
- Keys supplied with Microban Antimicrobial product protection

Packaging

- Assembled bases are packaged in corrugated cartons containing high recycled content.
- Worksurface edges and corners are reinforced with edge and corner protectors.
- Wood strapping supports the bottom portion of assembled units.

Pull Handle Options



STANDARD "P1" PULL HANDLE
Black Finish



Optional "P2" PULL HANDLE
Silver Finish



Optional "P3" PULL HANDLE
Silver Finish



Optional "P4" PULL HANDLE
Silver Finish



Optional "P5" PULL HANDLE
Brushed Nickel Finish



Optional "P6" PULL HANDLE
Matte Black Finish



Optional "P7" PULL HANDLE
Brushed Nickel Finish

All above handles are for use with: lateral files, storage cabinets and other items, such as serving carts and wardrobes, manufactured by Links Contract Furniture Inc.. Please specify the handle of your choice on your purchase order. Orders will be processed with the standard P1 handle if not specified on your order.

Notification:

We are constantly upgrading our products. For the most up-to date product specifications, please contact Customer Service.

Links Contract Furniture Values

We value our customers. We are responsible to the consumers who use our products. Therefore, in meeting the needs of our consumers we are committed to delivering the upmost quality products and providing business excellence as the base of everything we do. We promise to listen closely to the needs of our consumers and strive to continuously exceed expectations.

At Links we recognize our members. An organization is only effective as its people. Therefore, employee development is an essential element of company growth. As an organization we believe in the ability of our people and stand behind them in achieving their greatest potential.


We value integrity. We believe in developing integrity in the deepest layers of our organization and not just at its surface. We strive to build mutually beneficial relationships with our customers, dealers, and suppliers as a foundation for growth.

We value continuous learning. We believe in growth through experience. A constant evolution in the way we think and act brings about new knowledge and skills that allow us to develop improved processes, advanced designs, and reduce our environmental impact.

We value our world. We work to cultivate the world in which we live in through investing in our people and the pursuit of sustainable development. Focusing our value chain on the challenges of sustainable development has allowed us to find new ways to minimize our impact on the environment.



Links Contract Furniture Inc.
undoubtedly achieves to supply
every office scheme with the
newest in office furniture design and
a splash of colour for that unique,
corporate look.





LINKS' Creative Solutions . . . The Industry Leader!



While every effort is made to ensure the accuracy of information contained in this price list at the time of publication, we cannot accept responsibility for inaccuracies resulting from printing errors or omissions. We reserve the right to make product improvements and price changes without notice.

© Copyright 2019 Links Contract Furniture Inc.. All Rights Reserved.

Head Office/Showroom:	131 Ormont Dr.	Toronto	Ontario	Canada	M9L 2S3
Local & International:	P: 416.745.8910	F: 416.745.8779			
Toll Free - North America:	P: 855-50-LINKS (855.505.4657)	F: 855-51-LINKS (855.515.4657)			
Email:	info@linkscontract.com				
Website:	linkscontract.com				

