



2020

INTERLINKS - TLC
CREATIVE SOLUTIONS

Grommets

- Center grommet is standard on all desks, corner units, extended corner units, and selected shaped worksurfaces and cabinets. Black or Silver

Power/Data Center

- Optional Mini-Port Power Data Center that can be installed on any worksurface.
- Pak8 systems power distribution components.

Packaging

- Assembled units are packaged in corrugated cartons containing high recycled content.
- Worksurface edges and corners are reinforced with edge and corner protectors.
- Wood strapping supports the bottom portion of assembled units.

Thickness

Worksurfaces:	1" (25mm) thick/1 1/2" (38mm) thick.
Side Panels (Gables):	1" (25mm) thick.
Back Panels:	5/8" (16mm) thick.
Drawer Fronts:	5/8" (16mm) thick.
Doors:	5/8" (16mm) thick.

Industry Standards

- Components meet current ANSI/BIFMA Standards, Greenguard Certified.

Sizes and Weights

- Weights are approximate and are not exact.
- Height does not include floor levelers. (some exceptions apply to height)

Finishes / Color Specifications

- Unit color may be ordered one-tone or two-tone.
- You may select one color worksurface/drawer/door fronts and another color base.

To Specify one-tone or two-tone colors:

- First code denotes the worksurface/drawer/door/shelf color, second code denotes the base color.
- To order one-tone color units, specify worksurface and base code identically.
i.e. CO/CO or CO - Cognac top with Cognac base.
- To order two-tone color units, specify worksurface and base code separately.
i.e. CO/SA - Cognac top and fronts with Sahara base.

Available Laminate Finishes:

TOPS:	BASES:
Nutmeg (NM)	Nutmeg (NM)
Chocolate Walnut (CW)	Chocolate Walnut (CW)
Classic Mahogany (CM)	Classic Mahogany (CM)
Cherry Henna (CH)	Cherry Henna (CH)
Cognac (CO)	Cognac (CO)
Sahara (SA)	Sahara (SA)
Riviera Maple (RM)	Riviera Maple (RM)
Willow Gray (WG)	Willow Gray (WG)
True White (TW)	True White (TW)
Storm Gray (SG)	Storm Gray (SG)
Cappuccino (CP)	Chamois Black (BK)
Gray (GR)	Cappuccino (CP)
Milky Way (MW)	Gray (GR)
London Fog (LN)	Milky Way (MW)
Windy City (WC)	London Fog (LN)
Aspen (AP)	Windy City (WC)
	Aspen (AP)

ACCENTS (Door/Drawer Fronts, Shelves):

Lime Burst (LB)	Aqua Breeze (AB)	Strawberry Fields (SF)
-----------------	------------------	------------------------

Pull Handle Options



STANDARD "P1" PULL HANDLE
Black Finish



Optional "P2" PULL HANDLE
Silver Finish



Optional "P3" PULL HANDLE
Silver Finish



Optional "P4" PULL HANDLE
Silver Finish



Optional "P5" PULL HANDLE
Brushed Nickel Finish



Optional "P6" PULL HANDLE
Matte Black Finish




Optional "P7" PULL HANDLE
Brushed Nickel Finish

All above handles are for use with: lateral files, storage cabinets and other items, such as serving carts and wardrobes, manufactured by Links Contract Furniture Inc.. Please specify the handle of your choice on your purchase order. Orders will be processed with the standard P1 handle if not specified on your order.

Notification:

We are constantly upgrading our products. For the most up-to date product specifications, please contact Customer Service.




Single Left Box/File Pedestal Desk.
24"D with full back panel.

30"D and 36"D with full recessed
back panel.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
ASM-2072-LBF	842	72/1829	20/508	29/737	30/0.85	180/82
ASM-2472-LBF	851	72/1829	24/610	29/737	33/0.93	190/86
ASM-3060-LBF	858	60/1524	30/762	29/737	34/0.96	185/84
ASM-3066-LBF	928	66/1676	30/762	29/737	37/1.05	195/88
ASM-3072-LBF	1007	72/1829	30/762	29/737	42/1.19	215/98
ASM-3672-LBF	1020	72/1829	36/914	29/737	49/1.39	235/107

add -P 44 with handles




Single Left Box/Box/File Pedestal Desk. 24"D with full back panel.

30"D and 36"D with full recessed
back panel.

ASM-2072-LBBF	1038	72/1829	20/508	29/737	30/0.85	205/93
ASM-2472-LBBF	1047	72/1829	24/610	29/737	33/0.93	215/98
ASM-3060-LBBF	1053	60/1524	30/762	29/737	34/0.96	205/93
ASM-3066-LBBF	1125	66/1676	30/762	29/737	37/1.05	215/98
ASM-3072-LBBF	1202	72/1829	30/762	29/737	42/1.19	235/107
ASM-3672-LBBF	1216	72/1829	36/914	29/737	49/1.39	255/116

add -P 66 with handles




Single Left File/File Pedestal Desk. 24"D with full back panel.

30"D and 36"D with full recessed
back panel.

ASM-2072-LFF	1038	72/1829	20/508	29/737	30/0.85	205/93
ASM-2472-LFF	1047	72/1829	24/610	29/737	33/0.93	215/98
ASM-3060-LFF	1053	60/1524	30/762	29/737	34/0.96	205/93
ASM-3066-LFF	1125	66/1676	30/762	29/737	37/1.05	215/98
ASM-3072-LFF	1202	72/1829	30/762	29/737	42/1.19	235/107
ASM-3672-LFF	1216	72/1829	36/914	29/737	49/1.39	255/116

add -P 44 with handles




Double Pedestal Desk.
24"D with full back panel.

30"D and 36"D with full recessed
back panel.

ASM-2072-DBFBF	1054	72/1829	20/508	29/737	30/0.85	205/93
ASM-2472-DBFBF	1064	72/1829	24/610	29/737	33/0.93	215/98
ASM-3060-DBFBF	1092	60/1524	30/762	29/737	34/0.96	230/104
ASM-3066-DBFBF	1162	66/1676	30/762	29/737	36/1.02	240/109
ASM-3072-DBFBF	1180	72/1829	30/762	29/737	42/1.19	260/118
ASM-3672-DBFBF	1191	72/1829	36/914	29/737	49/1.39	280/127

add -P 88 with handles




Double Pedestal Desk.
24"D with full back panel.

30"D and 36"D with full recessed
back panel.

ASM-2072-DBBF-FF	1445	72/1829	20/508	29/737	30/0.85	250/113
ASM-2472-DBBF-FF	1453	72/1829	24/610	29/737	33/0.93	260/118
ASM-3060-DBBF-FF	1482	60/1524	30/762	29/737	34/0.96	270/122
ASM-3066-DBBF-FF	1553	66/1676	30/762	29/737	37/1.05	280/127
ASM-3072-DBBF-FF	1570	72/1829	30/762	29/737	42/1.19	300/136
ASM-3672-DBBF-FF	1580	72/1829	36/914	29/737	49/1.39	320/145

add -P 110 with handles

For additional specification instructions see page 6.




Single Right Box/File Pedestal Desk. 24"D with full back panel.

30"D and 36"D with full recessed back panel.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
ASM-2072-RBF	842	72/1829	20/508	29/737	30/0.85	180/82
ASM-2472-RBF	851	72/1829	24/610	29/737	33/0.93	190/86
ASM-3060-RBF	858	60/1524	30/762	29/737	34/0.96	185/84
ASM-3066-RBF	928	66/1676	30/762	29/737	37/1.05	195/88
ASM-3072-RBF	1007	72/1829	30/762	29/737	42/1.19	215/98
ASM-3672-RBF	1020	72/1829	36/914	29/737	49/1.39	235/107

add -P 44 with handles




Single Right Box/Box/File Pedestal Desk. 24"D with full back panel.

30"D and 36"D with full recessed back panel.

ASM-2072-RBBF	1038	72/1829	20/508	29/737	30/0.85	205/93
ASM-2472-RBBF	1047	72/1829	24/610	29/737	33/0.93	215/98
ASM-3060-RBBF	1053	60/1524	30/762	29/737	34/0.96	205/93
ASM-3066-RBBF	1125	66/1676	30/762	29/737	37/1.05	215/98
ASM-3072-RBBF	1202	72/1829	30/762	29/737	42/1.19	235/107
ASM-3672-RBBF	1216	72/1829	36/914	29/737	49/1.39	255/116

add -P 66 with handles



Single Right File/File Pedestal Desk. 24"D with full back panel.

30"D and 36"D with full recessed back panel.

ASM-2072-RFF	1038	72/1829	20/508	29/737	30/0.85	205/93
ASM-2472-RFF	1047	72/1829	24/610	29/737	33/0.93	215/98
ASM-3060-RFF	1053	60/1524	30/762	29/737	34/0.96	205/93
ASM-3066-RFF	1125	66/1676	30/762	29/737	37/1.05	215/98
ASM-3072-RFF	1202	72/1829	30/762	29/737	42/1.19	235/107
ASM-3672-RFF	1216	72/1829	36/914	29/737	49/1.39	255/116


add -P 44 with handles



Connecting Top Full Back Panel with Grommet.

Shipped K.D.

ASM-2042-CT	378	42/1067	20/508	29/737	4/0.11	71/32
ASM-2048-CT	407	48/1219	20/508	29/737	4/0.11	83/38
ASM-2442-CT	397	42/1067	24/610	29/737	4/0.11	73/33
ASM-2448-CT	424	48/1219	24/610	29/737	4/0.11	85/39



"D" Shape Top with End Panel, Grommet and single post leg.

"C1" - Black Post Leg
"C3" - Silver Post Leg

Shipped K.D.

ASM-3672-DTWPC1	740	72/1829	36/914	29/737	5/0.14	78/35
ASM-3672-DTWPC3	740	72/1829	36/914	29/737	5/0.14	78/35



Left (Links-Right) Executive Return with Grommet.

Shipped K.D.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
ASM-2042-LROP	482	42/1067	20/508	29/737	3/0.08	78/35
ASM-2048-LROP	501	48/1219	20/508	29/737	4/0.11	88/40
ASM-2442-LROP	492	42/1067	24/610	29/737	3/0.08	80/36
ASM-2448-LROP	511	48/1219	24/610	29/737	4/0.11	90/41



Left Box/File (Links-Right) Executive Return with Grommet

ASM-2042-LRBF	681	42/1067	20/508	29/737	15/0.42	123/56
ASM-2048-LRBF	695	48/1219	20/508	29/737	22/0.62	133/60
ASM-2442-LRBF	690	42/1067	24/610	29/737	15/0.42	125/57
ASM-2448-LRBF	706	48/1219	24/610	29/737	22/0.62	135/61

add -P 44 with handles



Left Box/Box/File (Links-Right) Executive Return with Grommet

ASM-2042-LRBBF	876	42/1067	20/508	29/737	15/0.42	143/65
ASM-2048-LRBBF	892	48/1219	20/508	29/737	22/0.62	153/69
ASM-2442-LRBBF	885	42/1067	24/610	29/737	15/0.42	145/66
ASM-2448-LRBBF	902	48/1219	24/610	29/737	22/0.62	155/70

add -P 66 with handles



Left File/File (Links-Right) Executive Return with Grommet

ASM-2042-LRFF	876	42/1067	20/508	29/737	15/0.42	143/65
ASM-2048-LRFF	892	48/1219	20/508	29/737	22/0.62	153/69
ASM-2442-LRFF	885	42/1067	24/610	29/737	15/0.42	145/66
ASM-2448-LRFF	902	48/1219	24/610	29/737	22/0.62	155/70

add -P 44 with handles

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	
	Right (Links-Left) Executive Return with Grommet.	ASM-2042-RRBP	482	42/1067	20/508	29/737	3/0.08 78/35
		ASM-2048-RRBP	501	48/1219	20/508	29/737	4/0.11 88/40
	Shipped K.D.	ASM-2442-RRBP	492	42/1067	24/610	29/737	3/0.08 80/36
		ASM-2448-RRBP	511	48/1219	24/610	29/737	4/0.11 90/41

	Right Box/File (Links-Left) Executive Return with Grommet	ASM-2042-RRBF	681	42/1067	20/508	29/737	15/0.42 123/56
		ASM-2048-RRBF	695	48/1219	20/508	29/737	22/0.62 133/60
		ASM-2442-RRBF	690	42/1067	24/610	29/737	15/0.42 125/57
		ASM-2448-RRBF	706	48/1219	24/610	29/737	22/0.62 135/61
		add -P	44	with handles			


	Right Box/Box/File (Links-Left) Executive Return with Grommet	ASM-2042-RRBBF	876	42/1067	20/508	29/737	15/0.42 143/65
		ASM-2048-RRBBF	892	48/1219	20/508	29/737	22/0.62 153/69
		ASM-2442-RRBBF	885	42/1067	24/610	29/737	15/0.42 145/66
		ASM-2448-RRBBF	902	48/1219	24/610	29/737	22/0.62 155/70
		add -P	66	with handles			

	Right File/File (Links-Left) Executive Return with Grommet	ASM-2042-RRFF	876	42/1067	20/508	29/737	15/0.42 143/65
		ASM-2048-RRFF	892	48/1219	20/508	29/737	22/0.62 153/69
		ASM-2442-RRFF	885	42/1067	24/610	29/737	15/0.42 145/66
		ASM-2448-RRFF	902	48/1219	24/610	29/737	22/0.62 155/70
		add -P	44	with handles			

Bow Front Desk



Bow front desk with full side panels, recessed back panel. No grommet.




CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------


DSK-3060-LBFTD	720	60/1524	36/914	29/737	5/0.14	110/50
DSK-3066-LBFTD	758	66/1676	36/914	29/737	5/0.14	130/59
DSK-3072-LBFTD	797	72/1829	36/914	29/737	6/0.17	150/68

For optional 3/4 modesty panel (18in / 455mm high) add the suffix SM to the product code. i.e. DSK-3072-LBFTD-SM


For optional 1/4 modesty panel (10in / 254mm high) add the suffix MM to the product code. i.e. DSK-3072-LBFTD-MM




Bow front desk with inset modesty. No grommet.



DSK-3072-LBFTD-MLM	1244	72/1829	36/914	29/737	8/0.23	170/77
--------------------	------	---------	--------	--------	--------	--------



Bow front desk with inset glazed modesty. No grommet.



DSK-3072-LBFTD-MZ	1304	72/1829	36/914	29/737	8/0.23	170/77
-------------------	------	---------	--------	--------	--------	--------

MZ - Specify modesty frame colour

MSZ = Silver frame


MBZ = Black frame

MWZ = White frame

Recessed Back Panel




Desk with 30"D or 36"D work surface, two full side panels, recessed back panel. No grommet.




DSK-3060-LF-REC	611	60/1524	30/762	29/737	5/0.14	124/56
DSK-3066-LF-REC	663	66/1676	30/762	29/737	5/0.14	132/60
DSK-3072-LF-REC	675	72/1829	30/762	29/737	5/0.14	140/64
DSK-3672-LF-REC	877	72/1829	36/914	29/737	6/0.17	150/68

For optional 3/4 modesty panel (18in / 455mm high) add the suffix SM to the product code. i.e. DSK-3072-LF-REC-SM


For optional 1/4 modesty panel (10in / 254mm high) add the suffix MM to the product code. i.e. DSK-3072-LF-REC-MM




Executive desk with inset modesty. No grommet.



DSK-3672-LF-REC-MLM	1325	72/1829	36/914	29/737	8/0.23	170/77
---------------------	------	---------	--------	--------	--------	--------



Executive desk with inset glazed modesty. No grommet.



DSK-3672-LF-REC-MZ	1383	72/1829	36/914	29/737	8/0.23	170/77
--------------------	------	---------	--------	--------	--------	--------

MZ - Specify modesty frame colour


MSZ = Silver frame

MBZ = Black frame

MWZ = White frame

For additional specification instructions see page 6. Desk components can be found on page 211.
Refer to page 203 for electrical options and pages 216-217 for power/data, grommet placement options.
See page 200 for keyboards and accessories.

Links "DTI" Table - LC (Links Center)




Free standing "D" shaped island work surface with narrow connecting side panels that link both left and right to connecting 24"D or 30"D work surfaces. Wire grommet included.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

24"D	DTI-2436-LC	605	36/914	24/610	29/737	3/0.08	60/27
	DTI-2442-LC	618	42/1067	24/610	29/737	3/0.08	63/29
	DTI-2448-LC	630	48/1219	24/610	29/737	4/0.11	66/30
	DTI-2454-LC	642	54/1372	24/610	29/737	4/0.11	71/32
	DTI-2460-LC	655	60/1524	24/610	29/737	5/0.14	75/34
	DTI-2466-LC	681	66/1676	24/610	29/737	5/0.14	80/36
30"D	DTI-2472-LC	707	72/1829	24/610	29/737	5/0.14	85/39
	DTI-3036-LC	630	36/914	30/762	29/737	3/0.08	71/32
	DTI-3042-LC	642	42/1067	30/762	29/737	3/0.08	73/33
	DTI-3048-LC	655	48/1219	30/762	29/737	4/0.11	76/34
	DTI-3054-LC	675	54/1372	30/762	29/737	4/0.11	84/38
	DTI-3060-LC	681	60/1524	30/762	29/737	5/0.14	86/39
	DTI-3066-LC	707	66/1676	30/762	29/737	5/0.14	91/41
	DTI-3072-LC	732	72/1829	30/762	29/737	5/0.14	96/44

C2	117	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	117	Opt. silver double post leg - add C4 to end of code
FP	51	Opt. full modesty panel - add FP to end of code

Links "DTI" Table - LI (Links Interchangeable)



Free standing "D" shaped island work surface with interchangeable narrow side panels. One narrow side panel with built-in fastening connectors & wire management port, one narrow side panel with fastening hardware only. Wire grommet included.

24"D	DTI-2436-LI	605	36/914	24/610	29/737	3/0.08	60/27
	DTI-2442-LI	618	42/1067	24/610	29/737	3/0.08	63/29
	DTI-2448-LI	630	48/1219	24/610	29/737	4/0.11	66/30
	DTI-2454-LI	642	54/1372	24/610	29/737	4/0.11	71/32
	DTI-2460-LI	655	60/1524	24/610	29/737	5/0.14	75/34
	DTI-2466-LI	681	66/1676	24/610	29/737	5/0.14	80/36
30"D	DTI-2472-LI	707	72/1829	24/610	29/737	5/0.14	85/39
	DTI-3036-LI	630	36/914	30/762	29/737	3/0.08	71/32
	DTI-3042-LI	642	42/1067	30/762	29/737	3/0.08	73/33
	DTI-3048-LI	655	48/1219	30/762	29/737	4/0.11	76/34
	DTI-3054-LI	675	54/1372	30/762	29/737	4/0.11	84/38
	DTI-3060-LI	681	60/1524	30/762	29/737	5/0.14	86/39
	DTI-3066-LI	707	66/1676	30/762	29/737	5/0.14	91/41
	DTI-3072-LI	732	72/1829	30/762	29/737	5/0.14	96/44

C2	117	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	117	Opt. silver double post leg - add C4 to end of code
FP	51	Opt. full modesty panel - add FP to end of code




Corner book shelf installed under "D" top.

BKC-2412-DICBH	448	24/610	12/305	28/711	5/0.14	30/14
BKC-3015-DICBH	462	30/762	15/381	28/711	7/0.20	35/16

For additional specification instructions see page 6. Desk components can be found on page 211.
Refer to page 203 for electrical options and pages 216-217 for power/data, grommet placement options.

Links "DTI" Table - NP (Narrow Panel)




"D" shaped island work surface. Links at flush height to a 24" or 30" work surface. The addition of one narrow side panel allows an optional link to the adjoining side panel.

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE		(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)
24"D	DTI-2436-NP	476	36/914	24/610	29/737	2/0.06	32/15
	DTI-2442-NP	489	42/1067	24/610	29/737	2/0.06	37/17
	DTI-2448-NP	501	48/1219	24/610	29/737	2/0.06	41/19
	DTI-2454-NP	514	54/1372	24/610	29/737	3/0.08	46/21
	DTI-2460-NP	527	60/1524	24/610	29/737	3/0.08	50/23
	DTI-2466-NP	553	66/1676	24/610	29/737	3/0.08	59/27
	DTI-2472-NP	579	72/1829	24/610	29/737	3/0.08	68/31
30"D	DTI-3036-NP	501	36/914	30/762	29/737	2/0.06	36/16
	DTI-3042-NP	514	42/1067	30/762	29/737	2/0.06	41/19
	DTI-3048-NP	527	48/1219	30/762	29/737	2/0.06	46/21
	DTI-3054-NP	547	54/1372	30/762	29/737	3/0.08	51/23
	DTI-3060-NP	553	60/1524	30/762	29/737	3/0.08	56/25
	DTI-3066-NP	579	66/1676	30/762	29/737	3/0.08	66/30
	DTI-3072-NP	605	72/1829	30/762	29/737	3/0.08	76/34

C2	117	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	117	Opt. silver double post leg - add C4 to end of code

Links "DTI" Table



"D" shaped island work surface. Links at flush height to a 24" or 30" work surface.

24"D	DTI-2436	449	36/914	24/610	29/737	2/0.06	32/15
	DTI-2442	463	42/1067	24/610	29/737	2/0.06	37/17
	DTI-2448	476	48/1219	24/610	29/737	2/0.06	41/19
	DTI-2454	488	54/1372	24/610	29/737	3/0.08	46/21
	DTI-2460	501	60/1524	24/610	29/737	3/0.08	50/23
	DTI-2466	527	66/1676	24/610	29/737	3/0.08	59/27
	DTI-2472	553	72/1829	24/610	29/737	3/0.08	68/31
30"D	DTI-3036	476	36/914	30/762	29/737	2/0.06	36/16
	DTI-3042	489	42/1067	30/762	29/737	2/0.06	41/19
	DTI-3048	501	48/1219	30/762	29/737	2/0.06	46/21
	DTI-3054	514	54/1372	30/762	29/737	3/0.08	51/23
	DTI-3060	527	60/1524	30/762	29/737	3/0.08	56/25
	DTI-3066	553	66/1676	30/762	29/737	3/0.08	66/30
	DTI-3072	579	72/1829	30/762	29/737	3/0.08	76/34

C2	117	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	117	Opt. silver double post leg - add C4 to end of code




Corner book shelf installed under "D" top.

BKC-2412-DICBH	448	24/610	12/305	28/711	5/0.14	30/14
BKC-3015-DICBH	462	30/762	15/381	28/711	7/0.20	35/16

For additional specification instructions see page 6. Desk components can be found on page 211.
 Refer to page 203 for electrical options and pages 216-217 for power/data, grommet placement options.

Links "STI" Table - LC (Links Center)


Free standing "S" shaped island work surface with narrow connecting side panels that link both left and right to connecting 24"D or 30"D work surfaces. Wire grommet included.




			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE		(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)

24"D	STI-2436-LC	605	36/914	24/610	29/737	3/0.08	60/27
	STI-2442-LC	618	42/1067	24/610	29/737	3/0.08	63/29
	STI-2448-LC	630	48/1219	24/610	29/737	4/0.11	66/30
	STI-2454-LC	642	54/1372	24/610	29/737	4/0.11	71/32
	STI-2460-LC	655	60/1524	24/610	29/737	5/0.14	75/34
	STI-2466-LC	681	66/1676	24/610	29/737	5/0.14	80/36
30"D	STI-2472-LC	707	72/1829	24/610	29/737	5/0.14	85/39
	STI-3036-LC	630	36/914	30/762	29/737	3/0.08	71/32
	STI-3042-LC	642	42/1067	30/762	29/737	3/0.08	73/33
	STI-3048-LC	655	48/1219	30/762	29/737	4/0.11	76/34
	STI-3054-LC	675	54/1372	30/762	29/737	4/0.11	84/38
	STI-3060-LC	681	60/1524	30/762	29/737	5/0.14	86/39
	STI-3066-LC	707	66/1676	30/762	29/737	5/0.14	91/41
	STI-3072-LC	732	72/1829	30/762	29/737	5/0.14	96/44

C2	117	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	117	Opt. silver double post leg - add C4 to end of code
FP	51	Opt. full modesty panel - add FP to end of code

Links "STI" Table - LI (Links Interchangeable)


Free standing "S" shaped island work surface with interchangeable narrow side panels. One narrow side panel with built-in fastening connectors & wire management port, one narrow side panel with fastening hardware only. Wire grommet included.



24"D	STI-2436-LI	605	36/914	24/610	29/737	3/0.08	60/27
	STI-2442-LI	618	42/1067	24/610	29/737	3/0.08	63/29
	STI-2448-LI	630	48/1219	24/610	29/737	4/0.11	66/30
	STI-2454-LI	642	54/1372	24/610	29/737	4/0.11	71/32
	STI-2460-LI	655	60/1524	24/610	29/737	5/0.14	75/34
	STI-2466-LI	681	66/1676	24/610	29/737	5/0.14	80/36
30"D	STI-2472-LI	707	72/1829	24/610	29/737	5/0.14	85/39
	STI-3036-LI	630	36/914	30/762	29/737	3/0.08	71/32
	STI-3042-LI	642	42/1067	30/762	29/737	3/0.08	73/33
	STI-3048-LI	655	48/1219	30/762	29/737	4/0.11	76/34
	STI-3054-LI	675	54/1372	30/762	29/737	4/0.11	84/38
	STI-3060-LI	681	60/1524	30/762	29/737	5/0.14	86/39
	STI-3066-LI	707	66/1676	30/762	29/737	5/0.14	91/41
	STI-3072-LI	732	72/1829	30/762	29/737	5/0.14	96/44

C2	117	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	117	Opt. silver double post leg - add C4 to end of code
FP	51	Opt. full modesty panel - add FP to end of code




Corner book shelf installed under "S" top.

BKC-2412-SISBH	448	24/610	12/305	28/711	5/0.14	30/14
BKC-3015-SISBH	462	30/762	15/381	28/711	7/0.20	35/16

For additional specification instructions see page 6. Desk components can be found on page 211.
 Refer to page 203 for electrical options and pages 216-217 for power/data, grommet placement options.

Links "STI" Table - NP (Narrow Panel)




"S" shaped island work surface. Links at flush height to a 24" or 30" work surface. The addition of one narrow side panel allows an optional link to the adjoining side panel.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

24"D	STI-2436-NP	476	36/914	24/610	29/737	2/0.06	32/15
	STI-2442-NP	489	42/1067	24/610	29/737	2/0.06	37/17
	STI-2448-NP	501	48/1219	24/610	29/737	2/0.06	41/19
	STI-2454-NP	514	54/1372	24/610	29/737	3/0.08	46/21
	STI-2460-NP	527	60/1524	24/610	29/737	3/0.08	50/23
	STI-2466-NP	553	66/1676	24/610	29/737	3/0.08	59/27
	STI-2472-NP	579	72/1829	24/610	29/737	3/0.08	68/31
30"D	STI-3036-NP	501	36/914	30/762	29/737	2/0.06	36/16
	STI-3042-NP	514	42/1067	30/762	29/737	2/0.06	41/19
	STI-3048-NP	527	48/1219	30/762	29/737	2/0.06	46/21
	STI-3054-NP	547	54/1372	30/762	29/737	3/0.08	51/23
	STI-3060-NP	553	60/1524	30/762	29/737	3/0.08	56/25
	STI-3066-NP	579	66/1676	30/762	29/737	3/0.08	66/30
	STI-3072-NP	605	72/1829	30/762	29/737	3/0.08	76/34

C2	117	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	117	Opt. silver double post leg - add C4 to end of code

Links "STI" Table



"S" shaped island work surface. Links at flush height to a 24" or 30" work surface.

24"D	STI-2436	449	36/914	24/610	29/737	2/0.06	32/15
	STI-2442	463	42/1067	24/610	29/737	2/0.06	37/17
	STI-2448	476	48/1219	24/610	29/737	2/0.06	41/19
	STI-2454	488	54/1372	24/610	29/737	3/0.08	46/21
	STI-2460	501	60/1524	24/610	29/737	3/0.08	50/23
	STI-2466	527	66/1676	24/610	29/737	3/0.08	59/27
	STI-2472	553	72/1829	24/610	29/737	3/0.08	68/31
30"D	STI-3036	476	36/914	30/762	29/737	2/0.06	36/16
	STI-3042	489	42/1067	30/762	29/737	2/0.06	41/19
	STI-3048	501	48/1219	30/762	29/737	2/0.06	46/21
	STI-3054	514	54/1372	30/762	29/737	3/0.08	51/23
	STI-3060	527	60/1524	30/762	29/737	3/0.08	56/25
	STI-3066	553	66/1676	30/762	29/737	3/0.08	66/30
	STI-3072	579	72/1829	30/762	29/737	3/0.08	76/34

C2	117	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	117	Opt. silver double post leg - add C4 to end of code



Corner book shelf installed under "S" top.



BKC-2412-SISBH	448	24/610	12/305	28/711	5/0.14	30/14
BKC-3015-SISBH	462	30/762	15/381	28/711	7/0.20	35/16

For additional specification instructions see page 6. Desk components can be found on page 211.
 Refer to page 203 for electrical options and pages 216-217 for power/data, grommet placement options.

Links "LTI" Table - KLL (Links Left)



"L" shaped island work surface. Links left to connecting 24" work surface. Keyboard Edge. Wire grommet included.



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)



24"D	LTI-2466-36-KLL	939	66/1676	36/914	29/737	7/0.20	135/61
	LTI-2466-42-KLL	939	66/1676	42/1067	29/737	7/0.20	143/65
	LTI-2472-36-KLL	964	72/1829	36/914	29/737	8/0.23	141/64
	LTI-2472-42-KLL	964	72/1829	42/1067	29/737	8/0.23	149/68
30"D	LTI-3066-42-KLL	1068	66/1676	42/1067	29/737	8/0.23	141/64
	LTI-3066-48-KLL	1068	66/1676	48/1219	29/737	8/0.23	149/68
	LTI-3072-42-KLL	1093	72/1829	42/1067	29/737	9/0.25	150/68
	LTI-3072-48-KLL	1093	72/1829	48/1219	29/737	9/0.25	158/72

C2	117	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	117	Opt. silver double post leg - add C4 to end of code
FP	51	Opt. full modesty panel - add FP to end of code

Links "LTI" Table - KLR (Links Right)



"L" shaped island work surface. Links right to connecting 24" work surface. Keyboard Edge. Wire grommet included.




24"D	LTI-2466-36-KLR	939	66/1676	36/914	29/737	7/0.20	135/61
	LTI-2466-42-KLR	939	66/1676	42/1067	29/737	7/0.20	143/65
	LTI-2472-36-KLR	964	72/1829	36/914	29/737	8/0.23	141/64
	LTI-2472-42-KLR	964	72/1829	42/1067	29/737	8/0.23	149/68
30"D	LTI-3066-42-KLR	1068	66/1676	42/1067	29/737	8/0.23	141/64
	LTI-3066-48-KLR	1068	66/1676	48/1219	29/737	8/0.23	149/68
	LTI-3072-42-KLR	1093	72/1829	42/1067	29/737	9/0.25	150/68
	LTI-3072-48-KLR	1093	72/1829	48/1219	29/737	9/0.25	158/72




C2	117	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	117	Opt. silver double post leg - add C4 to end of code
FP	51	Opt. full modesty panel - add FP to end of code

For additional specification instructions see page 6. Desk components can be found on page 211.
Refer to page 203 for electrical options and pages 216-217 for power/data, grommet placement options.

Links "FTI" Table - KLL (Links Left)



"F" shaped island work surface. Links left to connecting 24" work surface. Keyboard Edge. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------




24"D	FTI-2466-36-KLL	939	66/1676	42/1067	29/737	7/0.20	135/61
	FTI-2466-42-KLL	939	66/1676	48/1219	29/737	7/0.20	143/65
	FTI-2472-36-KLL	964	72/1829	42/1067	29/737	8/0.23	141/64
	FTI-2472-42-KLL	964	72/1829	48/1219	29/737	8/0.23	149/68
30"D	FTI-3066-42-KLL	1068	66/1676	48/1219	29/737	8/0.23	141/64
	FTI-3066-48-KLL	1068	66/1676	54/1372	29/737	8/0.23	149/68
	FTI-3072-42-KLL	1093	72/1829	48/1219	29/737	9/0.25	150/68
	FTI-3072-48-KLL	1093	72/1829	54/1372	29/737	9/0.25	158/72

C2	117	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	117	Opt. silver double post leg - add C4 to end of code
FP	51	Opt. full modesty panel - add FP to end of code

Links "FTI" Table - KLR (Links Right)



"F" shaped island work surface. Links right to connecting 24" work surface. Keyboard Edge. Wire grommet included.



24"D	FTI-2466-36-KLR	939	66/1676	42/1067	29/737	7/0.20	135/61
	FTI-2466-42-KLR	939	66/1676	48/1219	29/737	7/0.20	143/65
	FTI-2472-36-KLR	964	72/1829	42/1067	29/737	8/0.23	141/64
	FTI-2472-42-KLR	964	72/1829	48/1219	29/737	8/0.23	149/68
30"D	FTI-3066-42-KLR	1068	66/1676	48/1219	29/737	8/0.23	141/64
	FTI-3066-48-KLR	1068	66/1676	54/1372	29/737	8/0.23	149/68
	FTI-3072-42-KLR	1093	72/1829	48/1219	29/737	9/0.25	150/68
	FTI-3072-48-KLR	1093	72/1829	54/1372	29/737	9/0.25	158/72

C2	117	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	117	Opt. silver double post leg - add C4 to end of code
FP	51	Opt. full modesty panel - add FP to end of code


Links "JT1" Table



"J" shaped island work surface. Links left or right to connecting 24" work surface. Wire grommet included.



LL
(Links Left)




LR
(Links Right)

Links "GT1" Table



"G" shaped island work surface. Links left or right to connecting 24" work surface. Wire grommet included.



LL
(Links Left)




LR
(Links Right)


Links "RT1" Table



"R" shaped island work surface. Links left or right to connecting 20" work surface. Wire grommet included.



LL
(Links Left)



LR
(Links Right)

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

JTI-3072-LL	1093	72/1829	42/1067	29/737	9/0.25	158/72
JTI-3072-LR	1093	72/1829	42/1067	29/737	9/0.25	158/72

C2	117	Opt. black double post leg - add C2 to end of code				
C3	0	Opt. silver single post leg - add C3 to end of code				
C4	117	Opt. silver double post leg - add C4 to end of code				
FP	51	Opt. full modesty panel - add FP to end of code				

GTI-3072-LL	1093	72/1829	42/1067	29/737	9/0.25	158/72
GTI-3072-LR	1093	72/1829	42/1067	29/737	9/0.25	158/72

C2	117	Opt. black double post leg - add C2 to end of code				
C3	0	Opt. silver single post leg - add C3 to end of code				
C4	117	Opt. silver double post leg - add C4 to end of code				
FP	51	Opt. full modesty panel - add FP to end of code				

RTI-3072-LL	1093	72/1829	36/914	29/737	8/0.23	150/68
RTI-3072-LR	1093	72/1829	36/914	29/737	8/0.23	150/68


C2	117	Opt. black double post leg - add C2 to end of code				
C3	0	Opt. silver single post leg - add C3 to end of code				
C4	117	Opt. silver double post leg - add C4 to end of code				
FP	51	Opt. full modesty panel - add FP to end of code				

For additional specification instructions see page 6. Desk components can be found on page 211.
Refer to page 203 for electrical options and pages 216-217 for power/data, grommet placement options.

Links "VTI" Table - LL (Links Left)




"V" shaped island work surface.
Links left to connecting 24" work surface. Wire grommet included.



Links "VTI" Table - LR (Links Right)



"V" shaped island work surface.
Links right to connecting 24" work surface. Wire grommet included.



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

VTI-3036-LL	710	36/914	30/762	29/737	3.5/0.10	76/34
VTI-3042-LL	731	42/1067	30/762	29/737	4.0/0.11	81/37
VTI-3048-LL	753	48/1219	30/762	29/737	4.5/0.13	86/39
VTI-3054-LL	774	54/1372	30/762	29/737	5.0/0.14	91/41
VTI-3060-LL	795	60/1524	30/762	29/737	5.5/0.16	96/44
VTI-3066-LL	816	66/1676	30/762	29/737	6.0/0.17	101/46
VTI-3072-LL	837	72/1829	30/762	29/737	6.5/0.18	106/48

C2	117	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	117	Opt. silver double post leg - add C4 to end of code


VTI-3036-LR	710	36/914	30/762	29/737	3.5/0.10	76/34
VTI-3042-LR	731	42/1067	30/762	29/737	4.0/0.11	81/37
VTI-3048-LR	753	48/1219	30/762	29/737	4.5/0.13	86/39
VTI-3054-LR	774	54/1372	30/762	29/737	5.0/0.14	91/41
VTI-3060-LR	795	60/1524	30/762	29/737	5.5/0.16	96/44
VTI-3066-LR	816	66/1676	30/762	29/737	6.0/0.17	101/46
VTI-3072-LR	837	72/1829	30/762	29/737	6.5/0.18	106/48

C2	117	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	117	Opt. silver double post leg - add C4 to end of code

Corner Unit - (COR) Links Free - 24"




Links free, non-connecting corner unit, two narrow finished side panels. Mitred shape accommodates full keyboard. Wire grommet included.



Corner Unit - (COR) Links Left - 24"




Corner unit with one narrow connecting side panel on left side and one finished side panel on right side. Links left to connecting 24" work surface. Mitred shape accommodates full keyboard. Wire grommet included.



Corner Unit - (COR) Links Right - 24"




Corner unit with one narrow connecting side panel on right side and one finished side panel on left side. Links right to connecting 24" work surface. Mitred shape accommodates full keyboard. Wire grommet included.



Corner Unit - (COR) Links Center - 24"



Corner unit with one narrow connecting side panel on each side. Links left and right to connecting 24" work surfaces. Mitred shape accommodates full keyboard. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

COR-3624-KLF	625	36/914	36/914	29/737	5/0.14	92/42
COR-4224-KLF	630	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-KLF	687	48/1219	48/1219	29/737	5/0.14	128/58

COR-3624-KLL	625	36/914	36/914	29/737	5/0.14	92/42
COR-4224-KLL	630	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-KLL	687	48/1219	48/1219	29/737	5/0.14	128/58

COR-3624-KLR	625	36/914	36/914	29/737	5/0.14	92/42
COR-4224-KLR	630	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-KLR	687	48/1219	48/1219	29/737	5/0.14	128/58


COR-3624-KLC	625	36/914	36/914	29/737	5/0.14	92/42
COR-4224-KLC	630	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-KLC	687	48/1219	48/1219	29/737	5/0.14	128/58

For additional specification instructions see page 6. Desk components can be found on page 211.
Refer to page 203 for electrical options and page 216 for power/data, grommet placement options.
See page 200 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Curved Corner Unit - (COR) Links Free - 24"



Links free, non-connecting corner unit, two narrow finished side panels. Curved shape accommodates full keyboard. Wire grommet included.




CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

COR-3624-CLF	625	36/914	36/914	29/737	5/0.14	92/42
COR-4224-CLF	630	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-CLF	687	48/1219	48/1219	29/737	5/0.14	128/58

Curved Corner Unit - (COR) Links Left - 24"



Corner unit with one narrow connecting side panel on left side and one finished side panel on right side. Links left to connecting 24" work surface. Curved shape accommodates full keyboard. Wire grommet included.




COR-3624-CLL	625	36/914	36/914	29/737	5/0.14	92/42
COR-4224-CLL	630	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-CLL	687	48/1219	48/1219	29/737	5/0.14	128/58

Curved Corner Unit - (COR) Links Right - 24"



Corner unit with one narrow connecting side panel on right side and one finished side panel on left side. Links right to connecting 24" work surface. Curved shape accommodates full keyboard. Wire grommet included.




COR-3624-CLR	625	36/914	36/914	29/737	5/0.14	92/42
COR-4224-CLR	630	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-CLR	687	48/1219	48/1219	29/737	5/0.14	128/58

Curved Corner Unit - (COR) Links Center - 24"



Corner unit with one narrow connecting side panel on each side. Links left and right to connecting 24" work surfaces. Curved shape accommodates full keyboard. Wire grommet included.




COR-3624-CLC	625	36/914	36/914	29/737	5/0.14	92/42
COR-4224-CLC	630	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-CLC	687	48/1219	48/1219	29/737	5/0.14	128/58

For additional specification instructions see page 6. Desk components can be found on page 211.
Refer to page 203 for electrical options and page 216 for power/data, grommet placement options.
See page 200 for keyboards and accessories. Divider panel sets and components available starting on page 96.


Extended Corner Unit Left - (ECU) 24" - Curved




Corner unit on left side, extension on right side, non connecting work surface with two side panels. Features curved cutout for keyboard. Wire grommet included.




Corner unit on left side with narrow connecting side panel, extension on right side with full side panel. Links left to connecting 24" work surface. Features curved cutout for keyboard. Wire grommet included.



Corner unit on left side, extension on right side with narrow connecting side panel. Links right to connecting 24" work surface. Features curved cutout for keyboard. Wire grommet included.



Corner unit on left side and extension on right side, each with narrow connecting side panel. Links right and left to connecting 24" work surface. Features curved cutout for keyboard. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
ECU-2460-CLLF	848	60/1524	36/914	29/737	6/0.17	130/59
ECU-2466-CLLF	874	66/1676	36/914	29/737	7/0.20	136/62
ECU-2472-CLLF	901	72/1829	36/914	29/737	8/0.23	142/64
ECU-2460-42-CLLF	967	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CLLF	986	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CLLF	999	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CLLF	1115	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CLLF	1135	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CLLF	1151	72/1829	48/1219	29/737	10/0.28	200/91

ECU-2460-CLLL	848	60/1524	36/914	29/737	6/0.17	130/59
ECU-2466-CLLL	874	66/1676	36/914	29/737	7/0.20	136/62
ECU-2472-CLLL	901	72/1829	36/914	29/737	8/0.23	142/64
ECU-2460-42-CLLL	967	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CLLL	986	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CLLL	999	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CLLL	1115	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CLLL	1135	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CLLL	1151	72/1829	48/1219	29/737	10/0.28	200/91

ECU-2460-CLLR	848	60/1524	36/914	29/737	6/0.17	125/57
ECU-2466-CLLR	874	66/1676	36/914	29/737	7/0.20	130/59
ECU-2472-CLLR	901	72/1829	36/914	29/737	8/0.23	135/61
ECU-2460-42-CLLR	967	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CLLR	986	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CLLR	999	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CLLR	1115	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CLLR	1135	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CLLR	1151	72/1829	48/1219	29/737	10/0.28	200/91


ECU-2460-CLLC	848	60/1524	36/914	29/737	6/0.17	125/57
ECU-2466-CLLC	874	66/1676	36/914	29/737	7/0.20	130/59
ECU-2472-CLLC	901	72/1829	36/914	29/737	8/0.23	135/61
ECU-2460-42-CLLC	967	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CLLC	986	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CLLC	999	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CLLC	1115	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CLLC	1135	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CLLC	1151	72/1829	48/1219	29/737	10/0.28	200/91

For additional specification instructions see page 6. Desk components can be found on page 211.
Refer to page 203 for electrical options and page 216 for power/data, grommet placement options.
See page 200 for keyboards and accessories. Divider panel sets and components available starting on page 96.


Extended Corner Unit Right- (ECU) 24" - Curved




Corner unit on right side, extension on left side, non connecting work surface with two side panels. Wire grommet included. Features curved cutout for keyboard. Wire grommet included.




Corner unit on right side, extension on left side with narrow connecting side panel. Links left to connecting 24" work surface. Features curved cutout for keyboard. Wire grommet included.



Corner unit on right side, with narrow connecting panel, extension on left side with full side panel. Links right to connecting 24" work surface. Features curved cutout for keyboard. Wire grommet included.



Corner unit on right side and extension on left side, each with narrow connecting side panel. Links right to connecting 24" work surface. Features curved cutout for keyboard. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
ECU-2460-CRLF	848	60/1524	36/914	29/737	6/0.17	130/59
ECU-2466-CRLF	874	66/1676	36/914	29/737	7/0.20	136/62
ECU-2472-CRLF	901	72/1829	36/914	29/737	8/0.23	142/64
ECU-2460-42-CRLF	967	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CRLF	986	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CRLF	999	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CRLF	1115	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CRLF	1135	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CRLF	1151	72/1829	48/1219	29/737	10/0.28	200/91

ECU-2460-CRLL	848	60/1524	36/914	29/737	6/0.17	125/57
ECU-2466-CRLL	874	66/1676	36/914	29/737	7/0.20	130/59
ECU-2472-CRLL	901	72/1829	36/914	29/737	8/0.23	135/61
ECU-2460-42-CRLL	967	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CRLL	986	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CRLL	999	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CRLL	1115	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CRLL	1135	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CRLL	1151	72/1829	48/1219	29/737	10/0.28	200/91

ECU-2460-CRLR	848	60/1524	36/914	29/737	6/0.17	130/59
ECU-2466-CRLR	874	66/1676	36/914	29/737	7/0.20	136/62
ECU-2472-CRLR	901	72/1829	36/914	29/737	8/0.23	142/64
ECU-2460-42-CRLR	967	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CRLR	986	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CRLR	999	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CRLR	1115	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CRLR	1135	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CRLR	1151	72/1829	48/1219	29/737	10/0.28	200/91


ECU-2460-CRLC	848	60/1524	36/914	29/737	6/0.17	125/57
ECU-2466-CRLC	874	66/1676	36/914	29/737	7/0.20	130/59
ECU-2472-CRLC	901	72/1829	36/914	29/737	8/0.23	135/61
ECU-2460-42-CRLC	967	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CRLC	986	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CRLC	999	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CRLC	1115	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CRLC	1135	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CRLC	1151	72/1829	48/1219	29/737	10/0.28	200/91

For additional specification instructions see page 6. Desk components can be found on page 211.
Refer to page 203 for electrical options and page 216 for power/data, grommet placement options.
See page 200 for keyboards and accessories. Divider panel sets and components available starting on page 96.


Extended Corner Unit 30" - Links Left



Corner unit on left side, extension on right side. Links to connecting 24" work surface. Recessed back panel. Wire grommet included.




Corner unit on left side, extension on right side. Straight keyboard edge. Links to connecting 24" work surface. Recessed back panel. Wire grommet included.




Extended Corner Unit 30" - Links Right



Corner unit on right side, extension on left side. Links to connecting 24" work surface. Recessed back panel. Wire grommet included.



Corner unit on right side, extension on left side. Straight keyboard edge. Links to connecting 24" work surface. Recessed back panel. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

ECU-3066-CLLL	1075	66/1676	42/1067	29/737	7/0.20	163/74
ECU-3072-CLLL	1117	72/1829	42/1067	29/737	8/0.23	169/77

ECU-3066-KLLL	1075	66/1676	42/1067	29/737	7/0.20	163/74
ECU-3072-KLLL	1117	72/1829	42/1067	29/737	8/0.23	169/77

ECU-3066-CRLR	1075	66/1676	42/1067	29/737	7/0.20	163/74
ECU-3072-CRLR	1117	72/1829	42/1067	29/737	8/0.23	169/77



ECU-3066-KRLR	1075	66/1676	42/1067	29/737	7/0.20	163/74
ECU-3072-KRLR	1117	72/1829	42/1067	29/737	8/0.23	169/77

For additional specification instructions see page 6. Desk components can be found on page 211.
Refer to page 203 for electrical options and page 216 for power/data, grommet placement options.
See page 200 for keyboards and accessories. Divider panel sets and components available starting on page 96.


Bowfront Extended Corner Unit 30" - Links Left



Corner unit on left side, extension on right side. Links to connecting 24" work surface. Bow front top. Recessed back panel. Wire grommet included.





Corner unit on left side, extension on right side. Straight keyboard edge. Links to connecting 24" work surface. Bow front top. Recessed back panel. Wire grommet included.




Bowfront Extended Corner Unit 30" - Links Right



Corner unit on rightside, extension on left side. Links to connecting 24" work surface. Bow front top. Recessed back panel. Wire grommet included.



Corner unit on rightside, extension on left side. Straight keyboard edge. Links to connecting 24" work surface. Bow front top. Recessed back panel. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------

ECU-3066-36-BFLL	1075	66/1676	42/1067	29/737	7/0.20	153/69
ECU-3072-36-BFLL	1117	72/1829	42/1067	29/737	8/0.23	159/72
ECU-3066-42-BFLL	1293	66/1676	48/1219	29/737	8/0.23	169/77
ECU-3072-42-BFLL	1341	72/1829	48/1219	29/737	9/0.25	175/79


ECU-3066-42-BF-KLL	1293	66/1676	48/1219	29/737	8/0.23	169/77
ECU-3072-42-BF-KLL	1341	72/1829	48/1219	29/737	9/0.25	175/79

ECU-3066-36-BFLR	1075	66/1676	42/1067	29/737	7/0.20	153/69
ECU-3072-36-BFLR	1117	72/1829	42/1067	29/737	8/0.23	159/72
ECU-3066-42-BFLR	1293	66/1676	48/1219	29/737	8/0.23	169/77
ECU-3072-42-BFLR	1341	72/1829	48/1219	29/737	9/0.25	175/79

ECU-3066-42-BF-KLR	1293	66/1676	48/1219	29/737	8/0.23	169/77
ECU-3072-42-BF-KLR	1341	72/1829	48/1219	29/737	9/0.25	175/79

For additional specification instructions see page 6. Desk components can be found on page 211. Refer to page 203 for electrical options and page 216 for power/data, grommet placement options. See page 200 for keyboards and accessories.

Open Hutch - 36"H




36"H Open Hutch with full width wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
HUT-1424-36	373	24/610	14/356	36/914	3/0.08	66/30
HUT-1430-36	411	30/762	14/356	36/914	3/0.08	71/32
HUT-1436-36	447	36/914	14/356	36/914	3/0.08	78/35
HUT-1442-36	483	42/1067	14/356	36/914	4/0.11	84/38
HUT-1448-36	518	48/1219	14/356	36/914	4/0.11	91/41
HUT-1454-36	553	54/1372	14/356	36/914	4/0.11	97/44
HUT-1460-36	591	60/1524	14/356	36/914	5/0.14	104/47
HUT-1466-36	628	66/1676	14/356	36/914	5/0.14	110/50
HUT-1472-36	662	72/1829	14/356	36/914	6/0.17	116/53
HUT-1478-36	795	78/1981	14/356	36/914	6/0.17	122/55

For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-36-OG


Open Hutch with Organizer- 36"H



36"H Open Hutch with organizer, full width wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.


HUT-1424-36-HS	523	24/610	14/356	36/914	3/0.08	73/33
HUT-1430-36-HS	561	30/762	14/356	36/914	3/0.08	78/35
HUT-1436-36-HS	596	36/914	14/356	36/914	3/0.08	86/39
HUT-1442-36-HS	646	42/1067	14/356	36/914	4/0.11	97/44
HUT-1448-36-HS	681	48/1219	14/356	36/914	4/0.11	109/49
HUT-1454-36-HS	730	54/1372	14/356	36/914	4/0.11	116/53
HUT-1460-36-HS	769	60/1524	14/356	36/914	5/0.14	125/57
HUT-1466-36-HS	818	66/1676	14/356	36/914	5/0.14	138/63
HUT-1472-36-HS	854	72/1829	14/356	36/914	6/0.17	145/66
HUT-1478-36-HS	1025	78/1981	14/356	36/914	6/0.17	153/69

For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-36-HS-OG



DIV-14-HS	39	Extra divider with pins				
------------------	-----------	--------------------------------	--	--	--	--


Corner Hutch - 36"H



36"H Open Corner Hutch with full width wire management. Optional hutch doors available.

HUT-3636-36	775	36/914	36/914	36/914	4/0.11	145/66
HUT-4242-36	819	42/1067	42/1067	36/914	4/0.11	170/77
HUT-4848-36	863	48/1219	48/1219	36/914	4/0.11	180/82

Open Hutch - 42"H Added Storage




42"H Open Hutch with full width wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
HUT-1424-42	485	24/610	14/356	42/1067	4/0.11	86/39
HUT-1430-42	532	30/762	14/356	42/1067	4/0.11	92/42
HUT-1436-42	581	36/914	14/356	42/1067	4/0.11	101/46
HUT-1442-42	628	42/1067	14/356	42/1067	5/0.14	109/49
HUT-1448-42	673	48/1219	14/356	42/1067	5/0.14	118/54
HUT-1454-42	720	54/1372	14/356	42/1067	5/0.14	126/57
HUT-1460-42	769	60/1524	14/356	42/1067	6/0.17	135/61
HUT-1466-42	815	66/1676	14/356	42/1067	6/0.17	143/65
HUT-1472-42	861	72/1829	14/356	42/1067	7/0.20	151/68
HUT-1478-42	1033	78/1981	14/356	42/1067	7/0.20	159/72

For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-42-OG


Open Hutch with Organizer- 42"H Added Storage



42"H Open Hutch with organizer, full width wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.


HUT-1424-42-HS	634	24/610	14/356	42/1067	4/0.11	95/43
HUT-1430-42-HS	683	30/762	14/356	42/1067	4/0.11	101/46
HUT-1436-42-HS	730	36/914	14/356	42/1067	4/0.11	116/53
HUT-1442-42-HS	792	42/1067	14/356	42/1067	5/0.14	125/57
HUT-1448-42-HS	837	48/1219	14/356	42/1067	5/0.14	136/62
HUT-1454-42-HS	896	54/1372	14/356	42/1067	5/0.14	151/68
HUT-1460-42-HS	947	60/1524	14/356	42/1067	6/0.17	162/73
HUT-1466-42-HS	1005	66/1676	14/356	42/1067	6/0.17	172/78
HUT-1472-42-HS	1052	72/1829	14/356	42/1067	7/0.20	189/86
HUT-1478-42-HS	1262	78/1981	14/356	42/1067	7/0.20	207/94

For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-42-HS-OG



DIV-14-HS	39	Extra divider with pins
-----------	----	-------------------------

Corner Hutch - 42"H Added Storage




42"H Open Corner Hutch with full width wire management. Optional hutch doors available.

HUT-3636-42	1007	36/914	36/914	42/1067	5/0.14	189/86
HUT-4242-42	1065	42/1067	42/1067	42/1067	5/0.14	221/100
HUT-4848-42	1120	48/1219	48/1219	42/1067	5/0.14	234/106

See page 208 & 209 for optional hutch door kits and page 210 for tackboard options.
For additional specification instructions see page 6.

Open Hutch - 42"H Standard Divider




42"H Open Hutch with full width wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
HUT-1424-42-SD	485	24/610	14/356	42/1067	4/0.11	86/39
HUT-1430-42-SD	532	30/762	14/356	42/1067	4/0.11	92/42
HUT-1436-42-SD	581	36/914	14/356	42/1067	4/0.11	101/46
HUT-1442-42-SD	628	42/1067	14/356	42/1067	5/0.14	109/49
HUT-1448-42-SD	673	48/1219	14/356	42/1067	5/0.14	118/54
HUT-1454-42-SD	720	54/1372	14/356	42/1067	5/0.14	126/57
HUT-1460-42-SD	769	60/1524	14/356	42/1067	6/0.17	135/61
HUT-1466-42-SD	815	66/1676	14/356	42/1067	6/0.17	143/65
HUT-1472-42-SD	861	72/1829	14/356	42/1067	7/0.20	151/68
HUT-1478-42-SD	1033	78/1981	14/356	42/1067	7/0.20	159/72

For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-42-SD-OG


Open Hutch w/ Organizer- 42"H Standard Divider



42"H Open Hutch with organizer, full width wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.


HUT-1424-42-HS-SD	634	24/610	14/356	42/1067	4/0.11	95/43
HUT-1430-42-HS-SD	683	30/762	14/356	42/1067	4/0.11	101/46
HUT-1436-42-HS-SD	730	36/914	14/356	42/1067	4/0.11	116/53
HUT-1442-42-HS-SD	792	42/1067	14/356	42/1067	5/0.14	125/57
HUT-1448-42-HS-SD	837	48/1219	14/356	42/1067	5/0.14	136/62
HUT-1454-42-HS-SD	896	54/1372	14/356	42/1067	5/0.14	151/68
HUT-1460-42-HS-SD	947	60/1524	14/356	42/1067	6/0.17	162/73
HUT-1466-42-HS-SD	1005	66/1676	14/356	42/1067	6/0.17	172/78
HUT-1472-42-HS-SD	1052	72/1829	14/356	42/1067	7/0.20	189/86
HUT-1478-42-HS-SD	1262	78/1981	14/356	42/1067	7/0.20	207/94

For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-42-HS-SD-OG



DIV-14-HS	39	Extra divider with pins
------------------	-----------	--------------------------------

Corner Hutch - 42"H w/ Standard Divider




42"H Open Corner Hutch with full width wire management. Optional hutch doors available.

HUT-3636-42-SD	1007	36/914	36/914	42/1067	5/0.14	189/86
HUT-4242-42-SD	1065	42/1067	42/1067	42/1067	5/0.14	221/100
HUT-4848-42-SD	1120	48/1219	48/1219	42/1067	5/0.14	234/106

See page 206 & 207 for optional hutch door kits and page 210 for tackboard options.
 For additional specification instructions see page 6.

Open Hutch - 50"H Double Storage




50"H Open hutch with full wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
HUT-1424-50	561	24/610	14/356	50/1270	5/0.14	99/45
HUT-1430-50	615	30/762	14/356	50/1270	5/0.14	107/49
HUT-1436-50	671	36/914	14/356	50/1270	5/0.14	117/53
HUT-1442-50	723	42/1067	14/356	50/1270	6/0.17	126/57
HUT-1448-50	778	48/1219	14/356	50/1270	6/0.17	137/62
HUT-1454-50	831	54/1372	14/356	50/1270	6/0.17	146/66
HUT-1460-50	888	60/1524	14/356	50/1270	7/0.20	156/71
HUT-1466-50	941	66/1676	14/356	50/1270	7/0.20	165/75
HUT-1472-50	994	72/1829	14/356	50/1270	8/0.23	174/79
HUT-1478-50	1192	78/1981	14/356	50/1270	8/0.23	183/83

For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-50-OG


Open Hutch with Storage - 50"H Double Storage



50"H Open hutch with organizer, full wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.

HUT-1424-50-HS	711	24/610	14/356	50/1270	5/0.14	108/49
HUT-1430-50-HS	767	30/762	14/356	50/1270	5/0.14	116/53
HUT-1436-50-HS	819	36/914	14/356	50/1270	5/0.14	132/60
HUT-1442-50-HS	888	42/1067	14/356	50/1270	6/0.17	142/64
HUT-1448-50-HS	942	48/1219	14/356	50/1270	6/0.17	155/70
HUT-1454-50-HS	1006	54/1372	14/356	50/1270	6/0.17	171/78
HUT-1460-50-HS	1065	60/1524	14/356	50/1270	7/0.20	183/83
HUT-1466-50-HS	1130	66/1676	14/356	50/1270	7/0.20	194/88
HUT-1472-50-HS	1184	72/1829	14/356	50/1270	8/0.23	212/96
HUT-1478-50-HS	1422	78/1981	14/356	50/1270	8/0.23	231/105

For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-50-HS-OG



DIV-14-HS	39	Extra divider with pins
-----------	----	-------------------------

Wall Mounted Open Hutch - 14"H




Wall mounted hutch. Convenient overhead storage. Optional door kits available.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
WMHT-1424-14	395	24/610	14/356	14/356	3/0.08	26/12
WMHT-1430-14	434	30/762	14/356	14/356	3/0.08	31/14
WMHT-1436-14	486	36/914	14/356	14/356	3/0.08	38/17
WMHT-1442-14	524	42/1067	14/356	14/356	4/0.11	44/20
WMHT-1448-14	560	48/1219	14/356	14/356	4/0.11	51/23
WMHT-1454-14	576	54/1372	14/356	14/356	4/0.11	57/26
WMHT-1460-14	637	60/1524	14/356	14/356	5/0.14	64/29
WMHT-1466-14	673	66/1676	14/356	14/356	5/0.14	70/32
WMHT-1472-14	683	72/1829	14/356	14/356	6/0.17	76/34


Wall Mounted Open Hutch w/ Organizer - 20"H



Wall mounted hutch with organizer shelf. Convenient overhead storage. Optional door kits available.




WMHT-1424-20-HS	544	24/610	20/508	14/356	3/0.08	36/16
WMHT-1430-20-HS	583	30/762	20/508	14/356	3/0.08	41/19
WMHT-1436-20-HS	617	36/914	20/508	14/356	3/0.08	48/22
WMHT-1442-20-HS	693	42/1067	20/508	14/356	4/0.11	54/24
WMHT-1448-20-HS	702	48/1219	20/508	14/356	4/0.11	61/28
WMHT-1454-20-HS	783	54/1372	20/508	14/356	4/0.11	67/30
WMHT-1460-20-HS	822	60/1524	20/508	14/356	5/0.14	74/34
WMHT-1466-20-HS	838	66/1676	20/508	14/356	5/0.14	80/36
WMHT-1472-20-HS	908	72/1829	20/508	14/356	6/0.17	86/39



DIV-14-HS	39	Extra divider with pins
-----------	----	-------------------------


WALL MOUNTED STORAGE CABINET INSTALLATION HARDWARE

All wall mounted storage cabinets are shipped with Z-Bar attachment assembly. The Z-Bar assembly is a simple two bracket attachment used for all wall mounted storage cabinets. The Z-Bar is mounted to the full length of wall and includes pre-punched holes.



See page 206 & 207 for optional hutch door kits.
For additional specification instructions see page 6.


Open Hutch - 38"H



Post mounted hutch. Includes four 24" high posts and mounting hardware. Optional hutch door kits available. Refer to Links panel inserts for optional back panel(s).

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
PMHT-1424-38	543	24/610	14/356	38/965	3/0.08	46/21
PMHT-1430-38	585	30/762	14/356	38/965	3/0.08	51/23
PMHT-1436-38	620	36/914	14/356	38/965	3/0.08	58/26
PMHT-1442-38	632	42/1067	14/356	38/965	4/0.11	64/29
PMHT-1448-38	693	48/1219	14/356	38/965	4/0.11	71/32
PMHT-1454-38	732	54/1372	14/356	38/965	4/0.11	77/35
PMHT-1460-38	772	60/1524	14/356	38/965	5/0.14	84/38
PMHT-1466-38	807	66/1676	14/356	38/965	5/0.14	90/41
PMHT-1472-38	846	72/1829	14/356	38/965	6/0.17	96/44


Corner Hutch - 38"H



Post mounted hutch. Includes five 24" high posts and mounting hardware. Optional hutch door kits available. Refer to Links panel inserts for optional back panel(s).


PMHT-3636-CU-38	963	36/914	36/914	38/965	4/0.11	120/54
PMHT-4242-CU-38	968	42/1067	42/1067	38/965	4/0.11	130/59
PMHT-4848-CU-38	1053	48/1219	48/1219	38/965	4/0.11	140/64

Open Hutch with Organizer - 38"H




Post mounted hutch. Includes four 18" high posts and mounting hardware. Optional hutch door kits available. Refer to Links panel inserts for optional back panel(s).

PMHT-1424-38-HS	700	24/610	14/356	38/965	4/0.11	53/24
PMHT-1430-38-HS	711	30/762	14/356	38/965	4/0.11	58/26
PMHT-1436-38-HS	777	36/914	14/356	38/965	4/0.11	66/30
PMHT-1442-38-HS	783	42/1067	14/356	38/965	5/0.14	77/35
PMHT-1448-38-HS	856	48/1219	14/356	38/965	5/0.14	89/40
PMHT-1454-38-HS	883	54/1372	14/356	38/965	5/0.14	96/44
PMHT-1460-38-HS	957	60/1524	14/356	38/965	6/0.17	105/48
PMHT-1466-38-HS	966	66/1676	14/356	38/965	6/0.17	118/54
PMHT-1472-38-HS	1052	72/1829	14/356	38/965	7/0.20	125/57



DIV-14-HS	39	Extra divider with pins				
-----------	----	-------------------------	--	--	--	--

Corner Hutch with Organizer - 38"H




Post mounted hutch. Includes five 18" high posts and mounting hardware. Optional hutch door kits available. Refer to Links panel inserts for optional back panel(s).

PMHT-3636-CU-38-HS	1114	36/914	36/914	38/965	5/0.14	149/68
PMHT-4242-CU-38-HS	1209	42/1067	42/1067	38/965	5/0.14	163/74
PMHT-4848-CU-38-HS	1259	48/1219	48/1219	38/965	5/0.14	175/79


See page 206 & 207 for optional hutch door kits.
Optional panel insets and components available starting on page 97.
For additional specification instructions see page 6.

Desk Organizer Shell - 13"H




CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
SOR-1224-13	218	24/610	12/305	13/330	2/0.06	30/14
SOR-1230-13	239	30/762	12/305	13/330	3/0.08	35/16
SOR-1236-13	259	36/914	12/305	13/330	4/0.11	40/18
SOR-1242-13	280	42/1067	12/305	13/330	5/0.14	45/20
SOR-1248-13	302	48/1219	12/305	13/330	6/0.17	50/23
SOR-1254-13	323	54/1372	12/305	13/330	7/0.20	55/25
SOR-1260-13	344	60/1524	12/305	13/330	8/0.23	60/27
SOR-1266-13	365	66/1676	12/305	13/330	9/0.25	65/29
SOR-1272-13	387	72/1829	12/305	13/330	10/0.28	70/32

Desk Organizer Shell with Dividers - 13"H



SOR-1224-13-HS	370	24/610	12/305	13/330	2/0.06	40/18
SOR-1230-13-HS	390	30/762	12/305	13/330	3/0.08	45/20
SOR-1236-13-HS	411	36/914	12/305	13/330	4/0.11	50/23
SOR-1242-13-HS	444	42/1067	12/305	13/330	5/0.14	55/25
SOR-1248-13-HS	465	48/1219	12/305	13/330	6/0.17	60/27
SOR-1254-13-HS	500	54/1372	12/305	13/330	7/0.20	65/29
SOR-1260-13-HS	521	60/1524	12/305	13/330	8/0.23	70/32
SOR-1266-13-HS	555	66/1676	12/305	13/330	9/0.25	75/34
SOR-1272-13-HS	578	72/1829	12/305	13/330	10/0.28	80/36




DIV-12-HS

39

Extra divider with pins

Corner Organizer Shell - 13"H



SOR-3636-13	601	36/914	36/914	13/330	4/0.11	58/26
SOR-4242-13	648	42/1067	42/1067	13/330	4/0.11	67/30
SOR-4848-13	696	48/1219	48/1219	13/330	4/0.11	76/34


For additional specification instructions see page 6.

Hutch Mail Sorter - 36H



Hutch Mail Sorter. Five adjustable shelves each section.


One divider, two sections, ten adjustable shelves for 24W and 30W. Two dividers, three sections, fifteen adjustable shelves for 36W.



			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	


14D	HUT-1424-36-MS	790	24/610	14/356	36/914	9/0.25	85/39
	HUT-1430-36-MS	843	30/762	14/356	36/914	11/0.31	90/41
	HUT-1436-36-MS	1007	36/914	14/356	36/914	13/0.37	110/50
16D	HUT-1624-36-MS	949	24/610	16/406	36/914	10/0.28	90/41
	HUT-1630-36-MS	1012	30/762	16/406	36/914	12/0.34	95/43
	HUT-1636-36-MS	1208	36/914	16/406	36/914	14/0.40	115/52

Hutch Mail Sorter - 42H



Hutch Mail Sorter. Six adjustable shelves each section.

One divider, two sections, twelve adjustable shelves for 24W and 30W. Two dividers, three sections, eighteen adjustable shelves for 36W.




14D	HUT-1424-42-MS	954	24/610	14/356	42/1067	10/0.28	95/43
	HUT-1430-42-MS	1028	30/762	14/356	42/1067	12/0.34	100/45
	HUT-1436-42-MS	1230	36/914	14/356	42/1067	14/0.40	120/54
16D	HUT-1624-42-MS	1145	24/610	16/406	42/1067	11/0.31	100/45
	HUT-1630-42-MS	1235	30/762	16/406	42/1067	13/0.37	105/48
	HUT-1636-42-MS	1479	36/914	16/406	42/1067	15/0.42	125/57



Extra shelf with pins for mail sorter.

SHELF-14-MS24	37
SHELF-14-MS30	37
SHELF-14-MS36	37
SHELF-16-MS24	37
SHELF-16-MS30	37
SHELF-16-MS36	37

Mail Sorter Cabinets - 48H



8 shelves per section.

24W and 30W cabinets have one center divider and 16 adjustable shelves.


36W cabinets have two dividers and 24 adjustable shelves



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

CAB-1424-48-MS	1097	24/610	14/356	48/1219	11/0.31	99/45
CAB-1430-48-MS	1183	30/762	14/356	48/1219	14/0.40	107/49
CAB-1436-48-MS	1414	36/914	14/356	48/1219	16/0.45	127/58
CAB-1624-48-MS	1317	24/610	16/406	48/1219	13/0.37	109/49
CAB-1630-48-MS	1420	30/762	16/406	48/1219	16/0.45	117/53
CAB-1636-48-MS	1700	36/914	16/406	48/1219	19/0.54	137/62

Mail Sorter Cabinets - 66H



12 shelves per section.


24W and 30W cabinets have one center divider with 24 adjustable shelves.

36W cabinets have two dividers and 36 adjustable shelves



CAB-1424-66-MS	1261	24/610	14/356	66/1676	15/0.42	150/68
CAB-1430-66-MS	1362	30/762	14/356	66/1676	18/0.51	160/73
CAB-1436-66-MS	1627	36/914	14/356	66/1676	22/0.62	180/82
CAB-1624-66-MS	1516	24/610	16/406	66/1676	17/0.48	160/73
CAB-1630-66-MS	1632	30/762	16/406	66/1676	21/0.59	170/77
CAB-1636-66-MS	1956	36/914	16/406	66/1676	25/0.71	200/91

Mail Sorter Cabinets - 72H



12 shelves per section.

24W and 30W cabinets have one center divider with 24 adjustable shelves.

36W cabinets have two dividers and 36 adjustable shelves



CAB-1424-72-MS	1320	24/610	14/356	72/1829	16/0.45	160/73
CAB-1430-72-MS	1420	30/762	14/356	72/1829	20/0.57	170/77
CAB-1436-72-MS	1696	36/914	14/356	72/1829	24/0.68	190/86
CAB-1624-72-MS	1579	24/610	16/406	72/1829	18/0.51	170/77
CAB-1630-72-MS	1707	30/762	16/406	72/1829	23/0.65	180/82
CAB-1636-72-MS	2041	36/914	16/406	72/1829	27/0.76	220/100



Extra shelf with pins for mail sorter.

SHELF-14-MS24	37
SHELF-14-MS30	37
SHELF-14-MS36	37
SHELF-16-MS24	37
SHELF-16-MS30	37
SHELF-16-MS36	37

Please note: cabinet shelves are colour matched to top colour, unless otherwise specified.
For additional specification instructions see page 6-7.

Two Drawer

Lateral file. Two drawer. Grommet included on 24in depth units.

P - Specify pull handle style

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	
20"	CAB-2024-LF-P	761	24/610	20/508	29/737	10/0.28	116/53
	CAB-2030-LF-P	786	30/762	20/508	29/737	12/0.34	126/57
	CAB-2036-LF-P	813	36/914	20/508	29/737	14/0.40	136/62
24"	CAB-2424-LF-P	790	24/610	24/610	29/737	11/0.31	126/57
	CAB-2430-LF-P	815	30/762	24/610	29/737	14/0.40	136/62
	CAB-2436-LF-P	840	36/914	24/610	29/737	17/0.48	146/66

Two Drawer - Mechanical Interlock

Lateral file. Two drawer with Mechanical interlock allows only one drawer to open at a time. Grommet included on 24in depth units.

P - Specify pull handle style

20"	CAB-2024-LF-2F-P	818	24/610	20/508	29/737	10/0.28	116/53
	CAB-2030-LF-2F-P	843	30/762	20/508	29/737	12/0.34	126/57
	CAB-2036-LF-2F-P	869	36/914	20/508	29/737	14/0.40	136/62
24"	CAB-2424-LF-2F-P	847	24/610	24/610	29/737	11/0.31	126/57
	CAB-2430-LF-2F-P	873	30/762	24/610	29/737	14/0.40	136/62
	CAB-2436-LF-2F-P	898	36/914	24/610	29/737	17/0.48	146/66

Three Drawer

Locking three drawer lateral file. Mechanical interlock allows only one drawer to open at a time. Grommet included on 24in depth units.

42H	CAB-202442-3L-P	1425	24/610	20/508	42/1067	15/0.42	178/81
	CAB-203042-3L-P	1439	30/762	20/508	42/1067	17/0.48	186/84
	CAB-203642-3L-P	1450	36/914	20/508	42/1067	20/0.57	195/88
	CAB-242442-3L-P	1452	24/610	24/610	42/1067	17/0.48	188/85
	CAB-243042-3L-P	1464	30/762	24/610	42/1067	20/0.57	196/89
	CAB-243642-3L-P	1476	36/914	24/610	42/1067	23/0.65	206/93

Four Drawer

Locking four drawer lateral file. Mechanical interlock allows only one drawer to open at a time. Grommet included on 24in depth units.

55H	CAB-202455-4L-P	1817	24/610	20/508	55/1397	19/0.54	226/103
	CAB-203055-4L-P	1826	30/762	20/508	55/1397	22/0.62	234/106
	CAB-203655-4L-P	1840	36/914	20/508	55/1397	26/0.74	244/111
	CAB-242455-4L-P	1837	24/610	24/610	55/1397	22/0.62	238/108
	CAB-243055-4L-P	1842	30/762	24/610	55/1397	26/0.74	246/112
	CAB-243655-4L-P	1854	36/914	24/610	55/1397	30/0.85	256/116

Four Drawer, Open


Locking four drawer lateral file with open compartment. Mechanical interlock allows only one drawer to open at a time. Grommet included on 24in depth units.

P - Specify pull handle style

66H	CAB-202466-4L-P	1820	24/610	20/508	66/1676	23/0.65	269/122
	CAB-203066-4L-P	1826	30/762	20/508	66/1676	25/0.71	279/127
	CAB-203666-4L-P	1840	36/914	20/508	66/1676	30/0.85	289/131
	CAB-242466-4L-P	1835	24/610	24/610	66/1676	27/0.76	281/127
	CAB-243066-4L-P	1842	30/762	24/610	66/1676	30/0.85	291/132
	CAB-243666-4L-P	1854	36/914	24/610	66/1676	36/1.02	301/137
72H	CAB-202472-4L-P	2002	24/610	20/508	72/1829	25/0.71	280/127
	CAB-203072-4L-P	2009	30/762	20/508	72/1829	28/0.79	290/132
	CAB-203672-4L-P	2023	36/914	20/508	72/1829	33/0.93	301/137
	CAB-242472-4L-P	2019	24/610	24/610	72/1829	29/0.82	293/133
	CAB-243072-4L-P	2027	30/762	24/610	72/1829	33/0.93	303/137
	CAB-243672-4L-P	2041	36/914	24/610	72/1829	39/1.10	315/143

Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified.
 For additional specification instructions and pull handle options see pages 6-7.

Mobile Pedestals



One box and one file drawer with ball bearing suspension on the file drawer and on box drawer. Locking drawers. Four casters.

P  - Specify pull handle style

		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

CAB-1622-LMBF	616	16/406	22/559	21/533	5/0.14	65/29
CAB-1622-LMBF-P 	660	With optional handles				



One box and one file drawer with ball bearing suspension. Locking drawers. Four casters. Cushioned seat. Refer to Links Fabric cards for available fabric selection.

P  - Specify pull handle style


CAB-1622-LMBF-SE	874	16/406	22/559	24/610	6/0.17	65/29
CAB-1622-LMBF-SE-P 	918	With optional handles				



Two box and one file drawer with ball bearing suspension on the file drawer and on box drawer. Locking drawers. Four casters.

P  - Specify pull handle style

CAB-1622-LMBBF	681	16/406	22/559	28/711	6/0.17	80/36
CAB-1622-LMBBF-P 	747	With optional handles				



Mobile pedestal on casters. Two file drawer with ball bearing suspension on both drawers. Locking drawers. Four casters.

P  - Specify pull handle style

CAB-1622-LMFF	681	16/406	22/559	28/711	6/0.17	80/36
CAB-1622-LMFF-P 	725	With optional handles				




Four box drawers with ball bearing suspension. Locking drawers. Four casters.

P  - Specify pull handle style

CAB-1622-LM4B	749	16/406	22/559	28/711	6/0.17	80/36
CAB-1622-LM4B-P 	837	With optional handles				

Stationary and Fixed Pedestals




Stationary pedestal. Two box and one file drawer with ball bearing suspension on the file and on both drawers. Locking drawers.

P  - Specify pull handle style

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

CAB-1622-LPBBF	681	16/406	22/559	28/711	6/0.17	80/36
CAB-1622-LPBBF-P	747	With optional handles				



Stationary pedestal. Two file drawers with ball bearing suspension on both drawers. Locking drawers.

P  - Specify pull handle style


CAB-1622-LPFF	681	16/406	22/559	28/711	6/0.17	80/36
CAB-1622-LPFF-P	725	With optional handles				



Stationary pedestal. Four box drawers with ball bearing suspension. Locking drawers.

P  - Specify pull handle style


CAB-1622-LP4B	749	16/406	22/559	28/711	6/0.17	80/36
CAB-1622-LP4B-P	837	With optional handles				



Fixed pedestal. One box and one file drawer with ball bearing suspension on the file and on box drawer. Locking drawers.

P  - Specify pull handle style


CAB-1622-LPBF	486	16/406	22/559	18/457	5/0.14	66/30
CAB-1622-LPBF-P	530	With optional handles				



No-top fixed stationary pedestal. Two box and one file drawer with ball bearing suspension on the file and on both drawers. Locking drawers.

P  - Specify pull handle style


CAB-1622-LOBBF	669	16/406	22/559	28/711	6/0.17	70/32
CAB-1622-LOBBF-P	735	With optional handles				



No-top fixed stationary pedestal. Two file drawers with ball bearing suspension on both drawers. Locking drawers.

P  - Specify pull handle style

CAB-1622-LOFF	669	16/406	22/559	28/711	6/0.17	70/32
CAB-1622-LOFF-P	713	With optional handles				




No-top fixed stationary pedestal. Four box drawers with ball bearing suspension. Locking drawers.

P  - Specify pull handle style

CAB-1622-LO4B	736	16/406	22/559	28/711	6/0.17	70/32
CAB-1622-LO4B-P	824	With optional handles				

For additional specification instructions and pull handle options see pages 6-7.

Credenzas



Multifunctional storage credenza. Multifunction cabinet with left storage, 2 box drawers, and 1 lateral file. One adjustable shelf in storage cabinet.

P - Specify pull handle style


		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE		PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³) (lbs/kg)
20"	CAB-2060-MFSC-P	1703	60/1524	20/508	29/737	24/0.68 233/106
	CAB-2072-MFSC-P	1743	72/1829	20/508	29/737	28/0.79 253/115
	CAB-2460-MFSC-P	1742	60/1524	24/610	29/737	25/0.71 263/119
	CAB-2472-MFSC-P	1755	72/1829	24/610	29/737	29/0.82 273/124



Storage multifunctional credenza. One adjustable shelf in storage cabinet. Multifunction cabinet with right storage, 2 box drawers, and 1 lateral file.

P - Specify pull handle style


20"	CAB-2060-SCMF-P	1703	60/1524	20/508	29/737	24/0.68 233/106
	CAB-2072-SCMF-P	1743	72/1829	20/508	29/737	28/0.79 253/115
	CAB-2460-SCMF-P	1742	60/1524	24/610	29/737	25/0.71 263/119
	CAB-2472-SCMF-P	1755	72/1829	24/610	29/737	29/0.82 273/124



Multifunctional lateral file credenza. Multifunction cabinet with left storage, 2 box drawers, and 1 lateral file. Two drawer lateral file.

P - Specify pull handle style

20"	CAB-2060-MFLF-P	1865	60/1524	20/508	29/737	24/0.68 262/119
	CAB-2072-MFLF-P	1912	72/1829	20/508	29/737	28/0.79 282/128
	CAB-2460-MFLF-P	1911	60/1524	24/610	29/737	25/0.71 282/128
	CAB-2472-MFLF-P	1928	72/1829	24/610	29/737	29/0.82 302/137




Lateral file multifunctional credenza. Two drawer lateral file. Multifunction cabinet with right storage, 2 box drawers, and 1 lateral file.

P - Specify pull handle style

20"	CAB-2060-LFMF-P	1865	60/1524	20/508	29/737	24/0.68 262/119
	CAB-2072-LFMF-P	1912	72/1829	20/508	29/737	28/0.79 282/128
	CAB-2460-LFMF-P	1911	60/1524	24/610	29/737	25/0.71 282/128
	CAB-2472-LFMF-P	1928	72/1829	24/610	29/737	29/0.82 302/137

Buffet Credenza



Box drawers, non locking. Locking Storage with one adjustable shelf in each compartment.

P - Specify pull handle style

20"	CAB-2060-36-SC2B-P	2208	60/1524	20/508	36/914	30/0.85 285/129
	CAB-2072-36-SC2B-P	2241	72/1829	20/508	36/914	35/0.99 295/134
	CAB-2460-36-SC2B-P	2232	60/1524	24/610	36/914	30/0.85 300/136
	CAB-2472-36-SC2B-P	2265	72/1829	24/610	36/914	39/1.10 310/141

For additional specification instructions and pull handle options see pages 6-7.

Rectangular Top (for no top cabinets)



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
TOP-2024	128	24/610	20/508	1/25	0.9/0.03	12/5
TOP-2030	145	30/762	20/508	1/25	1.2/0.03	15/7
TOP-2036	178	36/914	20/508	1/25	1.4/0.04	18/8
TOP-2042	212	42/1067	20/508	1/25	1.6/0.05	20/9
TOP-2048	240	48/1219	20/508	1/25	1.8/0.05	23/10
TOP-2054	279	54/1372	20/508	1/25	2.0/0.06	26/12
TOP-2060	306	60/1524	20/508	1/25	2.3/0.07	29/13
TOP-2066	336	66/1676	20/508	1/25	2.5/0.07	32/15
TOP-2072	368	72/1829	20/508	1/25	2.7/0.08	35/16
TOP-2078	395	78/1981	20/508	1/25	2.9/0.08	38/17
TOP-2084	423	84/2134	20/508	1/25	3.1/0.09	41/19
TOP-2096	479	96/2438	20/508	1/25	3.6/0.10	47/21



TOP-2424	141	24/610	24/610	1/25	1.1/0.03	14/6
TOP-2430	177	30/762	24/610	1/25	1.4/0.04	18/8
TOP-2436	213	36/914	24/610	1/25	1.6/0.05	21/10
TOP-2442	248	42/1067	24/610	1/25	1.9/0.05	25/11
TOP-2448	267	48/1219	24/610	1/25	2.2/0.06	28/13
TOP-2454	301	54/1372	24/610	1/25	2.4/0.07	32/15
TOP-2460	334	60/1524	24/610	1/25	2.7/0.08	35/16
TOP-2466	368	66/1676	24/610	1/25	2.9/0.08	39/18
TOP-2472	400	72/1829	24/610	1/25	3.2/0.09	42/19
TOP-2478	428	78/1981	24/610	1/25	3.5/0.10	46/21
TOP-2484	457	84/2134	24/610	1/25	3.7/0.10	49/22
TOP-2496	512	96/2438	24/610	1/25	4.3/0.12	56/25




TOP-3030	257	30/762	30/762	1/25	1.7/0.05	22/10
TOP-3036	266	36/914	30/762	1/25	2.0/0.06	26/12
TOP-3042	307	42/1067	30/762	1/25	2.3/0.07	31/14
TOP-3048	334	48/1219	30/762	1/25	2.7/0.08	35/16
TOP-3054	375	54/1372	30/762	1/25	3.0/0.08	39/18
TOP-3060	418	60/1524	30/762	1/25	3.3/0.09	44/20
TOP-3066	459	66/1676	30/762	1/25	3.6/0.10	48/22
TOP-3072	499	72/1829	30/762	1/25	4.0/0.11	53/24
TOP-3078	529	78/1981	30/762	1/25	4.3/0.12	57/26
TOP-3084	557	84/2134	30/762	1/25	4.6/0.13	61/28
TOP-3096	613	96/2438	30/762	1/25	5.3/0.15	70/32



TOP-3636	341	36/914	36/914	1/25	2.4/0.07	32/15
TOP-3642	375	42/1067	36/914	1/25	2.8/0.08	37/17
TOP-3648	401	48/1219	36/914	1/25	3.2/0.09	42/19
TOP-3654	445	54/1372	36/914	1/25	3.6/0.10	47/21
TOP-3660	473	60/1524	36/914	1/25	4.0/0.11	53/24
TOP-3666	507	66/1676	36/914	1/25	4.3/0.12	58/26
TOP-3672	557	72/1829	36/914	1/25	4.7/0.13	63/29
TOP-3678	601	78/1981	36/914	1/25	5.1/0.14	68/31
TOP-3684	646	84/2134	36/914	1/25	5.5/0.16	74/34
TOP-3696	724	96/2438	36/914	1/25	6.3/0.18	84/38

IN ORDER FOR WORKSURFACE TO BE PRE-DRILLED BY FACTORY, PLEASE SPECIFY NO TOP
CABINET WIDTH(S) INTENDED FOR USE AS BASE OTHERWISE ASSEMBLY MAY REQUIRE
INSTALLER SUPPLIED 'L' BRACKETS

No Top Cabinets - 28"H




Bookcase with three adjustable shelves. Installed under 24"D and 30"D work surface.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
CAB-2018-OS-NT	596	18/457	20/508	28/711	8/0.23	110/50
CAB-2024-OS-NT	605	24/610	20/508	28/711	10/0.28	116/53
CAB-2030-OS-NT	630	30/762	20/508	28/711	12/0.34	126/57
CAB-2036-OS-NT	655	36/914	20/508	28/711	14/0.40	136/62




Storage cabinet with locking doors, one adjustable shelf. Installed under 24"D and 30"D work surface.

P - Specify pull handle style




CAB-2018-L-SC-NT-P	596	18/457	20/508	28/711	8/0.23	75/34
CAB-2018-R-SC-NT-P	596	18/457	20/508	28/711	8/0.23	75/34
CAB-2024-L-SC-NT-P	605	24/610	20/508	28/711	10/0.28	81/37
CAB-2024-R-SC-NT-P	605	24/610	20/508	28/711	10/0.28	81/37
CAB-2030-SC-NT-P	630	30/762	20/508	28/711	12/0.34	91/41
CAB-2036-SC-NT-P	655	36/914	20/508	28/711	14/0.40	101/46



Multifunction cabinet with left or right storage, 2 box drawers, and 1 lateral file. Installed under 24"D and 30"D work surface.

P - Specify pull handle style




CAB-2030-L-LMFC-NT-P	1068	30/762	20/508	28/711	12/0.34	130/59
CAB-2030-R-LMFC-NT-P	1068	30/762	20/508	28/711	12/0.34	130/59
CAB-2036-L-LMFC-NT-P	1093	36/914	20/508	28/711	14/0.40	140/64
CAB-2036-R-LMFC-NT-P	1093	36/914	20/508	28/711	14/0.40	140/64




Multifunction cabinet with left or right storage, 2 box drawers, and 1 lateral file. Installed under 24"D and 30"D work surface.

P - Specify pull handle style



CAB-2036-L-LMFD-NT-P	1203	36/914	20/508	28/711	14/0.40	140/64
CAB-2036-R-LMFD-NT-P	1203	36/914	20/508	28/711	14/0.40	140/64



Lateral file. Two drawer. Installed under 24"D and 30"D work surface.

P - Specify pull handle style

CAB-2024-LF-NT-P	761	24/610	20/508	28/711	10/0.28	110/50
CAB-2030-LF-NT-P	786	30/762	20/508	28/711	12/0.34	120/54
CAB-2036-LF-NT-P	813	36/914	20/508	28/711	14/0.40	130/59


For additional specification instructions and pull handle options see pages 6-7.

Cabinets - 29"H



Storage cabinet with locking doors, one adjustable shelf. Grommet included on 24in depth units.

P  - Specify pull handle style



			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	
20"	CAB-2018-L-SC-P	596	18/457	20/508	29/737	8/0.23	75/34
	CAB-2018-R-SC-P	596	18/457	20/508	29/737	8/0.23	75/34
	CAB-2024-L-SC-P	605	24/610	20/508	29/737	10/0.28	87/39
	CAB-2024-R-SC-P	605	24/610	20/508	29/737	10/0.28	87/39
	CAB-2030-SC-P	630	30/762	20/508	29/737	12/0.34	97/44
	CAB-2036-SC-P	655	36/914	20/508	29/737	14/0.40	107/49
24"	CAB-2418-L-SC-P	623	18/457	24/610	29/737	10/0.28	91/41
	CAB-2418-R-SC-P	623	18/457	24/610	29/737	10/0.28	91/41
	CAB-2424-L-SC-P	632	24/610	24/610	29/737	11/0.31	97/44
	CAB-2424-R-SC-P	632	24/610	24/610	29/737	11/0.31	97/44
	CAB-2430-SC-P	657	30/762	24/610	29/737	14/0.40	107/49
	CAB-2436-SC-P	684	36/914	24/610	29/737	17/0.48	117/53



Bookcase with three adjustable shelves. Grommet included on 24in depth units.

20"	CAB-2018-OS	596	18/457	20/508	29/737	8/0.23	110/50
	CAB-2024-OS	605	24/610	20/508	29/737	10/0.28	116/53
	CAB-2030-OS	630	30/762	20/508	29/737	12/0.34	126/57
	CAB-2036-OS	655	36/914	20/508	29/737	14/0.40	136/62
24"	CAB-2418-OS	623	18/457	24/610	29/737	9/0.25	120/54
	CAB-2424-OS	632	24/610	24/610	29/737	11/0.31	126/57
	CAB-2430-OS	657	30/762	24/610	29/737	14/0.40	136/62
	CAB-2436-OS	684	36/914	24/610	29/737	17/0.48	146/66



Multifunction cabinet with left or right storage, 2 box drawers, and 1 lateral file. Grommet included on 24D units.

P  - Specify pull handle style



20"	CAB-2030-L-LMFC-P	1068	30/762	20/508	29/737	12/0.34	136/62
	CAB-2030-R-LMFC-P	1068	30/762	20/508	29/737	12/0.34	136/62
	CAB-2036-L-LMFC-P	1093	36/914	20/508	29/737	14/0.40	146/66
	CAB-2036-R-LMFC-P	1093	36/914	20/508	29/737	14/0.40	146/66
24"	CAB-2430-L-LMFC-P	1096	30/762	24/610	29/737	14/0.40	146/66
	CAB-2430-R-LMFC-P	1096	30/762	24/610	29/737	14/0.40	146/66
	CAB-2436-L-LMFC-P	1120	36/914	24/610	29/737	17/0.48	156/71
	CAB-2436-R-LMFC-P	1120	36/914	24/610	29/737	17/0.48	156/71



Multifunction cabinet with left or right file, 2 box drawers, and 1 lateral file. Grommet included on 24D units.

P  - Specify pull handle style




CAB-2036-L-LMFD-P	1203	36/914	20/508	29/737	14/0.40	146/66
CAB-2036-R-LMFD-P	1203	36/914	20/508	29/737	14/0.40	146/66
CAB-2436-L-LMFD-P	1230	36/914	24/610	29/737	14/0.40	146/66
CAB-2436-R-LMFD-P	1230	36/914	24/610	29/737	14/0.40	146/66

Cabinets - 29"H



Open Compartment, Mini Storage Cabinet. Grommet included on 24in depth units.

P  - Specify pull handle style



			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	
20"	CAB-2018-L-SO-P	596	18/457	20/508	29/737	8/0.23	86/39
	CAB-2018-R-SO-P	596	18/457	20/508	29/737	8/0.23	86/39
	CAB-2024-L-SO-P	605	24/610	20/508	29/737	10/0.28	92/42
	CAB-2024-R-SO-P	605	24/610	20/508	29/737	10/0.28	92/42
	CAB-2030-SO-P	630	30/762	20/508	29/737	12/0.34	102/46
	CAB-2036-SO-P	655	36/914	20/508	29/737	14/0.40	112/51
24"	CAB-2418-L-SO-P	623	18/457	24/610	29/737	9/0.25	96/44
	CAB-2418-R-SO-P	623	18/457	24/610	29/737	9/0.25	96/44
	CAB-2424-L-SO-P	632	24/610	24/610	29/737	11/0.31	102/46
	CAB-2424-R-SO-P	632	24/610	24/610	29/737	11/0.31	102/46
	CAB-2430-SO-P	657	30/762	24/610	29/737	14/0.40	112/51
	CAB-2436-SO-P	684	36/914	24/610	29/737	17/0.48	122/55



Open Compartment, One Lateral File Drawer. Grommet included on 24in depth units.

P  - Specify pull handle style

20"	CAB-2024-LO-P	632	24/610	20/508	29/737	10/0.28	110/50
	CAB-2030-LO-P	657	30/762	20/508	29/737	12/0.34	120/54
	CAB-2036-LO-P	684	36/914	20/508	29/737	14/0.40	130/59
24"	CAB-2424-LO-P	660	24/610	24/610	29/737	11/0.31	120/54
	CAB-2430-LO-P	686	30/762	24/610	29/737	14/0.40	130/59
	CAB-2436-LO-P	711	36/914	24/610	29/737	17/0.48	140/64



Organizer, Mini Storage Cabinet. Grommet included on 24in depth units.

P  - Specify pull handle style

CAB-2036-SD-P	869	36/914	20/508	29/737	14/0.40	136/62
CAB-2436-SD-P	898	36/914	24/610	29/737	17/0.48	146/66



Organizer, One Lateral File Drawer. Grommet included on 24in depth units.

P  - Specify pull handle style

CAB-2036-LD-P	897	36/914	20/508	29/737	14/0.40	136/62
CAB-2436-LD-P	927	36/914	24/610	29/737	17/0.48	146/66

Cabinets - 36"H



Storage cabinet with locking doors, one adjustable shelf. Grommet included on 24in depth units.

P - Specify pull handle style



L



R

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
CAB-2018-36-L-SC-P	792	18/457	20/508	36/914	12/0.34	102/46
CAB-2018-36-R-SC-P	792	18/457	20/508	36/914	12/0.34	102/46
CAB-2024-36-L-SC-P	800	24/610	20/508	36/914	13/0.37	108/49
CAB-2024-36-R-SC-P	800	24/610	20/508	36/914	13/0.37	108/49
CAB-2030-36-SC-P	827	30/762	20/508	36/914	14/0.40	120/54
CAB-2036-36-SC-P	857	36/914	20/508	36/914	14/0.40	132/60
CAB-2418-36-L-SC-P	819	18/457	24/610	36/914	13/0.37	112/51
CAB-2418-36-R-SC-P	819	18/457	24/610	36/914	13/0.37	112/51
CAB-2424-36-L-SC-P	830	24/610	24/610	36/914	14/0.40	118/54
CAB-2424-36-R-SC-P	830	24/610	24/610	36/914	14/0.40	118/54
CAB-2430-36-SC-P	855	30/762	24/610	36/914	18/0.51	130/59
CAB-2436-36-SC-P	886	36/914	24/610	36/914	20/0.57	142/64

Cabinets - 36"H Glazed



Storage cabinet with glazed doors, one adjustable shelf. Grommet included on 24in depth units.

P - Specify pull handle style



L



R

CAB-2024-36-L-Z-P	1250	24/610	20/508	36/914	13/0.37	108/49
CAB-2024-36-R-Z-P	1250	24/610	20/508	36/914	13/0.37	108/49
CAB-2030-36-Z-P	1283	30/762	20/508	36/914	14/0.40	120/54
CAB-2036-36-Z-P	1306	36/914	20/508	36/914	14/0.40	132/60
CAB-2424-36-L-Z-P	1278	24/610	24/610	36/914	14/0.40	118/54
CAB-2424-36-R-Z-P	1278	24/610	24/610	36/914	14/0.40	118/54
CAB-2430-36-Z-P	1304	30/762	24/610	36/914	18/0.51	130/59
CAB-2436-36-Z-P	1339	36/914	24/610	36/914	20/0.57	142/64

Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame

Buffet Cabinets - 36"H



Buffet cabinet. Storage with locking doors, one adjustable shelf. One drawer. Grommet included on 24in depth units.

P - Specify pull handle style

CAB-2030-36-SC1B-P	1108	30/762	20/508	36/914	14/0.40	120/54
CAB-2036-36-SC1B-P	1125	36/914	20/508	36/914	14/0.40	132/60
CAB-2430-36-SC1B-P	1118	30/762	24/610	36/914	18/0.51	130/59
CAB-2436-36-SC1B-P	1135	36/914	24/610	36/914	20/0.57	142/64

42"H Cabinets



Storage Cabinet with 2 adjustable shelves. Grommet included on 24in depth units.

P - Specify pull handle style



L



R

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

20"	CAB-2018-42-L-SC-P	852	18/457	20/508	42/1067	14/0.40	112/51
	CAB-2018-42-R-SC-P	852	18/457	20/508	42/1067	14/0.40	112/51
	CAB-2024-42-L-SC-P	861	24/610	20/508	42/1067	15/0.42	118/54
	CAB-2024-42-R-SC-P	861	24/610	20/508	42/1067	15/0.42	118/54
	CAB-2030-42-SC-P	887	30/762	20/508	42/1067	16/0.45	130/59
	CAB-2036-42-SC-P	917	36/914	20/508	42/1067	20/0.57	142/64
24"	CAB-2418-42-L-SC-P	881	18/457	24/610	42/1067	15/0.42	122/55
	CAB-2418-42-R-SC-P	881	18/457	24/610	42/1067	15/0.42	122/55
	CAB-2424-42-L-SC-P	889	24/610	24/610	42/1067	16/0.45	128/58
	CAB-2424-42-R-SC-P	889	24/610	24/610	42/1067	16/0.45	128/58
	CAB-2430-42-SC-P	915	30/762	24/610	42/1067	19/0.54	140/64
	CAB-2436-42-SC-P	948	36/914	24/610	42/1067	23/0.65	152/69



Storage Cabinet/Bookcase with mini storage, one adjustable shelf. Grommet included on 24D units.

P - Specify pull handle style



L



R

20"	CAB-2018-42-L-SO-P	847	18/457	20/508	42/1067	14/0.40	112/51
	CAB-2018-42-R-SO-P	847	18/457	20/508	42/1067	14/0.40	112/51
	CAB-2024-42-L-SO-P	857	24/610	20/508	42/1067	15/0.42	118/54
	CAB-2024-42-R-SO-P	857	24/610	20/508	42/1067	15/0.42	118/54
	CAB-2030-42-SO-P	887	30/762	20/508	42/1067	16/0.45	130/59
	CAB-2036-42-SO-P	917	36/914	20/508	42/1067	20/0.57	142/64
24"	CAB-2418-42-L-SO-P	873	18/457	24/610	42/1067	15/0.42	122/55
	CAB-2418-42-R-SO-P	873	18/457	24/610	42/1067	15/0.42	122/55
	CAB-2424-42-L-SO-P	884	24/610	24/610	42/1067	16/0.45	128/58
	CAB-2424-42-R-SO-P	884	24/610	24/610	42/1067	16/0.45	128/58
	CAB-2430-42-SO-P	915	30/762	24/610	42/1067	19/0.54	140/64
	CAB-2436-42-SO-P	948	36/914	24/610	42/1067	23/0.65	152/69



Storage Cabinet with one open compartment, one adjustable shelf. Grommet included on 24D units.

P - Specify pull handle style



L



R

20"	CAB-2018-42-L-SCO-P	847	18/457	20/508	42/1067	12/0.34	112/51
	CAB-2018-42-R-SCO-P	847	18/457	20/508	42/1067	12/0.34	112/51
	CAB-2024-42-L-SCO-P	857	24/610	20/508	42/1067	13/0.37	118/54
	CAB-2024-42-R-SCO-P	857	24/610	20/508	42/1067	13/0.37	118/54
	CAB-2030-42-SCO-P	887	30/762	20/508	42/1067	16/0.45	130/59
	CAB-2036-42-SCO-P	917	36/914	20/508	42/1067	20/0.57	142/64
24"	CAB-2418-42-L-SCO-P	873	18/457	24/610	42/1067	14/0.40	122/55
	CAB-2418-42-R-SCO-P	873	18/457	24/610	42/1067	14/0.40	122/55
	CAB-2424-42-L-SCO-P	884	24/610	24/610	42/1067	15/0.42	128/58
	CAB-2424-42-R-SCO-P	884	24/610	24/610	42/1067	15/0.42	128/58
	CAB-2430-42-SCO-P	915	30/762	24/610	42/1067	19/0.54	140/64
	CAB-2436-42-SCO-P	948	36/914	24/610	42/1067	23/0.65	152/69

For additional specification instructions and pull handle options see pages 6-7.



Vertical lateral file and bookcase. Locking lateral file drawers. Two adjustable shelves in bookcase. Grommet included on 24in depth units.

P  - Specify pull handle style

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	
66H	CAB-202466-LB-P	1274	24/610	20/508	66/1676	23/0.65	222/101
	CAB-203066-LB-P	1283	30/762	20/508	66/1676	25/0.71	232/105
	CAB-203666-LB-P	1310	36/914	20/508	66/1676	30/0.85	242/110
	CAB-242466-LB-P	1340	24/610	24/610	66/1676	27/0.76	234/106
	CAB-243066-LB-P	1349	30/762	24/610	66/1676	30/0.85	244/111
	CAB-243666-LB-P	1426	36/914	24/610	66/1676	36/1.02	254/115
72H	CAB-202472-LB-P	1403	24/610	20/508	72/1829	25/0.71	233/106
	CAB-203072-LB-P	1411	30/762	20/508	72/1829	28/0.79	243/110
	CAB-203672-LB-P	1441	36/914	20/508	72/1829	33/0.93	254/115
	CAB-242472-LB-P	1476	24/610	24/610	72/1829	29/0.82	246/112
	CAB-243072-LB-P	1484	30/762	24/610	72/1829	33/0.93	256/116
	CAB-243672-LB-P	1569	36/914	24/610	72/1829	39/1.10	268/122




Open bookcase w/ four adjustable shelves. Grommet included on 24in depth units.

66H	CAB-202466-OB	1030	24/610	20/508	66/1676	23/0.65	166/75
	CAB-203066-OB	1038	30/762	20/508	66/1676	25/0.71	176/80
	CAB-203666-OB	1052	36/914	20/508	66/1676	30/0.85	186/84
	CAB-242466-OB	1045	24/610	24/610	66/1676	27/0.76	178/81
	CAB-243066-OB	1054	30/762	24/610	66/1676	30/0.85	188/85
	CAB-243666-OB	1068	36/914	24/610	66/1676	36/1.02	198/90
72H	CAB-202472-OB	1133	24/610	20/508	72/1829	25/0.71	177/80
	CAB-203072-OB	1142	30/762	20/508	72/1829	28/0.79	187/85
	CAB-203672-OB	1157	36/914	20/508	72/1829	33/0.93	198/90
	CAB-242472-OB	1151	24/610	24/610	72/1829	29/0.82	190/86
	CAB-243072-OB	1160	30/762	24/610	72/1829	33/0.93	200/91
	CAB-243672-OB	1174	36/914	24/610	72/1829	39/1.10	212/96




Vertical cabinet extension. 27"H with one adjustable shelf. Grommet included on 24in depth units.

P  - Specify pull handle style



20"D	CAB-202427-L-VS-HE-P	387	24/610	20/508	27/686	9/0.25	51/23
	CAB-202427-R-VS-HE-P	387	24/610	20/508	27/686	9/0.25	51/23
	CAB-203027-VS-HE-P	397	30/762	20/508	27/686	11/0.31	56/25
	CAB-203627-VS-HE-P	527	36/914	20/508	27/686	13/0.37	66/30
24"D	CAB-242427-L-VS-HE-P	521	24/610	24/610	27/686	11/0.31	63/29
	CAB-242427-R-VS-HE-P	521	24/610	24/610	27/686	11/0.31	63/29
	CAB-243027-VS-HE-P	530	30/762	24/610	27/686	13/0.37	68/31
	CAB-243627-VS-HE-P	555	36/914	24/610	27/686	15/0.42	78/35


Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified. For additional specification instructions and pull handle options see pages 6-7.



Vertical storage cabinet and bookcase. Locking storage cabinet with one adjustable shelf. Two adjustable shelves in bookcase. Grommet included on 24in depth units.

P - Specify pull handle style


CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
66H						
CAB-202466-L-SB-P	1208	24/610	20/508	66/1676	20/0.57	191/87
CAB-202466-R-SB-P	1208	24/610	20/508	66/1676	20/0.57	191/87
CAB-203066-SB-P	1239	30/762	20/508	66/1676	25/0.71	201/91
CAB-203666-SB-P	1264	36/914	20/508	66/1676	30/0.85	211/96
CAB-242466-L-SB-P	1261	24/610	24/610	66/1676	24/0.68	203/92
CAB-242466-R-SB-P	1261	24/610	24/610	66/1676	24/0.68	203/92
CAB-243066-SB-P	1290	30/762	24/610	66/1676	30/0.85	213/97
CAB-243666-SB-P	1316	36/914	24/610	66/1676	36/1.02	223/101
72H						
CAB-202472-L-SB-P	1334	24/610	20/508	72/1829	22/0.62	202/92
CAB-202472-R-SB-P	1334	24/610	20/508	72/1829	22/0.62	202/92
CAB-203072-SB-P	1362	30/762	20/508	72/1829	28/0.79	212/96
CAB-203672-SB-P	1392	36/914	20/508	72/1829	33/0.93	223/101
CAB-242472-L-SB-P	1391	24/610	24/610	72/1829	27/0.76	215/98
CAB-242472-R-SB-P	1391	24/610	24/610	72/1829	27/0.76	215/98
CAB-243072-SB-P	1421	30/762	24/610	72/1829	33/0.93	225/102
CAB-243672-SB-P	1448	36/914	24/610	72/1829	39/1.10	237/108



Locking vertical storage cabinet with four adjustable shelves. Grommet included on 24in depth units.

P - Specify pull handle style

66H						
CAB-202466-L-VS-P	1205	24/610	20/508	66/1676	20/0.57	200/91
CAB-202466-R-VS-P	1205	24/610	20/508	66/1676	20/0.57	200/91
CAB-203066-VS-P	1235	30/762	20/508	66/1676	25/0.71	210/95
CAB-203666-VS-P	1273	36/914	20/508	66/1676	30/0.85	220/100
CAB-242466-L-VS-P	1300	24/610	24/610	66/1676	24/0.68	212/96
CAB-242466-R-VS-P	1300	24/610	24/610	66/1676	24/0.68	212/96
CAB-243066-VS-P	1328	30/762	24/610	66/1676	30/0.85	222/101
CAB-243666-VS-P	1405	36/914	24/610	66/1676	36/1.02	232/105
72H						
CAB-202472-L-VS-P	1328	24/610	20/508	72/1829	22/0.62	211/96
CAB-202472-R-VS-P	1328	24/610	20/508	72/1829	22/0.62	211/96
CAB-203072-VS-P	1358	30/762	20/508	72/1829	28/0.79	221/100
CAB-203672-VS-P	1399	36/914	20/508	72/1829	33/0.93	232/105
CAB-242472-L-VS-P	1432	24/610	24/610	72/1829	27/0.76	224/102
CAB-242472-R-VS-P	1432	24/610	24/610	72/1829	27/0.76	224/102
CAB-243072-VS-P	1461	30/762	24/610	72/1829	33/0.93	234/106
CAB-243672-VS-P	1545	36/914	24/610	72/1829	39/1.10	246/112



Vertical storage with non locking glazed doors and four adj. shelves. Grommet included on 24D units.

P - Specify pull handle style

Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame


66H						
CAB-202466-L-VS-Z-P	2047	24/610	20/508	66/1676	20/0.57	200/91
CAB-202466-R-VS-Z-P	2047	24/610	20/508	66/1676	20/0.57	200/91
CAB-203066-VS-Z-P	2074	30/762	20/508	66/1676	25/0.71	210/95
CAB-203666-VS-Z-P	2099	36/914	20/508	66/1676	30/0.85	220/100
CAB-242466-L-VS-Z-P	2077	24/610	24/610	66/1676	24/0.68	212/96
CAB-242466-R-VS-Z-P	2077	24/610	24/610	66/1676	24/0.68	212/96
CAB-243066-VS-Z-P	2103	30/762	24/610	66/1676	30/0.85	222/101
CAB-243666-VS-Z-P	2129	36/914	24/610	66/1676	36/1.02	232/105
72H						
CAB-202472-L-VS-Z-P	2255	24/610	20/508	72/1829	22/0.62	211/96
CAB-202472-R-VS-Z-P	2255	24/610	20/508	72/1829	22/0.62	211/96
CAB-203072-VS-Z-P	2281	30/762	20/508	72/1829	28/0.79	221/100
CAB-203672-VS-Z-P	2310	36/914	20/508	72/1829	33/0.93	232/105
CAB-242472-L-VS-Z-P	2288	24/610	24/610	72/1829	27/0.76	224/102
CAB-242472-R-VS-Z-P	2288	24/610	24/610	72/1829	27/0.76	224/102
CAB-243072-VS-Z-P	2314	30/762	24/610	72/1829	33/0.93	234/106
CAB-243672-VS-Z-P	2342	36/914	24/610	72/1829	39/1.10	246/112

Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified. For additional specification instructions and pull handle options see pages 6-7.



Vertical lateral file storage cabinet. Locking three drawer lateral file, locking doors. Mechanical interlock allows only one drawer to open at a time. One adjustable shelf in storage cabinet. Grommet included on 24in depth units.

P  - Specify pull handle style




L

R



Vertical lateral file storage cabinet. Locking two drawer lateral file. Locking storage cabinet with two adjustable shelves. Grommet included on 24in depth units.

P  - Specify pull handle style




L

R



Locking wardrobe cabinet with one shelf and one coat rod. Grommet included on 24in depth units.

P  - Specify pull handle style



L


R

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
66H						
CAB-202466-L-3LSC-P	1854	24/610	20/508	66/1676	20/0.57	274/124
CAB-202466-R-3LSC-P	1854	24/610	20/508	66/1676	20/0.57	274/124
CAB-203066-3LSC-P	1882	30/762	20/508	66/1676	25/0.71	284/129
CAB-203666-3LSC-P	1894	36/914	20/508	66/1676	30/0.85	294/133
CAB-242466-L-3LSC-P	1879	24/610	24/610	66/1676	24/0.68	286/130
CAB-242466-R-3LSC-P	1879	24/610	24/610	66/1676	24/0.68	286/130
CAB-243066-3LSC-P	1908	30/762	24/610	66/1676	30/0.85	296/134
CAB-243666-3LSC-P	1920	36/914	24/610	66/1676	36/1.02	306/139
72H						
CAB-202472-L-3LSC-P	2044	24/610	20/508	72/1829	22/0.62	285/129
CAB-202472-R-3LSC-P	2044	24/610	20/508	72/1829	22/0.62	285/129
CAB-203072-3LSC-P	2071	30/762	20/508	72/1829	28/0.79	295/134
CAB-203672-3LSC-P	2083	36/914	20/508	72/1829	33/0.93	306/139
CAB-242472-L-3LSC-P	2072	24/610	24/610	72/1829	27/0.76	298/135
CAB-242472-R-3LSC-P	2072	24/610	24/610	72/1829	27/0.76	298/135
CAB-243072-3LSC-P	2098	30/762	24/610	72/1829	33/0.93	308/140
CAB-243672-3LSC-P	2114	36/914	24/610	72/1829	39/1.10	320/145

66H						
CAB-202466-L-LS-P	1452	24/610	20/508	66/1676	20/0.57	243/110
CAB-202466-R-LS-P	1452	24/610	20/508	66/1676	20/0.57	243/110
CAB-203066-LS-P	1481	30/762	20/508	66/1676	25/0.71	253/115
CAB-203666-LS-P	1506	36/914	20/508	66/1676	30/0.85	263/119
CAB-242466-L-LS-P	1481	24/610	24/610	66/1676	24/0.68	255/116
CAB-242466-R-LS-P	1481	24/610	24/610	66/1676	24/0.68	255/116
CAB-243066-LS-P	1509	30/762	24/610	66/1676	30/0.85	265/120
CAB-243666-LS-P	1535	36/914	24/610	66/1676	36/1.02	275/125
72H						
CAB-202472-L-LS-P	1601	24/610	20/508	72/1829	22/0.62	254/115
CAB-202472-R-LS-P	1601	24/610	20/508	72/1829	22/0.62	254/115
CAB-203072-LS-P	1630	30/762	20/508	72/1829	28/0.79	264/120
CAB-203672-LS-P	1658	36/914	20/508	72/1829	33/0.93	275/125
CAB-242472-L-LS-P	1634	24/610	24/610	72/1829	27/0.76	267/121
CAB-242472-R-LS-P	1634	24/610	24/610	72/1829	27/0.76	267/121
CAB-243072-LS-P	1661	30/762	24/610	72/1829	33/0.93	277/126
CAB-243672-LS-P	1688	36/914	24/610	72/1829	39/1.10	289/131

66H						
CAB-202466-L-WR-P	1205	24/610	20/508	66/1676	20/0.57	173/78
CAB-202466-R-WR-P	1205	24/610	20/508	66/1676	20/0.57	173/78
CAB-203066-WR-P	1235	30/762	20/508	66/1676	25/0.71	183/83
CAB-203666-WR-P	1273	36/914	20/508	66/1676	30/0.85	193/88
CAB-242466-L-WR-P	1300	24/610	24/610	66/1676	24/0.68	185/84
CAB-242466-R-WR-P	1300	24/610	24/610	66/1676	24/0.68	185/84
CAB-243066-WR-P	1328	30/762	24/610	66/1676	30/0.85	195/88
CAB-243666-WR-P	1405	36/914	24/610	66/1676	36/1.02	205/93
72H						
CAB-202472-L-WR-P	1328	24/610	20/508	72/1829	22/0.62	184/83
CAB-202472-R-WR-P	1328	24/610	20/508	72/1829	22/0.62	184/83
CAB-203072-WR-P	1358	30/762	20/508	72/1829	28/0.79	194/88
CAB-203672-WR-P	1399	36/914	20/508	72/1829	33/0.93	205/93
CAB-242472-L-WR-P	1432	24/610	24/610	72/1829	27/0.76	197/89
CAB-242472-R-WR-P	1432	24/610	24/610	72/1829	27/0.76	197/89
CAB-243072-WR-P	1461	30/762	24/610	72/1829	33/0.93	207/94
CAB-243672-WR-P	1545	36/914	24/610	72/1829	39/1.10	219/99

Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified.
For additional specification instructions and pull handle options see pages 6-7.



Vertical lateral file storage cabinet. Locking 3 drawer lateral file, non-locking glazed doors. Mechanical interlock allows only one drawer to open at a time. One adj. shelf in storage cabinet. Grommet included on 24" depth units.

P - Specify pull handle style


Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
66H	CAB-202466-L-3L-Z-P	2280	24/610	20/508	66/1676	20/0.57 274/124
	CAB-202466-R-3L-Z-P	2280	24/610	20/508	66/1676	20/0.57 274/124
	CAB-203066-3L-Z-P	2304	30/762	20/508	66/1676	25/0.71 284/129
	CAB-203666-3L-Z-P	2318	36/914	20/508	66/1676	30/0.85 294/133
	CAB-242466-L-3L-Z-P	2306	24/610	24/610	66/1676	24/0.68 286/130
	CAB-242466-R-3L-Z-P	2306	24/610	24/610	66/1676	24/0.68 286/130
	CAB-243066-3L-Z-P	2332	30/762	24/610	66/1676	30/0.85 296/134
	CAB-243666-3L-Z-P	2344	36/914	24/610	66/1676	36/1.02 306/139
72H	CAB-202472-L-3L-Z-P	2510	24/610	20/508	72/1829	22/0.62 285/129
	CAB-202472-R-3L-Z-P	2510	24/610	20/508	72/1829	22/0.62 285/129
	CAB-203072-3L-Z-P	2537	30/762	20/508	72/1829	28/0.79 295/134
	CAB-203672-3L-Z-P	2552	36/914	20/508	72/1829	33/0.93 306/139
	CAB-242472-L-3L-Z-P	2540	24/610	24/610	72/1829	27/0.76 298/135
	CAB-242472-R-3L-Z-P	2540	24/610	24/610	72/1829	27/0.76 298/135
	CAB-243072-3L-Z-P	2565	30/762	24/610	72/1829	33/0.93 308/140
	CAB-243672-3L-Z-P	2580	36/914	24/610	72/1829	39/1.10 320/145



Vertical lateral file storage cabinet. Locking two drawer lateral file. Non-locking glazed door storage cabinet with two adjustable shelves. Grommet included on 24in depth units.

P - Specify pull handle style


Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame

66H	CAB-202466-L-LS-Z-P	1903	24/610	20/508	66/1676	20/0.57 243/110
	CAB-202466-R-LS-Z-P	1903	24/610	20/508	66/1676	20/0.57 243/110
	CAB-203066-LS-Z-P	1931	30/762	20/508	66/1676	25/0.71 253/115
	CAB-203666-LS-Z-P	1956	36/914	20/508	66/1676	30/0.85 263/119
	CAB-242466-L-LS-Z-P	1931	24/610	24/610	66/1676	24/0.68 255/116
	CAB-242466-R-LS-Z-P	1931	24/610	24/610	66/1676	24/0.68 255/116
	CAB-243066-LS-Z-P	1959	30/762	24/610	66/1676	30/0.85 265/120
	CAB-243666-LS-Z-P	1985	36/914	24/610	66/1676	36/1.02 275/125
72H	CAB-202472-L-LS-Z-P	2097	24/610	20/508	72/1829	22/0.62 254/115
	CAB-202472-R-LS-Z-P	2097	24/610	20/508	72/1829	22/0.62 254/115
	CAB-203072-LS-Z-P	2123	30/762	20/508	72/1829	28/0.79 264/120
	CAB-203672-LS-Z-P	2153	36/914	20/508	72/1829	33/0.93 275/125
	CAB-242472-L-LS-Z-P	2127	24/610	24/610	72/1829	27/0.76 267/121
	CAB-242472-R-LS-Z-P	2127	24/610	24/610	72/1829	27/0.76 267/121
	CAB-243072-LS-Z-P	2155	30/762	24/610	72/1829	33/0.93 277/126
	CAB-243672-LS-Z-P	2183	36/914	24/610	72/1829	39/1.10 289/131



Wardrobe cabinet with non-locking glazed doors, one shelf and one coat rod. Grommet included on 24in depth units.

P - Specify pull handle style

Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame

66H	CAB-202466-L-WR-Z-P	2047	24/610	20/508	66/1676	20/0.57 173/78
	CAB-202466-R-WR-Z-P	2047	24/610	20/508	66/1676	20/0.57 173/78
	CAB-203066-WR-Z-P	2074	30/762	20/508	66/1676	25/0.71 183/83
	CAB-203666-WR-Z-P	2099	36/914	20/508	66/1676	30/0.85 193/88
	CAB-242466-L-WR-Z-P	2077	24/610	24/610	66/1676	24/0.68 185/84
	CAB-242466-R-WR-Z-P	2077	24/610	24/610	66/1676	24/0.68 185/84
	CAB-243066-WR-Z-P	2103	30/762	24/610	66/1676	30/0.85 195/88
	CAB-243666-WR-Z-P	2129	36/914	24/610	66/1676	36/1.02 205/93
72H	CAB-202472-L-WR-Z-P	2255	24/610	20/508	72/1829	22/0.62 184/83
	CAB-202472-R-WR-Z-P	2255	24/610	20/508	72/1829	22/0.62 184/83
	CAB-203072-WR-Z-P	2282	30/762	20/508	72/1829	28/0.79 194/88
	CAB-203672-WR-Z-P	2310	36/914	20/508	72/1829	33/0.93 205/93
	CAB-242472-L-WR-Z-P	2286	24/610	24/610	72/1829	27/0.76 197/89
	CAB-242472-R-WR-Z-P	2286	24/610	24/610	72/1829	27/0.76 197/89
	CAB-243072-WR-Z-P	2314	30/762	24/610	72/1829	33/0.93 207/94
	CAB-243672-WR-Z-P	2342	36/914	24/610	72/1829	39/1.10 219/99

Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified. For additional specification instructions and pull handle options see pages 6-7.



Locking personal wardrobe storage cabinet. Four adjustable shelves in storage cabinet. One grommet rod and one shelf in wardrobe. Grommet included on 24in depth units.

P - Specify pull handle style

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)
66H	CAB-203066-WS-P	1766	30/762	20/508	66/1676	25/0.71	210/95
	CAB-203666-WS-P	1792	36/914	20/508	66/1676	30/0.85	220/100
	CAB-243066-WS-P	1830	30/762	24/610	66/1676	30/0.85	222/101
	CAB-243666-WS-P	1855	36/914	24/610	66/1676	36/1.02	232/105
72H	CAB-203072-WS-P	1944	30/762	20/508	72/1829	28/0.79	224/102
	CAB-203672-WS-P	1971	36/914	20/508	72/1829	33/0.93	232/105
	CAB-243072-WS-P	2015	30/762	24/610	72/1829	33/0.93	238/108
	CAB-243672-WS-P	2042	36/914	24/610	72/1829	39/1.10	246/112




Personal wardrobe storage cabinet with non-locking glazed doors. Four adjustable shelves in storage cabinet. One grommet rod and one shelf in wardrobe. Grommet included on 24in depth units.

P - Specify pull handle style

Z - Specify door frame colour
SZ = Silver frame
BZ = Black frame
WZ = White frame

66H	CAB-203666-WS-Z-P	2528	36/914	20/508	66/1676	30/0.85	220/100
	CAB-243666-WS-Z-P	2558	36/914	24/610	66/1676	36/1.02	232/105
72H	CAB-203672-WS-Z-P	2781	36/914	20/508	72/1829	33/0.93	232/105
	CAB-243672-WS-Z-P	2814	36/914	24/610	72/1829	39/1.10	246/112



Multifunctional storage cabinet. Locking multifunction cabinet with left or right file, 2 box drawers, and 1 lateral file. Locking storage with two adjustable shelves. Grommet included on 24in depth units.

P - Specify pull handle style


66H	CAB-203066-L-FS-P	1764	30/762	20/508	66/1676	25/0.71	253/115
	CAB-203066-R-FS-P	1764	30/762	20/508	66/1676	25/0.71	253/115
	CAB-203666-L-FS-P	1793	36/914	20/508	66/1676	30/0.85	263/119
	CAB-203666-R-FS-P	1793	36/914	20/508	66/1676	30/0.85	263/119
	CAB-243066-L-FS-P	1794	30/762	24/610	66/1676	30/0.85	265/120
	CAB-243066-R-FS-P	1794	30/762	24/610	66/1676	30/0.85	265/120
	CAB-243666-L-FS-P	1820	36/914	24/610	66/1676	36/1.02	275/125
	CAB-243666-R-FS-P	1820	36/914	24/610	66/1676	36/1.02	275/125
72H	CAB-203072-L-FS-P	1913	30/762	20/508	72/1829	28/0.79	264/120
	CAB-203072-R-FS-P	1913	30/762	20/508	72/1829	28/0.79	264/120
	CAB-203672-L-FS-P	1942	36/914	20/508	72/1829	33/0.93	275/125
	CAB-203672-R-FS-P	1942	36/914	20/508	72/1829	33/0.93	275/125
	CAB-243072-L-FS-P	1945	30/762	24/610	72/1829	33/0.93	277/126
	CAB-243072-R-FS-P	1945	30/762	24/610	72/1829	33/0.93	277/126
	CAB-243672-L-FS-P	1975	36/914	24/610	72/1829	39/1.10	289/131
	CAB-243672-R-FS-P	1975	36/914	24/610	72/1829	39/1.10	289/131

Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified.
For additional specification instructions and pull handle options see pages 6-7.



Wardrobe, Personal Storage Tower.
Left hinge wardrobe with coat rack, locking right hinge storage cabinet with 2 adjustable shelves, two locking box drawers, one locking file drawer.

P ■ - Specify pull handle style




CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
66H CAB-2066-PT-L-BBF-P	1496	24/610	20/508	66/1676	20/0.57	198/90
66H CAB-203066-PT-L-BBF-P	1574	30/762	20/508	66/1676	25/0.71	208/94
66H CAB-203666-PT-L-BBF-P	1648	36/914	20/508	66/1676	30/0.85	218/99
66H CAB-2466-PT-L-BBF-P	1535	24/610	24/610	66/1676	24/0.68	210/95
66H CAB-243066-PT-L-BBF-P	1617	30/762	24/610	66/1676	30/0.85	220/100
66H CAB-243666-PT-L-BBF-P	1692	36/914	24/610	66/1676	36/1.02	230/104
72H CAB-2072-PT-L-BBF-P	1645	24/610	20/508	72/1829	22/0.62	208/94
72H CAB-203072-PT-L-BBF-P	1733	30/762	20/508	72/1829	28/0.79	218/99
72H CAB-203672-PT-L-BBF-P	1815	36/914	20/508	72/1829	33/0.93	228/103
72H CAB-2472-PT-L-BBF-P	1688	24/610	24/610	72/1829	27/0.76	221/100
72H CAB-243072-PT-L-BBF-P	1777	30/762	24/610	72/1829	33/0.93	231/105
72H CAB-243672-PT-L-BBF-P	1861	36/914	24/610	72/1829	39/1.10	241/109



Wardrobe, Personal Storage Tower.
Left hinge wardrobe with coat rack, locking right hinge door storage cabinet with 2 adjustable shelves, two locking file drawers.

P ■ - Specify pull handle style




66H CAB-2066-PT-L-FF-P	1496	24/610	20/508	66/1676	20/0.57	199/90
66H CAB-203066-PT-L-FF-P	1574	30/762	20/508	66/1676	25/0.71	209/95
66H CAB-203666-PT-L-FF-P	1648	36/914	20/508	66/1676	30/0.85	219/99
66H CAB-2466-PT-L-FF-P	1535	24/610	24/610	66/1676	24/0.68	211/96
66H CAB-243066-PT-L-FF-P	1617	30/762	24/610	66/1676	30/0.85	221/100
66H CAB-243666-PT-L-FF-P	1692	36/914	24/610	66/1676	36/1.02	231/105
72H CAB-2072-PT-L-FF-P	1645	24/610	20/508	72/1829	22/0.62	208/94
72H CAB-203072-PT-L-FF-P	1733	30/762	20/508	72/1829	28/0.79	218/99
72H CAB-203672-PT-L-FF-P	1815	36/914	20/508	72/1829	33/0.93	228/103
72H CAB-2472-PT-L-FF-P	1688	24/610	24/610	72/1829	27/0.76	221/100
72H CAB-243072-PT-L-FF-P	1777	30/762	24/610	72/1829	33/0.93	231/105
72H CAB-243672-PT-L-FF-P	1861	36/914	24/610	72/1829	39/1.10	241/109



Wardrobe, Personal Storage Tower.
Left hinge wardrobe with coat rack, locking right hinge door storage cabinet with one adjustable shelf, three locking file drawers.

P ■ - Specify pull handle style




66H CAB-2066-PT-L-3F-P	1625	24/610	20/508	66/1676	20/0.57	199/90
66H CAB-203066-PT-L-3F-P	1702	30/762	20/508	66/1676	25/0.71	209/95
66H CAB-203666-PT-L-3F-P	1778	36/914	20/508	66/1676	30/0.85	219/99
66H CAB-2466-PT-L-3F-P	1663	24/610	24/610	66/1676	24/0.68	211/96
66H CAB-243066-PT-L-3F-P	1746	30/762	24/610	66/1676	30/0.85	221/100
66H CAB-243666-PT-L-3F-P	1837	36/914	24/610	66/1676	36/1.02	231/105
72H CAB-2072-PT-L-3F-P	1787	24/610	20/508	72/1829	22/0.62	216/98
72H CAB-203072-PT-L-3F-P	1874	30/762	20/508	72/1829	28/0.79	226/103
72H CAB-203672-PT-L-3F-P	1956	36/914	20/508	72/1829	33/0.93	236/107
72H CAB-2472-PT-L-3F-P	1831	24/610	24/610	72/1829	27/0.76	227/104
72H CAB-243072-PT-L-3F-P	1919	30/762	24/610	72/1829	33/0.93	239/108
72H CAB-243672-PT-L-3F-P	2003	36/914	24/610	72/1829	39/1.10	249/113



Wardrobe, Personal Storage Tower.
Left hinge wardrobe with coat rack, locking right hinge door storage cabinet with four adjustable shelves.

P ■ - Specify pull handle style






66H CAB-2066-PT-L-WS-P	1496	24/610	20/508	66/1676	20/0.57	179/81
66H CAB-203066-PT-L-WS-P	1574	30/762	20/508	66/1676	25/0.71	189/86
66H CAB-203666-PT-L-WS-P	1648	36/914	20/508	66/1676	30/0.85	199/90
66H CAB-2466-PT-L-WS-P	1535	24/610	24/610	66/1676	24/0.68	191/87
66H CAB-243066-PT-L-WS-P	1617	30/762	24/610	66/1676	30/0.85	201/91
66H CAB-243666-PT-L-WS-P	1692	36/914	24/610	66/1676	36/1.02	211/96
72H CAB-2072-PT-L-WS-P	1645	24/610	20/508	72/1829	22/0.62	189/86
72H CAB-203072-PT-L-WS-P	1733	30/762	20/508	72/1829	28/0.79	199/90
72H CAB-203672-PT-L-WS-P	1815	36/914	20/508	72/1829	33/0.93	209/95
72H CAB-2472-PT-L-WS-P	1688	24/610	24/610	72/1829	27/0.76	202/92
72H CAB-243072-PT-L-WS-P	1777	30/762	24/610	72/1829	33/0.93	212/96
72H CAB-243672-PT-L-WS-P	1861	36/914	24/610	72/1829	39/1.10	222/101

Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified.
For additional specification instructions and pull handle options see pages 6-7.




Wardrobe, Personal Storage Tower.
Right hinge wardrobe with coat rack, locking left hinge storage cabinet with 2 adjustable shelves, two locking box drawers, one locking file drawer.

P ■ - Specify pull handle style






CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
66H CAB-2066-PT-R-BBF-P	1496	24/610	20/508	66/1676	20/0.57	198/90
66H CAB-203066-PT-R-BBF-P	1574	30/762	20/508	66/1676	25/0.71	208/94
66H CAB-203666-PT-R-BBF-P	1648	36/914	20/508	66/1676	30/0.85	218/99
66H CAB-2466-PT-R-BBF-P	1535	24/610	24/610	66/1676	24/0.68	210/95
66H CAB-243066-PT-R-BBF-P	1617	30/762	24/610	66/1676	30/0.85	220/100
66H CAB-243666-PT-R-BBF-P	1692	36/914	24/610	66/1676	36/1.02	230/104
72H CAB-2072-PT-R-BBF-P	1645	24/610	20/508	72/1829	22/0.62	208/94
72H CAB-203072-PT-R-BBF-P	1733	30/762	20/508	72/1829	28/0.79	218/99
72H CAB-203672-PT-R-BBF-P	1815	36/914	20/508	72/1829	33/0.93	228/103
72H CAB-2472-PT-R-BBF-P	1688	24/610	24/610	72/1829	27/0.76	221/100
72H CAB-243072-PT-R-BBF-P	1777	30/762	24/610	72/1829	33/0.93	231/105
72H CAB-243672-PT-R-BBF-P	1861	36/914	24/610	72/1829	39/1.10	241/109




Wardrobe, Personal Storage Tower.
Right hinge wardrobe with coat rack, locking left hinge door storage cabinet with 2 adjustable shelves, two locking file drawers.

P ■ - Specify pull handle style






66H CAB-2066-PT-R-FF-P	1496	24/610	20/508	66/1676	20/0.57	199/90
66H CAB-203066-PT-R-FF-P	1574	30/762	20/508	66/1676	25/0.71	209/95
66H CAB-203666-PT-R-FF-P	1648	36/914	20/508	66/1676	30/0.85	219/99
66H CAB-2466-PT-R-FF-P	1535	24/610	24/610	66/1676	24/0.68	211/96
66H CAB-243066-PT-R-FF-P	1617	30/762	24/610	66/1676	30/0.85	221/100
66H CAB-243666-PT-R-FF-P	1692	36/914	24/610	66/1676	36/1.02	231/105
72H CAB-2072-PT-R-FF-P	1645	24/610	20/508	72/1829	22/0.62	208/94
72H CAB-203072-PT-R-FF-P	1733	30/762	20/508	72/1829	28/0.79	218/99
72H CAB-203672-PT-R-FF-P	1815	36/914	20/508	72/1829	33/0.93	228/103
72H CAB-2472-PT-R-FF-P	1688	24/610	24/610	72/1829	27/0.76	221/100
72H CAB-243072-PT-R-FF-P	1777	30/762	24/610	72/1829	33/0.93	231/105
72H CAB-243672-PT-R-FF-P	1861	36/914	24/610	72/1829	39/1.10	241/109



Wardrobe, Personal Storage Tower.
Right hinge wardrobe with coat rack, locking left hinge storage cabinet with one adjustable shelf, three locking file drawers.

P ■ - Specify pull handle style






66H CAB-2066-PT-R-3F-P	1625	24/610	20/508	66/1676	20/0.57	199/90
66H CAB-203066-PT-R-3F-P	1702	30/762	20/508	66/1676	25/0.71	209/95
66H CAB-203666-PT-R-3F-P	1778	36/914	20/508	66/1676	30/0.85	219/99
66H CAB-2466-PT-R-3F-P	1663	24/610	24/610	66/1676	24/0.68	211/96
66H CAB-243066-PT-R-3F-P	1746	30/762	24/610	66/1676	30/0.85	221/100
66H CAB-243666-PT-R-3F-P	1837	36/914	24/610	66/1676	36/1.02	231/105
72H CAB-2072-PT-R-3F-P	1787	24/610	20/508	72/1829	22/0.62	216/98
72H CAB-203072-PT-R-3F-P	1874	30/762	20/508	72/1829	28/0.79	226/103
72H CAB-203672-PT-R-3F-P	1956	36/914	20/508	72/1829	33/0.93	236/107
72H CAB-2472-PT-R-3F-P	1831	24/610	24/610	72/1829	27/0.76	229/104
72H CAB-243072-PT-R-3F-P	1919	30/762	24/610	72/1829	33/0.93	239/108
72H CAB-243672-PT-R-3F-P	2003	36/914	24/610	72/1829	39/1.10	249/113



Wardrobe, Personal Storage Tower.
Right hinge wardrobe with coat rack, locking left hinge door storage cabinet with four adjustable shelves.

P ■ - Specify pull handle style




66H CAB-2066-PT-R-WS-P	1496	24/610	20/508	66/1676	20/0.57	179/81
66H CAB-203066-PT-R-WS-P	1574	30/762	20/508	66/1676	25/0.71	189/86
66H CAB-203666-PT-R-WS-P	1648	36/914	20/508	66/1676	30/0.85	199/90
66H CAB-2466-PT-R-WS-P	1535	24/610	24/610	66/1676	24/0.68	191/87
66H CAB-243066-PT-R-WS-P	1617	30/762	24/610	66/1676	30/0.85	201/91
66H CAB-243666-PT-R-WS-P	1692	36/914	24/610	66/1676	36/1.02	211/96
72H CAB-2072-PT-R-WS-P	1645	24/610	20/508	72/1829	22/0.62	189/86
72H CAB-203072-PT-R-WS-P	1733	30/762	20/508	72/1829	28/0.79	199/90
72H CAB-203672-PT-R-WS-P	1815	36/914	20/508	72/1829	33/0.93	209/95
72H CAB-2472-PT-R-WS-P	1688	24/610	24/610	72/1829	27/0.76	202/92
72H CAB-243072-PT-R-WS-P	1777	30/762	24/610	72/1829	33/0.93	212/96
72H CAB-243672-PT-R-WS-P	1861	36/914	24/610	72/1829	39/1.10	222/101

Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified.
For additional specification instructions and pull handle options see pages 6-7.


			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
		CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³) (lbs/kg)
	Vertical storage cabinet with one 1" adjustable shelf, bookcase with two 1" adjustable shelves	BKC-123672-SCBC-P	778	36/914	12/305	72/1829	20/0.57 129/59
	P - Specify pull handle style						
	Bookcase with one 1" adjustable shelf.	BKC-122429-BC	515	24/610	12/305	29/737	7/0.20 60/27
		BKC-123029-BC	539	30/762	12/305	29/737	8/0.23 70/32
		BKC-123629-BC	563	36/914	12/305	29/737	9/0.25 80/36
	Bookcase with three 1" adjustable shelves.	BKC-122448-BC	540	24/610	12/305	48/1219	9/0.25 78/35
		BKC-123048-BC	565	30/762	12/305	48/1219	11/0.31 91/41
		BKC-123648-BC	591	36/914	12/305	48/1219	14/0.40 103/47
	Bookcase with four 1" adjustable shelves.	BKC-122466-BC	579	24/610	12/305	66/1676	13/0.37 102/46
		BKC-123066-BC	605	30/762	12/305	66/1676	16/0.45 119/54
		BKC-123666-BC	630	36/914	12/305	66/1676	19/0.54 135/61
		BKC-122472-BC	605	24/610	12/305	72/1829	14/0.40 107/49
		BKC-123072-BC	630	30/762	12/305	72/1829	17/0.48 124/56
		BKC-123672-BC	655	36/914	12/305	72/1829	20/0.57 141/64
	Bookcase with five 1" adjustable shelves.	BKC-122484-BC	789	24/610	12/305	84/2134	18/0.51 140/64
		BKC-123084-BC	822	30/762	12/305	84/2134	22/0.62 161/73
		BKC-123684-BC	853	36/914	12/305	84/2134	27/0.76 185/84
	Extra 1" shelves for bookcase.	BKC-24-SHELF	67	22/559	11/279	1/25	
		BKC-30-SHELF	72	28/711	11/279	1/25	
		BKC-36-SHELF	78	34/864	11/279	1/25	

All Links bookcases are manufactured with full 1" construction, 3mm edging and finished matching back.
Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified.
For additional specification instructions and pull handle options see pages 6-7.

Corner Bookshelf



29"H Corner Bookshelf with one fixed shelf. Left or right.

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	
20"	BKC-2029-L-CBS	467	20/508	20/508	29/737	10/0.28	35/16
	BKC-2029-R-CBS	467	20/508	20/508	29/737	10/0.28	35/16
24"	BKC-2429-L-CBS	494	24/610	24/610	29/737	11/0.31	40/18
	BKC-2429-R-CBS	494	24/610	24/610	29/737	11/0.31	40/18




36"H Corner Bookshelf with one fixed shelf. Left or right.

20"	BKC-2036-L-CBS	721	20/508	20/508	36/914	10/0.28	105/48
	BKC-2036-R-CBS	721	20/508	20/508	36/914	10/0.28	105/48
24"	BKC-2436-L-CBS	747	24/610	24/610	36/914	14/0.40	135/61
	BKC-2436-R-CBS	747	24/610	24/610	36/914	14/0.40	135/61



42"H Corner Bookshelf with two fixed shelves. Left or right.

20"	BKC-2042-L-CBS	746	20/508	20/508	42/1067	11/0.31	108/49
	BKC-2042-R-CBS	746	20/508	20/508	42/1067	11/0.31	108/49
24"	BKC-2442-L-CBS	772	24/610	24/610	42/1067	15/0.42	140/64
	BKC-2442-R-CBS	772	24/610	24/610	42/1067	15/0.42	140/64



66"H, 72"H Corner Bookshelf with four fixed shelves. Left or right.

66H	BKC-2066-L-CBS	811	20/508	20/508	66/1676	24/0.68	225/102
	BKC-2066-R-CBS	811	20/508	20/508	66/1676	24/0.68	225/102
	BKC-2466-L-CBS	836	24/610	24/610	66/1676	25/0.71	230/104
	BKC-2466-R-CBS	836	24/610	24/610	66/1676	25/0.71	230/104
72H	BKC-2072-L-CBS	891	20/508	20/508	72/1829	26/0.74	235/107
	BKC-2072-R-CBS	891	20/508	20/508	72/1829	26/0.74	235/107
	BKC-2472-L-CBS	920	24/610	24/610	72/1829	27/0.76	240/109
	BKC-2472-R-CBS	920	24/610	24/610	72/1829	27/0.76	240/109



14" Corner Book Shelf (hutch) with two fixed shelves. Left or right.

36H	BKC-1436-L-CBS	344	14/356	14/356	36/914	5/0.14	30/14
	BKC-1436-R-CBS	344	14/356	14/356	36/914	5/0.14	30/14
42H	BKC-1442-L-CBS	394	14/356	14/356	42/1067	6/0.17	40/18
	BKC-1442-R-CBS	394	14/356	14/356	42/1067	6/0.17	40/18

Angled Panel Set



CODE	PRICE					WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
	(L)	(G,C,W)	(F)	(S)	(Z)					

6"H	APS-4242-6	631	795	848	900	1084	42/1067	42/1067	6/152	1/0.03	24/10.9
	APS-4848-6	720	841	900	958	1152	48/1219	48/1219	6/152	1/0.03	28/12.7
	APS-6060-6	741	862	921	979	1173	60/1524	60/1524	6/152	1/0.03	30/13.6

Includes: four 6"H black support posts, four black support caps, and three 6"H divider panel. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. APS-4848-L6-AL



12"H	APS-4242-	631	795	848	900	1084	42/1067	42/1067	12/305	1/0.03	24/10.9
	APS-4848-	720	841	900	958	1152	48/1219	48/1219	12/305	1/0.03	28/12.7
	APS-6060-	741	862	921	979	1173	60/1524	60/1524	12/305	1/0.03	30/13.6

Includes: four 12"H black support posts, four black support caps, and three 12"H divider panel. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. APS-4848-L-AL



18"H	APS-4242-18H	837	983	1059	N/A	1357	42/1067	42/1067	18/457	1/0.03	24/10.9
	APS-4848-18H	878	1042	1168	N/A	1495	48/1219	48/1219	18/457	1/0.03	28/12.7
	APS-6060-18H	899	1063	1189	N/A	1516	60/1524	60/1524	18/457	1/0.03	30/13.6

Includes: four 18"H black support posts, four black support caps, and three 18"H divider panel. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. APS-4848-18HL-AL



24"H	APS-4242-24H	984	1169	1270	N/A	1628	42/1067	42/1067	24/610	1/0.03	48/21.8
	APS-4848-24H	1034	1238	1407	N/A	1805	48/1219	48/1219	24/610	1/0.03	56/25.4
	APS-6060-24H	1055	1259	1428	N/A	1826	60/1524	60/1524	24/610	1/0.03	60/27.2

Includes: four 24"H black support posts, four black support caps, and six 12"H divider panels. All mounting hardware included.



For optional brushed aluminum posts add suffix **AL** to end of code. i.e. APS-4848-24HL-AL



36"H	APS-4242-36H	1378	1745	1958	N/A	2515	42/1067	42/1067	24/610	1/0.03	74/33.6
	APS-4848-36H	1447	1849	2080	N/A	2672	48/1219	48/1219	24/610	1/0.03	86/39.0
	APS-6060-36H	1468	1870	2101	N/A	2693	60/1524	60/1524	24/610	1/0.03	90/40.8

Includes: four 36"H black support posts, four black support caps, nine 12"H divider panels. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. APS-4848-36HL-AL



Panel widths and depths shown reflect code size of ACU worksurface.
Additional support posts may be required for some applications.

Drawing must be provided at time of order to ensure sufficient number of spacers are included

Refer to page 97 for panel type insert options, finish codes.


For additional specification instructions and laminate colours see pages 6-7.

See Links Fabric cards for available selections. Refer to pages 106-107 for available slatwall accessories.

Half Round Table



Half Round, multi-function table tops. Links two 24" work surfaces into one 48" peninsula or two 30" work surfaces into one 60" peninsula. All hardware included.




CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
DTI-2448-H	453	48/1219	24/610	29/737	2/0.06	38/17
DTI-3060-H	486	60/1524	30/762	29/737	3/0.08	50/23
C2	117	Opt. black double post leg - add C2 to end of code				
C3	0	Opt. silver single post leg - add C3 to end of code				
C4	117	Opt. silver double post leg - add C4 to end of code				
FP	51	Opt. full modesty panel - add FP to end of code				

End Table




TBL-2024-ET	423	24/610	20/508	18/457	6/0.17	36/16
-------------	-----	--------	--------	--------	--------	-------

Coffee Table



TBL-2442-CF	423	42/1067	24/610	18/457	7/0.20	44/20
-------------	-----	---------	--------	--------	--------	-------

Lecturn



Mobile presentation lecturn with fixed shelves.

CAB-2024-48-LTNS	930	24/610	20/508	48/1219	16/0.45	100/45
------------------	-----	--------	--------	---------	---------	--------


For additional specification instructions see pages 6-7.

Boat Shape Top

1" thick top with matching edge.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
TBL-0006-TPBS	508	72/1829	36/914	1/25	2/0.06	80/36
TBL-0008-TPBS	662	96/2438	42/1067	1/25	3/0.08	95/43
TBL-0010-TPBS	778	120/3048	48/1219	1/25	4/0.11	115/52
TBL-0012-TPBS	901	144/3658	48/1219	1/25	4/0.11	160/73
TBL-0014-TPBS	1322	168/4267	48/1219	1/25	5/0.14	190/86
TBL-0016-TPBS	1445	192/4877	48/1219	1/25	6/0.17	220/100



120"W to 192"W tops ship in two pieces


Rectangular Top

1" thick top with matching edge.



****If you do not want radius corners add -QD to code****
example TBL-0006-TPRC-QD

TBL-0006-TPRC	508	72/1829	36/914	1/25	2/0.06	80/36
TBL-0008-TPRC	662	96/2438	42/1067	1/25	3/0.08	95/43
TBL-0010-TPRC	778	120/3048	48/1219	1/25	4/0.11	115/52
TBL-0012-TPRC	901	144/3658	48/1219	1/25	4/0.11	160/73
TBL-0014-TPRC	1322	168/4267	48/1219	1/25	5/0.14	190/86
TBL-0016-TPRC	1445	192/4877	48/1219	1/25	6/0.17	220/100



120"W to 192"W tops ship in two pieces


Square Top

1" thick top with matching edge.




****If you do not want radius corners add -QD to code****
example TBL-4242-TPSQ-QD

TBL-3030-TPSQ	326	30/762	30/762	1/25	1/0.03	25/11
TBL-3636-TPSQ	341	36/914	36/914	1/25	2/0.06	30/14
TBL-4242-TPSQ	375	42/1067	42/1067	1/25	2/0.06	45/20
TBL-4848-TPSQ	431	48/1219	48/1219	1/25	3/0.08	55/25
TBL-5454-TPSQ	521	54/1372	54/1372	1/25	4/0.11	70/32



TLC Mobile Pedestals



Mobile pedestal on casters. One box and one file drawer with ball bearing suspension on the file drawer and on box drawer. Locking drawers. Four casters.

P - Specify pull handle style

		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)


CAB-1622-LMBF-T	717	16/406	22/559	21/533	5/0.14	69/31
CAB-1622-LMBF-T-P	761	Optional handles				



Mobile pedestal on casters. Two box and one file drawer with ball bearing suspension on the file drawer and on box drawers. Locking drawers. Four casters.

P - Specify pull handle style

CAB-1622-LMBBF-T	780	16/406	22/559	28/711	6/0.17	84/38
CAB-1622-LMBBF-T-P	846	Optional handles				



Mobile pedestal on casters. Two file drawers with ball bearing suspension on both drawers. Locking drawers. Four casters.

P - Specify pull handle style

CAB-1622-LMFF-T	780	16/406	22/559	28/711	6/0.17	84/38
CAB-1622-LMFF-T-P	824	Optional handles				

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
		CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³) (lbs/kg)
	Polymer tray center drawer. Black finish.	ACC-PLCD	227	22/559	16/406	2/51	2/0.06 6/3
	Center drawer. Available in matching finishes.	ACC-LCD	117	21/533	14.5/368	3.5/89	1/0.03 12/5
	Mobile CPU dolly. Available in matching finishes.	ACC-1018-CPUM	119	10/254	18/457	3.5/89	2/0.06 6/3
	Optional Grommet. Add (-BK) for Black, (-AL) for Silver Specify installed position. See specifications page 211.	ACC-OG ACC-OG-FI	45 23	Factory Installed Optional Grommet - Field Installed			
	PC caddy.	ACC-PCC	416				
	Paper Slot. Black Finish Specify installed position. See specifications pages 210-211.	ACC-PSL	119	17/432	1.5/38	1/25	
	CD holder accomodates 15 CD's.	ACC-LCDH	47	2.5/64	11.5/292	1/25	
	Task Light. Attaches under hutch units. Silver finish.	ACC-LTL24 ACC-LTL36	286 332	24/610 36/914	4/102 4/102	1.5/38 1.5/38	0.5/0.01 3/1 0.5/0.01 3/1

For additional specification instructions see pages 6-7.
See page 217 for grommet placement options.

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT	
		CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)
	Visual presentation cabinet with white board. Includes tackboard, four dry-erase markers and eraser with flip chart pad.	CAB-4848-PC	1168	48/1219	5/127	48/1219	7/0.2	110/50
	Pull down / retractable white colour projection screen. Fits CAB-4848-PC.	ACC-0046-LAVS	270	46/1168	3/76	3/76	2/0.06	15/7
	Flip Chart Pad 20"x30" lecture pads. 50 sheets per pad, 5 pads per carton (Price is per carton).	ACC-2030-FCP	300	20/508	1/25	30/762	2/0.06	20/9
	Wire Management Channel	ELE-WM	11	per/ft	Please specify length required when ordering			
	Wire management U-box cable holder for screwing to a worksurface.	ELE-WM12-BK	99	12/305	5/127	3.5/89	1/0.03	3/1
	Cable management spine. Add (-BK) for Black, (-SL) for Silver	ELE-AHWM	171	6/152	6/152	/0	1/0.03	5/2
 Removes Core when lock is in "open" position only.	Lock core kit. Includes: 1 core, 2 keys, 1 core removable key and installation instructions. Add (-BK) for Black, (-SL) for Silver	ACC-LLCK	29	When placing order, indicate number of cores to be supplied with the same key number.				
	Master Key (Smart Key). "One Key System" Smart Key will open all Links products with one master key.	ACC-LMSK	29	Available to all authorized dealers only.				

For additional specification instructions see pages 6-7.



J Channel Assembly
Single sided data ready quad power bar. Four knockouts for data jacks.

Available in **(-BK)** Black or **(-SL)** Silver Finish.



J Channel Assembly
Double sided data ready quad power bar. Four knockouts for data jacks each side.

Available in **(-BK)** Black or **(-SL)** Silver Finish.



72"

Base Feed Hardware.
Most common solution to wiring Links Pak 8 to the building wiring. Requires licensed electrician.



156"

Ceiling Feed Hardware
Used to introduce power to the first power module from a ceiling power pole source. Requires a licensed electrician.



Metal Flex Cable Female both ends.

Connects from power module to power module.



Metal Flex Cable Female/Male

Used in directional systems as an extension cable or pass through from female cable to power module.



Power Pole

Available in 120" and 144" lengths, in Black **(-BK)** or Silver **(-SL)**.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------

ELE-JCA-8-SGL	344	10.44/265	1.56/40	4.5/114		
---------------	-----	-----------	---------	---------	--	--

ELE-JCA-8-DBL	392	10.44/265	2.5/64	4.5/114		
---------------	-----	-----------	--------	---------	--	--

ELE-BFH-8	196	75/1905				
-----------	-----	---------	--	--	--	--


ELE-CFH-8	294	156/3962				
-----------	-----	----------	--	--	--	--

ELE-0024-FF-8	127	24/610
ELE-0036-FF-8	150	36/914
ELE-0042-FF-8	165	42/1067
ELE-0048-FF-8	173	48/1219
ELE-0060-FF-8	196	60/1524
ELE-0072-FF-8	218	72/1829
ELE-0084-FF-8	240	84/2134
ELE-0096-FF-8	264	96/2438


ELE-0024-FM-8	127	24/610
ELE-0036-FM-8	150	36/914
ELE-0042-FM-8	165	42/1067
ELE-0048-FM-8	173	48/1219
ELE-0060-FM-8	196	60/1524
ELE-0072-FM-8	218	72/1829
ELE-0084-FM-8	240	84/2134
ELE-0096-FM-8	264	96/2438

ELE-0120-PP	452	120/3048
ELE-0144-PP	477	144/3658


For additional specification instructions see pages 6-7.

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
		CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3) (lbs/kg)
	J Channel Assembly Supplied with one each No. 1, No. 2 and No. 3 receptacles. Shown with optional RJ11/RJ45 Communication connectors.	ELE-JCA-8	282	19/483			
	Optional communication plugs. RJ11/RJ45	ELE-CP-8	126				
	Extra simplex receptacles. ELE-SI1, ELE-SI2 have black covers. ELE-SIG has an orange cover.	ELE-SI1-8 ELE-SI2-8 ELE-SIG-8	20 20 22				
	Simplex remover tool. Proper tool for safe removal of simplex receptacles.	ELE-SRT	17				
	Power Center. Plastic 2 power, 2 knockouts Available in (-BK) Black or (-WH) White Finish. Specify position - see page 210.	ELE-PORT-400	345			Please specify position when ordering.	
	Power/Data Center. Metal 2 power, 2 knockouts (jacks not included) Available in (-SL) Silver or (-BK) Black Finish. Specify position - see page 210.	ELE-PORT-200	573			Please specify position when ordering.	
	Retractable power center, factory installed only. Specify position - see pages 210-211.	ELE-RPC	300			Please specify position when ordering.	
	Retractable power/communication center, factory installed. Specify position - see pages 210-211.	ELE-RPCD	376				

For additional specification instructions see pages 6-7.
See pages 216-217 for power/data center, grommet placement options.

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	
Laminate Door Kits for freestanding 36"H, postmounted 38"H hutches, & 42"H standard divider hutches							
							
1 flip-up door for 24"W-36"W hutch							
							
2 hinged doors for 24"W-36"W hutch							
							
2 flip-up door for 42"W-48"W hutch							
							
4 hinged doors for 42"W-48"W hutch							
							
2 flip-up door for 54"W-78"W hutch							
							
4 hinged doors for 54"W-78"W hutch							
DKT-24*	173	24/610	0.75/19	14/356	1/0.03	8/4	
DKT-24-HING	173	24/610	0.75/19	14/356	5/0.14	8/4	
DKT-30*	173	30/762	0.75/19	14/356	1/0.03	10/5	
DKT-30-HING	173	30/762	0.75/19	14/356	6/0.17	10/5	
DKT-36*	173	36/914	0.75/19	14/356	1/0.03	13/6	
DKT-36-HING	173	36/914	0.75/19	14/356	8/0.23	13/6	
DKT-42*	238	42/1067	0.75/19	14/356	1/0.03	15/7	
DKT-42-HING	238	42/1067	0.75/19	14/356	9/0.25	15/7	
DKT-48*	238	48/1219	0.75/19	14/356	1/0.03	17/8	
DKT-48-HING	238	48/1219	0.75/19	14/356	11/0.31	17/8	
DKT-54*	252	54/1372	0.75/19	14/356	1/0.03	19/9	
DKT-54-HING	252	54/1372	0.75/19	14/356	13/0.37	19/9	
DKT-60*	252	60/1524	0.75/19	14/356	1/0.03	21/10	
DKT-60-HING	252	60/1524	0.75/19	14/356	15/0.42	21/10	
DKT-66*	252	66/1676	0.75/19	14/356	1/0.03	23/10	
DKT-66-HING	252	66/1676	0.75/19	14/356	16/0.45	23/10	
DKT-72*	252	72/1829	0.75/19	14/356	1/0.03	26/12	
DKT-72-HING	252	72/1829	0.75/19	14/356	18/0.51	26/12	
DKT-78*	316	78/1981	0.75/19	14/356	1/0.03	28/13	
DKT-78-HING	316	78/1981	0.75/19	14/356	19/0.54	28/13	

*Flip-up door not for use on
TLC Hutches



Two flip-up or two hinged doors for
36", 42" or 48" corner hutches

Center section remains open.
Includes two divider panels

DKT-3636-CH*	305	36/914	0.75/19	14/356	1/0.03	13/6	
DKT-3636-HING	305	36/914	0.75/19	14/356	1/0.03	13/6	
DKT-4242-CH*	312	42/1067	0.75/19	14/356	1/0.03	15/7	
DKT-4242-HING	312	42/1067	0.75/19	14/356	1/0.03	15/7	
DKT-4848-CH*	319	48/1219	0.75/19	14/356	1/0.03	18/8	
DKT-4848-HING	319	48/1219	0.75/19	14/356	1/0.03	18/8	

*Flip-up door not for use on
TLC Hutches

Optional Locks



Optional Hutch Lock for hutch
door(s). Factory installed.

1LK	91	(Flip-up Style) Hutch 24-36in wide (Hinged Style) Hutch 24-36in wide
2LK	182	(Flip-up Style) Hutch 42in and wider (Hinged Style) Hutch 42in and wider

Optional Handles


For two hinged doors.
For four hinged doors.

2P	44	Hutch 24-36in wide
4P	88	Hutch 42in and wider


For additional specification instructions and handle options see pages 6-7.
TLC laminate finish options listed on page 115.

		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)

Glazed Door Kits for freestanding 36"H, postmounted 38"H hutches, & 42"H standard divider hutches




2 glazed hinged doors for
24"W-36"W hutch



4 glazed hinged doors for
42"W to 78"W hutch

Z - Specify door frame colour
SZ = Silver frame
BZ = Black frame
WZ = White frame

DKT-24-HING- Z	467	24/610	0.75/19	14/356	5/0.14	8/4
DKT-30-HING- Z	467	30/762	0.75/19	14/356	6/0.17	10/5
DKT-36-HING- Z	467	36/914	0.75/19	14/356	8/0.23	13/6
DKT-42-HING- Z	690	42/1067	0.75/19	14/356	9/0.25	15/7
DKT-48-HING- Z	690	48/1219	0.75/19	14/356	11/0.31	17/8
DKT-54-HING- Z	856	54/1372	0.75/19	14/356	13/0.37	19/9
DKT-60-HING- Z	856	60/1524	0.75/19	14/356	15/0.42	21/10
DKT-66-HING- Z	856	66/1676	0.75/19	14/356	16/0.45	23/10
DKT-72-HING- Z	856	72/1829	0.75/19	14/356	18/0.51	26/12
DKT-78-HING- Z	1026	78/1981	0.75/19	14/356	19/0.54	28/13



Two glazed hinged doors for 36",
42" or 48" corner hutch. Center
section remains open. Includes two
divider panels.

Z - Specify door frame colour
SZ = Silver frame
BZ = Black frame
WZ = White frame

DKT-3636-HING- Z	575	36/914	0.75/19	14/356	1/0.03	13/6
DKT-4242-HING- Z	582	42/1067	0.75/19	14/356	1/0.03	15/7
DKT-4848-HING- Z	589	48/1219	0.75/19	14/356	1/0.03	18/8

Optional Locks



Optional Hutch Lock for hutch
door(s). Factory installed.

1LK	91	Hutch 24 to 36in wide
2LK	182	Hutch 42in and wider

Optional Handles

For two hinged doors.
For four hinged doors.


2P	44	Hutch 24-36in wide
4P	88	Hutch 42in and wider

For additional specification instructions and handle options see pages 6-7.


Laminate Door Kits for freestanding 42"H hutches



2 hinged doors for 24"W to 36"W hutch.



4 hinged doors for 42"W to 78"W hutch.




Two hinged doors for 36", 42" or 48" corner hutch. Center section remains open. Includes two divider panels.


CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
DKT-24-HING-DBL	284	24/610	0.75/19	20/508	5/0.14	12/5
DKT-30-HING-DBL	284	30/762	0.75/19	20/508	7/0.20	15/7
DKT-36-HING-DBL	284	36/914	0.75/19	20/508	9/0.25	18/8
DKT-42-HING-DBL	405	42/1067	0.75/19	20/508	10/0.28	21/10
DKT-48-HING-DBL	405	48/1219	0.75/19	20/508	12/0.34	24/11
DKT-54-HING-DBL	461	54/1372	0.75/19	20/508	14/0.40	27/12
DKT-60-HING-DBL	461	60/1524	0.75/19	20/508	16/0.45	30/14
DKT-66-HING-DBL	461	66/1676	0.75/19	20/508	18/0.51	32/15
DKT-72-HING-DBL	461	72/1829	0.75/19	20/508	20/0.57	35/16
DKT-78-HING-DBL	553	78/1981	0.75/19	20/508	22/0.62	38/17

DKT-3636-HING-DBL	437	36/914	0.75/19	20/508	1/0.03	18/8
DKT-4242-HING-DBL	446	42/1067	0.75/19	20/508	1/0.03	21/10
DKT-4848-HING-DBL	454	48/1219	0.75/19	20/508	2/0.06	24/11

Laminate Door Kits for freestanding 50"H hutches



2 hinged doors for 24"W to 36"W hutch.



4 hinged doors for 42"W to 78"W hutch.

DKT-24-HING-DBS	348	24/610	0.75/19	28/711	7/0.20	15/7
DKT-30-HING-DBS	348	30/762	0.75/19	28/711	9/0.25	18/8
DKT-36-HING-DBS	348	36/914	0.75/19	28/711	11/0.31	21/10
DKT-42-HING-DBS	476	42/1067	0.75/19	28/711	12/0.34	27/12
DKT-48-HING-DBS	476	48/1219	0.75/19	28/711	14/0.40	30/14
DKT-54-HING-DBS	502	54/1372	0.75/19	28/711	16/0.45	33/15
DKT-60-HING-DBS	502	60/1524	0.75/19	28/711	19/0.54	36/16
DKT-66-HING-DBS	502	66/1676	0.75/19	28/711	21/0.59	39/18
DKT-72-HING-DBS	502	72/1829	0.75/19	28/711	24/0.68	43/20
DKT-78-HING-DBS	629	78/1981	0.75/19	28/711	28/0.79	48/22

Optional Locks



Optional Hutch Lock for hutch door(s). Factory installed.

1LK	91	Hutch 24 to 36in wide
2LK	182	Hutch 42in and wider


Optional Handles

For two hinged doors.
For four hinged doors.


2P	44	Hutch 24-36in wide
4P	88	Hutch 42in and wider

For additional specification instructions see pages 6-7.
TLC laminate finish options listed on page 115.

Glazed Door Kits for freestanding 42"H hutches



2 glazed hinged doors for 24"W to 36"W hutch.




4 glazed hinged doors for 42"W to 78"W hutch.

Z - Specify door frame colour
SZ = Silver frame
BZ = Black frame
WZ = White frame

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

DKT-24-HING-DBL- Z	554	24/610	0.75/19	20/508	5/0.14	12/5
DKT-30-HING-DBL- Z	554	30/762	0.75/19	20/508	7/0.20	15/7
DKT-36-HING-DBL- Z	554	36/914	0.75/19	20/508	9/0.25	18/8
DKT-42-HING-DBL- Z	811	42/1067	0.75/19	20/508	10/0.28	21/10
DKT-48-HING-DBL- Z	811	48/1219	0.75/19	20/508	12/0.34	24/11
DKT-54-HING-DBL- Z	1001	54/1372	0.75/19	20/508	14/0.40	27/12
DKT-60-HING-DBL- Z	1001	60/1524	0.75/19	20/508	16/0.45	30/14
DKT-66-HING-DBL- Z	1001	66/1676	0.75/19	20/508	18/0.51	32/15
DKT-72-HING-DBL- Z	1001	72/1829	0.75/19	20/508	20/0.57	35/16
DKT-78-HING-DBL- Z	1200	78/1981	0.75/19	20/508	22/0.62	38/17




Two glazed hinged doors for 36", 42" or 48" corner hutch. Center section remains open. Includes two divider panels.


Z - Specify door frame colour
SZ = Silver frame
BZ = Black frame
WZ = White frame

DKT-3636-HING-DBL- Z	706	36/914	0.75/19	20/508	1/0.03	18/8
DKT-4242-HING-DBL- Z	717	42/1067	0.75/19	20/508	1/0.03	21/10
DKT-4848-HING-DBL- Z	725	48/1219	0.75/19	20/508	2/0.06	24/11

Glazed Door Kits for freestanding 50"H hutches



2 glazed hinged doors for 24"W to 36"W hutch.



4 glazed hinged doors for 42"W to 78"W hutch.

Z - Specify door frame colour
SZ = Silver frame
BZ = Black frame
WZ = White frame

DKT-24-HING-DBS- Z	935	24/610	0.75/19	28/711	7/0.20	15/7
DKT-30-HING-DBS- Z	935	30/762	0.75/19	28/711	9/0.25	18/8
DKT-36-HING-DBS- Z	935	36/914	0.75/19	28/711	11/0.31	21/10
DKT-42-HING-DBS- Z	1379	42/1067	0.75/19	28/711	12/0.34	27/12
DKT-48-HING-DBS- Z	1379	48/1219	0.75/19	28/711	14/0.40	30/14
DKT-54-HING-DBS- Z	1709	54/1372	0.75/19	28/711	16/0.45	33/15
DKT-60-HING-DBS- Z	1709	60/1524	0.75/19	28/711	19/0.54	36/16
DKT-66-HING-DBS- Z	1709	66/1676	0.75/19	28/711	21/0.59	39/18
DKT-72-HING-DBS- Z	1709	72/1829	0.75/19	28/711	24/0.68	43/20
DKT-78-HING-DBS- Z	2053	78/1981	0.75/19	28/711	28/0.79	48/22

Optional Locks



Optional Hutch Lock for hutch door(s). Factory installed.

1LK	91	Hutch 24 to 36in wide
2LK	182	Hutch 42in and wider

Optional Handles

For two hinged doors.
 For four hinged doors.

2P	44	Hutch 24-36in wide
4P	88	Hutch 42in and wider

For additional specification instructions see pages 6-7.

Metal T-Base



For 30"-48" top depth

Available in Black (-BK)
and Silver (-SL).

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------

TBL-26-MTB	301	26/660	11/279	28/711	6.5/0.18	11.5/5
------------	-----	--------	--------	--------	----------	--------

Metal X-Base

26" is for 30-36" top depth.
34" is for 42-48" top depth.Available in Black (-BK)
and Silver (-SL).

TBL-26-MXB	361	26/660	26/660	28/711	13/0.37	13.5/6
TBL-34-MXB	371	34/864	34/864	28/711	22/0.62	14.5/7

Trumpet Base

24" is for 30-36" top depth.
30" is for 42-48" top depth.

WT = With Weight

Available in Black (-BK)
and Silver (-SL).

TBL-24-MTRB	631	24/610	24/610	28/711	11.2/0.32	20/9
TBL-24-MTRB-WT	755	24/610	24/610	28/711	11.2/0.32	20/9
TBL-30-MTRB	880	30/762	30/762	28/711	17.2/0.49	26/12
TBL-30-MTRB-WT	1058	30/762	30/762	28/711	17.2/0.49	26/12

Flat Base

24" is for 30-36" top depth.
36" is for 42-48" top depth.Available in Black (-BK)
and Silver (-SL).

TBL-24-MFB	1055	24/610	24/610	28/711	11.2/0.32	34/15
TBL-36-MFB	1847	36/914	36/914	28/711	24.5/0.69	78.5/36

Mobile Column Base



Post leg with locking caster.

C1 = Black

C3 = Silver

ACC-C1-MB	167	3/76	3/76	28/711	0.2/0.01	4.5/2
ACC-C3-MB	167	3/76	3/76	28/711	0.2/0.01	4.5/2

See to pages 110-111 for available 1" table tops and pages 198-199 for available 1.5" TLC table tops.
For additional specification instructions see pages 6-7.
TLC laminate finish options listed on page 115.



Clear Privacy Panels

6mm acrylic panel with rounded corners.



24"W to 54"W with two silver brackets.



60"W to 72"W with three silver brackets.

X - Specify Mount Type



X I = Top Mount



X C = Side Clamp Mount



			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE		(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

12" HIGH	PIL-1224-X	349	24/610	1.36/35	12/305	0.5/0.01	5/2
	PIL-1230-X	362	30/762	1.36/35	12/305	0.6/0.02	5/2
	PIL-1236-X	381	36/914	1.36/35	12/305	.75/0.02	5/2
	PIL-1242-X	396	42/1067	1.36/35	12/305	0.9/0.03	7/3
	PIL-1248-X	410	48/1219	1.36/35	12/305	1.0/0.03	7/3
	PIL-1254-X	422	54/1372	1.36/35	12/305	1.1/0.03	7/3
	PIL-1260-X	452	60/1524	1.36/35	12/305	1.2/0.03	9/4
	PIL-1266-X	462	66/1676	1.36/35	12/305	1.4/0.04	9/4
	PIL-1272-X	473	72/1829	1.36/35	12/305	1.5/0.04	10/5

18" HIGH	PIL-1824-X	389	24/610	1.36/35	18/457	.75/0.02	6/3
	PIL-1830-X	404	30/762	1.36/35	18/457	0.9/0.03	6/3
	PIL-1836-X	420	36/914	1.36/35	18/457	1.1/0.03	6/3
	PIL-1842-X	436	42/1067	1.36/35	18/457	1.3/0.04	8/4
	PIL-1848-X	452	48/1219	1.36/35	18/457	1.5/0.04	8/4
	PIL-1854-X	467	54/1372	1.36/35	18/457	1.7/0.05	8/4
	PIL-1860-X	504	60/1524	1.36/35	18/457	1.9/0.05	10/5
	PIL-1866-X	520	66/1676	1.36/35	18/457	2.0/0.06	10/5
	PIL-1872-X	536	72/1829	1.36/35	18/457	2.2/0.06	11/5

24" HIGH	PIL-2424-X	428	24/610	1.36/35	24/610	1.0/0.03	7/3
	PIL-2430-X	446	30/762	1.36/35	24/610	1.2/0.03	7/3
	PIL-2436-X	459	36/914	1.36/35	24/610	1.5/0.04	7/3
	PIL-2442-X	476	42/1067	1.36/35	24/610	1.7/0.05	9/4
	PIL-2448-X	494	48/1219	1.36/35	24/610	2.0/0.06	9/4
	PIL-2454-X	512	54/1372	1.36/35	24/610	2.2/0.06	9/4
	PIL-2460-X	557	60/1524	1.36/35	24/610	2.5/0.07	11/5
	PIL-2466-X	578	66/1676	1.36/35	24/610	2.7/0.08	11/5
	PIL-2472-X	599	72/1829	1.36/35	24/610	3.0/0.08	12/5