



Product Update:
TLC 1-1/2" thick
Worksurfaces are
discontinued.

Contact
Customer Service
for availability



2021

INTERLINKS
CREATIVE SOLUTIONS



LINKS' Creative Solutions ... The Industry Leader!



The creative furniture solutions you purchase from Links Contract Furniture Inc. are manufactured in a compliant workplace in accordance to ANSI/BIFMA x5.5-2008. Links Contract Furniture Inc. is also Greenguard Certified. Our locally manufactured Melamine is CARB Phase 2 compliant. It can achieve up to 6 LEED credits in the U.S. Green Building Council's leadership in energy and environmental design rating system for environmentally sound construction projects. Contact our Customer Service Personnel for additional details.

Head Office/Showroom:
Local & International:
Toll Free - North America:
Email:
Website:

131 Ormont Dr. Toronto Ontario Canada M9L 2S3
P: 416.745.8910 F: 416.745.8779
P: 855-50-LINKS (855.505.4657) F: 855-51-LINKS (855.515.4657)
info@linkscontract.com
linkscontract.com



2	Product, Limited Lifetime Warranty
4	Made-to-Measure
6	Specifications
8	Assembled Components
12	Desks, Work Surfaces
14	Bowed Desks
17	Executive Work Surfaces
18	Shaped Tables (Islands)
33	Corner Units
40	Multi Dimensional Corner Units - (COR)
42	Angled Corner Units - (ACU)
48	Extended Corner Units - (ECU)
57	Hutches
61	Freestanding Hutch Additions, Paper Managers
63	Wall Mounted Hutches
65	Post Mounted Hutch
66	Desk Organizers, Hutch Mail Sorters
68	Mail Sorter Cabinets, Lateral Files
70	Pedestals
72	Worksurfaces, Cabinets and Credenzas
76	Cabinets and Bookcases
94	Corner Cabinets
96	Divider Panel Sets and Components
100	Reception Centers / Transaction Sets
106	Slatwall Accessories
108	Half Round/Meeting Tables, Lecturn
110	Tables
112	Table Tops
116	Keyboards, Accessories
120	Power Distribution Components
122	Hutch Door Kits, Optional Locks
126	Tack Boards, Worksurface Supports, Desk Components
128	Table Bases
132	Power/Data Center, Grommet Placement Options
134	Terms and Conditions
136	Links Contract Furniture at a glance





LINKS product guide

CODE

ACC	Accessories
ACU	Angled Corner Unit
APS	Angled Panel Set
ASM	Assembled
ATS	Angled Corner Transaction Set
BKC	Bookcase
CAB	Cabinet
CPS	Corner Panel Set
CTS	Corner Transaction Set
COR	Corner Unit
DIV	Divider
DKT	Door Kit
DSK	Desk
DTI	D Top Island
ECU	Extended Corner Unit
ELE	Electrical
ETS	Elliptical Transaction Set
FTI	F Top Island
GTI	G Top Island
HUT	Hutch
JTI	J Top Island
LPS	Linear Panel Set
LTi	L Top Island
LTS	Linear Transaction Set
PMHT	Post Mounted Hutch
PST	Post
PTI	P Top Island
QTI	Q Top Island
QTS	Quad Transaction Set
RTI	R Top Island
RTS	Rounded Transaction Set
SOR	Desk Organizer
STI	S Top Island
TB	Tackboard
TBL	Table
TIL	Panel Inserts
VTI	V Top Island
WMHT	Wall Mounted Hutch

Suggested ordering code:

Qty	Code	Top Color	Base Color	Description
1	DSK-2436-LL	CO	BK	DESK

Links Contract Furniture Inc warrants to their authorized dealer, or the original purchaser that all manufactured products are free from defects in materials and workmanship for the life of the product to the original purchaser.

Links Contract Furniture Inc. agrees to repair and or replace any component which upon inspection proves to be original, unaltered and defective upon proof of purchase (which is to include the original invoice from the authorized dealer). This document is the only proof of purchase that Links Contract Furniture Inc. will accept in order to proceed with any claim.

Links Contract Furniture Inc. obligation under this warranty is limited to the replacement cost of parts. Links Contract Furniture Inc. will not be liable for consequential or incidental damages that may arise from a claim of defective workmanship, components and product.

Links Contract Furniture Inc. warranty does not apply to products affected as a result of any form of neglect, alteration, customization, nominal or normal wear and tear, color-fastness or matching of colors, or damage caused by storage, mishandling, intentional abuse, fire, flood, transportation, natural disaster, or any application to which the furniture was not clearly intended, or use and installation other than in accordance with written instructions or warning. Links Contract Furniture Inc. warranty does not apply to natural variations in wood or other materials and these variations will not be considered defects by manufacturer.

Links Contract Furniture Inc. warranty does not extend to labor, delivery, and/or to installation costs and applies only to the United States and Canada.

Links Contract Furniture Inc. warranty is for normal commercial use only and does not apply for products used for rental purposes.



MADE-TO-MEASURE AT NO UPCHARGE PROGRAM

The Made-to-Measure at No Upcharge program **excludes** pedestals, lateral files, cabinets with drawers, bookcases and boardroom tables. For additional custom products please contact your customer service representative for pricing.



Links Contract Furniture Inc. Made to Measure program offers office furniture to suit your office space at no upcharge. This program applies to all worksurfaces and overhead storage.

For example: 72" x 30" too large for your space, you need a 68" x 29", no problem.

Use the 72" x 30" (which is the next size up, list price) and we will produce your required size at NO UPCHARGE.



How the Made-To-Measure program works:

1. Select any standard worksurface or overhead storage unit from our price list.
2. Re-size the unit to your required specification.
3. Select the "next size up" standard unit in our price list, this is your list price. "No additional upcharge will apply".
4. Specify product as "Special Size".

Worksurfaces and Side Panels (Gables)

- Worksurfaces are 1" (25mm). Side panels are 1" (25mm) thick solid CARB 2 core 45 pound density particle board, finished on both sides with thermofused laminate, offering premium quality abrasion and stain resistant surfaces.
- Worksurfaces and Side Panels edged on all 4 sides.
- Worksurfaces have pre-drilled anchor holes to accept privacy panels.
- Edges are user friendly, 3mm thick "Tough Guard" edged; beveled edges improve user comfort and product durability.
- Side Panels are edged on bottom for additional strength and to seal out moisture.
- Side panels are pre-drilled in "non-handed" design to allow for reconfigurations.
- Leveler shape is square body with rounded bottom, allowing for easy leveling of units.
- The floor levelers offer additional space between side panels and floor, minimizing moisture from carpet or floor damaging side panels.
- Floor levelers plastic base is 5/8" (16mm) high, with 1 1/4" (32mm) high threaded stem allowing 1" (25mm) height adjustment.

Back Panels

- 5/8" (16mm) thick solid core 45 pound density particle board, finished on both sides with thermofused laminate.
- Standard full height back panel.
- 3/4 height back panel, 18" (455 mm) **(SM)**.
- 1/4 height back panel, 10" (254 mm) **(MM)**.
- Flush to back, back panel unless otherwise indicated.

Pedestals and Drawers

- Drawer fronts are 5/8" (16mm) thick solid core particle board finished on both sides with thermofused laminate.
- Drawer fronts have 3mm thick "Tough Guard" edging on all 4 sides.
- Five sided drawer construction offers strength and durability.
- Interior drawer construction in black finish.
- Pedestal drawers open with side pull, located on user side.
- Lateral file drawers, open with front pull handles.
- Pull handles are drilled 128mm apart, allowing for a wide comfortable grip.
- Box drawers, File drawers, and Lateral file drawers, operate on ball bearing suspension slides for smooth and quiet operation.
- Box drawers operate on full extension ball-bearing slides, tested for 75lbs. / 34kg.
- File drawers operate on full extension ball bearing slides, tested for 100lbs. / 45kg.
- Lateral file drawers operate on full extension ball bearing slides, tested for 150lbs. / 68kg.
- Box drawer is standard with molded plastic pencil tray (one per unit).
- File drawers and Lateral file drawers are standard with file support rails, accepting letter or legal hanging files, allowing front to back or side to side filing.
- Lateral files drawers interlocking system, standard on 3 drawer, 4 drawer, optional on 2 drawer models.
- The interlocking system allows only one drawer to be opened at a time.
- Box drawers and file drawers are 18" (457mm) depth.
- Non-handed.

Doors

- Laminated doors are 5/8" (16mm) thick solid core particle board finished on both sides with thermofused laminate.
- Laminated doors have 3mm thick "Tough Guard" edging on all 4 sides.
- Glazed doors are standard in 5/8" (16mm) thick framed exterior with frosted glazed interior.
- Glazed doors are finished on both the front and back for a fully finished appearance.
- Cabinet and hutch doors operate on self closing hinges for smooth and quiet operation.
- Laminated storage cabinet doors, open with front pull handles.
- Hutch doors are available in hinged and flip-up options.
- Laminate and glazed doors are interchangeable.
- Doors are standard with 35mm half overlay and 40mm full overlay clip on hinges.

Edge Specifications

- All edges are "Tough Guard", scuff resistant, 3mm thick beveled edging.
- 3mm thick edge is applied to components using state-of-the-art automated machinery ensuring a permanent bond.

Lock Specifications

- Locks are standard with an interchangeable lock core.
- Locks are standard in black and silver finishes.
- Locks are standard with collapsible key preventing damage to key.
- Lock core can be changed allowing multiple units to be keyed alike.
- Lock core can be changed allowing multiple units in a common area to be keyed differently (50 different cores available).
- One lock is standard on Box/File Pedestals, locking Box/File Drawers.
- One lock is standard on Box/Box/File Pedestals, locking Box/Box/File Drawers.
- One lock is standard on File/File Pedestals, locking File/File Drawers.
- Locking doors on selected cabinets, locks are standard on lateral files.
- Identical lock numbers are automatically supplied on the same unit.
- Core removable key available, master key available.
- Keys supplied with Microban Antimicrobial product protection
- Optional locks available on Hutches

Hutch Attachment Specifications

- Hutch mounts onto base units without mechanical fasteners, two sided "Velcro" strips are provided allowing installer to attach hutch to base units.
- Post mounted hutches attach to worksurface aluminum posts.
- Wall mounted storage cabinets are standard with z-bar bracket attachment for accurate and sturdy installation.

Privacy Panels and Transaction Sets

- 2" (51mm) aluminum posts available in 6", 12", 18", 24", and 36" height, black or brushed aluminum.
- Divider panel inserts available in 5/8" thick laminate, 5/8" glazed (ribbed polycarbonate) smoked finish or crystal finish, 5/8" fabric tackable, 5/8" whiteboard, 5/8" slatwall, and 5/8" frosted.
- 1" thick (25mm) transaction counter mounted to posts with flush metal plates, rectangular corners, racetrack, and elliptical shapes.

Grommets

- Center grommet is standard on all desks, corner units, extended corner units, and selected shaped worksurfaces and cabinets. Black or Silver

Power/Data Center

- Optional Mini-Port Power Data Center that can be installed on any worksurface.
- Pak8 systems power distribution components.

Packaging

- Assembled units are packaged in corrugated cartons containing high recycled content.
- Worksurface edges and corners are reinforced with edge and corner protectors.
- Wood strapping supports the bottom portion of assembled units.

Thickness

Worksurfaces:	1" (25mm) thick.
Side Panels (Gables):	1" (25mm) thick.
Back Panels:	5/8" (16mm) thick.
Drawer Fronts:	5/8" (16mm) thick.
Doors:	5/8" (16mm) thick.

Industry Standards

- Components meet current ANSI/BIFMA Standards, Greenguard Certified.

Sizes and Weights

- Weights are approximate and are not exact.
- Height does not include floor levelers. (some exceptions apply to height)

Finishes / Color Specifications

- Unit color may be ordered one-tone or two-tone.
- You may select one color worksurface/drawer/door fronts and another color base.

To Specify one-tone or two-tone colors:

- First code denotes the worksurface/drawer/door/shelf color, second code denotes the base color.
- To order one-tone color units, specify worksurface and base code identically.
i.e. CO/CO or CO - Cognac top with Cognac base.
- To order two-tone color units, specify worksurface and base code separately.
i.e. CO/SA - Cognac top and fronts with Sahara base.

Available Laminate Finishes:

TOPS:	Nutmeg (NM)	BASES:	Nutmeg (NM)
	Chocolate Walnut (CW)		Chocolate Walnut (CW)
	Classic Mahogany (CM)		Classic Mahogany (CM)
	Cherry Henna (CH)		Cherry Henna (CH)
	Cognac (CO)		Cognac (CO)
	Sahara (SA)		Sahara (SA)
	Riviera Maple (RM)		Riviera Maple (RM)
	Willow Gray (WG)		Willow Gray (WG)
	True White (TW)		True White (TW)
	Storm Gray (SG)		Storm Gray (SG)
	Cappuccino (CP)		Chamois Black (BK)
	Gray (GR)		Cappuccino (CP)
	Milky Way (MW)		Gray (GR)
	London Fog (LN)		Milky Way (MW)
	Windy City (WC)		London Fog (LN)
	Aspen (AP)		Windy City (WC)
			Aspen (AP)

ACCENTS (Door/Drawer Fronts, Shelves):

Lime Burst (LB)	Aqua Breeze (AB)	Strawberry Fields (SF)
------------------------	-------------------------	-------------------------------

Pull Handle Options



STANDARD "P1" PULL HANDLE
Black Finish



Optional "P2" PULL HANDLE
Silver Finish



Optional "P3" PULL HANDLE
Silver Finish



Optional "P4" PULL HANDLE
Silver Finish



Optional "P5" PULL HANDLE
Brushed Nickel Finish



Optional "P6" PULL HANDLE
Matte Black Finish




Optional "P7" PULL HANDLE
Brushed Nickel Finish

All above handles are for use with: lateral files, storage cabinets and other items, such as serving carts and wardrobes, manufactured by Links Contract Furniture Inc.. Please specify the handle of your choice on your purchase order. Orders will be processed with the standard P1 handle if not specified on your order.

Notification:

We are constantly upgrading our products. For the most up-to date product specifications, please contact Customer Service.




Single Left Box/File Pedestal Desk. 20"D and 24"D with full back panel.

30"D and 36"D with full recessed back panel.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
ASM-2072-LBF	794	72/1829	20/508	29/737	30/0.85	180/82
ASM-2472-LBF	804	72/1829	24/610	29/737	33/0.93	190/86
ASM-3060-LBF	811	60/1524	30/762	29/737	34/0.96	185/84
ASM-3066-LBF	877	66/1676	30/762	29/737	37/1.05	195/88
ASM-3072-LBF	950	72/1829	30/762	29/737	42/1.19	215/98
ASM-3672-LBF	964	72/1829	36/914	29/737	49/1.39	235/107

add -P 42 with handles




Single Left Box/Box/File Pedestal Desk. 20"D and 24"D with full back panel.

30"D and 36"D with full recessed back panel.

ASM-2072-LBBF	979	72/1829	20/508	29/737	30/0.85	205/93
ASM-2472-LBBF	989	72/1829	24/610	29/737	33/0.93	215/98
ASM-3060-LBBF	995	60/1524	30/762	29/737	34/0.96	205/93
ASM-3066-LBBF	1063	66/1676	30/762	29/737	37/1.05	215/98
ASM-3072-LBBF	1134	72/1829	30/762	29/737	42/1.19	235/107
ASM-3672-LBBF	1150	72/1829	36/914	29/737	49/1.39	255/116

add -P 63 with handles




Single Left File/File Pedestal Desk. 20"D and 24"D with full back panel.

30"D and 36"D with full recessed back panel.

ASM-2072-LFF	979	72/1829	20/508	29/737	30/0.85	205/93
ASM-2472-LFF	989	72/1829	24/610	29/737	33/0.93	215/98
ASM-3060-LFF	995	60/1524	30/762	29/737	34/0.96	205/93
ASM-3066-LFF	1063	66/1676	30/762	29/737	37/1.05	215/98
ASM-3072-LFF	1134	72/1829	30/762	29/737	42/1.19	235/107
ASM-3672-LFF	1150	72/1829	36/914	29/737	49/1.39	255/116

add -P 42 with handles




Double Pedestal Desk. 20"D and 24"D with full back panel.

30"D and 36"D with full recessed back panel.

ASM-2072-DBFBF	994	72/1829	20/508	29/737	30/0.85	205/93
ASM-2472-DBFBF	1005	72/1829	24/610	29/737	33/0.93	215/98
ASM-3060-DBFBF	1032	60/1524	30/762	29/737	34/0.96	230/104
ASM-3066-DBFBF	1098	66/1676	30/762	29/737	36/1.02	240/109
ASM-3072-DBFBF	1113	72/1829	30/762	29/737	42/1.19	260/118
ASM-3672-DBFBF	1126	72/1829	36/914	29/737	49/1.39	280/127

add -P 84 with handles




Double Pedestal Desk. 20"D and 24"D with full back panel.

30"D and 36"D with full recessed back panel.

ASM-2072-DBBF-FF	1363	72/1829	20/508	29/737	30/0.85	250/113
ASM-2472-DBBF-FF	1373	72/1829	24/610	29/737	33/0.93	260/118
ASM-3060-DBBF-FF	1400	60/1524	30/762	29/737	34/0.96	270/122
ASM-3066-DBBF-FF	1468	66/1676	30/762	29/737	37/1.05	280/127
ASM-3072-DBBF-FF	1481	72/1829	30/762	29/737	42/1.19	300/136
ASM-3672-DBBF-FF	1495	72/1829	36/914	29/737	49/1.39	320/145

add -P 105 with handles

For additional specification instructions see page 6.




Single Right Box/File Pedestal Desk. 20"D and 24"D with full back panel.

30"D and 36"D with full recessed back panel.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
ASM-2072-RBF	794	72/1829	20/508	29/737	30/0.85	180/82
ASM-2472-RBF	804	72/1829	24/610	29/737	33/0.93	190/86
ASM-3060-RBF	811	60/1524	30/762	29/737	34/0.96	185/84
ASM-3066-RBF	877	66/1676	30/762	29/737	37/1.05	195/88
ASM-3072-RBF	950	72/1829	30/762	29/737	42/1.19	215/98
ASM-3672-RBF	964	72/1829	36/914	29/737	49/1.39	235/107

add -P 42 with handles




Single Right Box/Box/File Pedestal Desk. 20"D and 24"D with full back panel.

30"D and 36"D with full recessed back panel.

ASM-2072-RBBF	979	72/1829	20/508	29/737	30/0.85	205/93
ASM-2472-RBBF	989	72/1829	24/610	29/737	33/0.93	215/98
ASM-3060-RBBF	995	60/1524	30/762	29/737	34/0.96	205/93
ASM-3066-RBBF	1063	66/1676	30/762	29/737	37/1.05	215/98
ASM-3072-RBBF	1134	72/1829	30/762	29/737	42/1.19	235/107
ASM-3672-RBBF	1150	72/1829	36/914	29/737	49/1.39	255/116

add -P 63 with handles



Single Right File/File Pedestal Desk. 20"D and 24"D with full back panel.

30"D and 36"D with full recessed back panel.

ASM-2072-RFF	979	72/1829	20/508	29/737	30/0.85	205/93
ASM-2472-RFF	989	72/1829	24/610	29/737	33/0.93	215/98
ASM-3060-RFF	995	60/1524	30/762	29/737	34/0.96	205/93
ASM-3066-RFF	1063	66/1676	30/762	29/737	37/1.05	215/98
ASM-3072-RFF	1134	72/1829	30/762	29/737	42/1.19	235/107
ASM-3672-RFF	1150	72/1829	36/914	29/737	49/1.39	255/116


add -P 42 with handles



Connecting Top Full Back Panel with Grommet.

Shipped K.D.

ASM-2042-CT	357	42/1067	20/508	29/737	4/0.11	71/32
ASM-2048-CT	384	48/1219	20/508	29/737	4/0.11	83/38
ASM-2442-CT	375	42/1067	24/610	29/737	4/0.11	73/33
ASM-2448-CT	402	48/1219	24/610	29/737	4/0.11	85/39



"D" Shape Top with End Panel, Grommet and single post leg.

"C1" - Black Post Leg
"C3" - Silver Post Leg

Shipped K.D.

ASM-3672-DTWPC1	699	72/1829	36/914	29/737	5/0.14	78/35
ASM-3672-DTWPC3	699	72/1829	36/914	29/737	5/0.14	78/35



Left (Links-Right) Executive Return with Grommet.

Shipped K.D.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
ASM-2042-LROP	455	42/1067	20/508	29/737	3/0.08	78/35
ASM-2048-LROP	473	48/1219	20/508	29/737	4/0.11	88/40
ASM-2442-LROP	465	42/1067	24/610	29/737	3/0.08	80/36
ASM-2448-LROP	483	48/1219	24/610	29/737	4/0.11	90/41



Left Box/File (Links-Right) Executive Return with Grommet

ASM-2042-LRBF	642	42/1067	20/508	29/737	15/0.42	123/56
ASM-2048-LRBF	656	48/1219	20/508	29/737	22/0.62	133/60
ASM-2442-LRBF	652	42/1067	24/610	29/737	15/0.42	125/57
ASM-2448-LRBF	667	48/1219	24/610	29/737	22/0.62	135/61

add -P 42 with handles



Left Box/Box/File (Links-Right) Executive Return with Grommet

ASM-2042-LRBBF	826	42/1067	20/508	29/737	15/0.42	143/65
ASM-2048-LRBBF	841	48/1219	20/508	29/737	22/0.62	153/69
ASM-2442-LRBBF	837	42/1067	24/610	29/737	15/0.42	145/66
ASM-2448-LRBBF	852	48/1219	24/610	29/737	22/0.62	155/70

add -P 63 with handles



Left File/File (Links-Right) Executive Return with Grommet

ASM-2042-LRFF	826	42/1067	20/508	29/737	15/0.42	143/65
ASM-2048-LRFF	841	48/1219	20/508	29/737	22/0.62	153/69
ASM-2442-LRFF	837	42/1067	24/610	29/737	15/0.42	145/66
ASM-2448-LRFF	852	48/1219	24/610	29/737	22/0.62	155/70

add -P 42 with handles


Right (Links-Left) Executive Return
with Grommet.

Shipped K.D.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
ASM-2042-RRBP	455	42/1067	20/508	29/737	3/0.08	78/35
ASM-2048-RRBP	473	48/1219	20/508	29/737	4/0.11	88/40
ASM-2442-RRBP	465	42/1067	24/610	29/737	3/0.08	80/36
ASM-2448-RRBP	483	48/1219	24/610	29/737	4/0.11	90/41


Right Box/File (Links-Left) Executive
Return with Grommet

ASM-2042-RRBF	642	42/1067	20/508	29/737	15/0.42	123/56
ASM-2048-RRBF	656	48/1219	20/508	29/737	22/0.62	133/60
ASM-2442-RRBF	652	42/1067	24/610	29/737	15/0.42	125/57
ASM-2448-RRBF	667	48/1219	24/610	29/737	22/0.62	135/61

add -P 42 with handles


Right Box/Box/File (Links-Left)
Executive Return with Grommet

ASM-2042-RRBBF	826	42/1067	20/508	29/737	15/0.42	143/65
ASM-2048-RRBBF	841	48/1219	20/508	29/737	22/0.62	153/69
ASM-2442-RRBBF	837	42/1067	24/610	29/737	15/0.42	145/66
ASM-2448-RRBBF	852	48/1219	24/610	29/737	22/0.62	155/70

add -P 63 with handles


Right File/File (Links-Left) Executive
Return with Grommet


ASM-2042-RRFF	826	42/1067	20/508	29/737	15/0.42	143/65
ASM-2048-RRFF	841	48/1219	20/508	29/737	22/0.62	153/69
ASM-2442-RRFF	837	42/1067	24/610	29/737	15/0.42	145/66
ASM-2448-RRFF	852	48/1219	24/610	29/737	22/0.62	155/70

add -P 42 with handles

Links-Free (DSK) - LF



Desk with 24"D or 30"D work surface, two full non-connected links free side panels. Includes grommet.



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

24"D work surface	DSK-2424-LF	383	24/610	24/610	29/737	3/0.08	65/29
	DSK-2430-LF	407	30/762	24/610	29/737	3/0.08	70/32
	DSK-2436-LF	432	36/914	24/610	29/737	3/0.08	79/36
	DSK-2442-LF	457	42/1067	24/610	29/737	3/0.08	85/39
	DSK-2448-LF	481	48/1219	24/610	29/737	4/0.11	93/42
	DSK-2454-LF	504	54/1372	24/610	29/737	4/0.11	100/45
	DSK-2460-LF	529	60/1524	24/610	29/737	5/0.14	107/49
	DSK-2466-LF	553	66/1676	24/610	29/737	5/0.14	115/52
30"D work surface	DSK-2472-LF	578	72/1829	24/610	29/737	5/0.14	123/56
	DSK-3030-LF	467	30/762	30/762	29/737	3/0.08	82/37
	DSK-3036-LF	492	36/914	30/762	29/737	3/0.08	90/41
	DSK-3042-LF	517	42/1067	30/762	29/737	3/0.08	99/45
	DSK-3048-LF	541	48/1219	30/762	29/737	4/0.11	108/49
	DSK-3054-LF	559	54/1372	30/762	29/737	4/0.11	116/53
	DSK-3060-LF	578	60/1524	30/762	29/737	5/0.14	124/56
	DSK-3066-LF	627	66/1676	30/762	29/737	5/0.14	132/60
	DSK-3072-LF	637	72/1829	30/762	29/737	5/0.14	140/64

For optional 3/4 modesty panel (18in / 455mm high) add the suffix SM to the product code. i.e. DSK-2424-LF-SM

For optional 1/4 modesty panel (10in / 254mm high) add the suffix MM to the product code. i.e. DSK-2424-LF-MM

Links-Left (DSK) - LL



Desk with 24"D or 30"D work surface, full panel on right, narrow connecting panel on left. Links left to connecting 24"D or 30"D work surface. Includes grommet.



24"D work surface	DSK-2424-LL	383	24/610	24/610	29/737	3/0.08	58/26
	DSK-2430-LL	407	30/762	24/610	29/737	3/0.08	63/29
	DSK-2436-LL	432	36/914	24/610	29/737	3/0.08	72/33
	DSK-2442-LL	457	42/1067	24/610	29/737	3/0.08	78/35
	DSK-2448-LL	481	48/1219	24/610	29/737	4/0.11	86/39
	DSK-2454-LL	504	54/1372	24/610	29/737	4/0.11	93/42
	DSK-2460-LL	529	60/1524	24/610	29/737	5/0.14	100/45
	DSK-2466-LL	553	66/1676	24/610	29/737	5/0.14	108/49
30"D work surface	DSK-2472-LL	578	72/1829	24/610	29/737	5/0.14	116/53
	DSK-3030-LL	467	30/762	30/762	29/737	3/0.08	76/34
	DSK-3036-LL	492	36/914	30/762	29/737	3/0.08	82/37
	DSK-3042-LL	517	42/1067	30/762	29/737	3/0.08	91/41
	DSK-3048-LL	541	48/1219	30/762	29/737	4/0.11	100/45
	DSK-3054-LL	559	54/1372	30/762	29/737	4/0.11	108/49
	DSK-3060-LL	578	60/1524	30/762	29/737	5/0.14	116/53
	DSK-3066-LL	627	66/1676	30/762	29/737	5/0.14	124/56
	DSK-3072-LL	637	72/1829	30/762	29/737	5/0.14	132/60


For optional 3/4 modesty panel (18in / 455mm high) add the suffix SM to the product code. i.e. DSK-2424-LL-SM

For optional 1/4 modesty panel (10in / 254mm high) add the suffix MM to the product code. i.e. DSK-2424-LL-MM


For additional specification instructions see page 6. Desk components and extended gables can be found on page 127.

Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Links-Right (DSK) - LR


Desk with 24"D or 30"D work surface, full panel on left, narrow connecting panel on right. Links right to connecting 24"D or 30"D work surface. Includes grommet.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------


24"D work surface	DSK-2424-LR	383	24/610	24/610	29/737	3/0.08	58/26
	DSK-2430-LR	407	30/762	24/610	29/737	3/0.08	63/29
	DSK-2436-LR	432	36/914	24/610	29/737	3/0.08	72/33
	DSK-2442-LR	457	42/1067	24/610	29/737	3/0.08	78/35
	DSK-2448-LR	481	48/1219	24/610	29/737	4/0.11	86/39
	DSK-2454-LR	504	54/1372	24/610	29/737	4/0.11	93/42
	DSK-2460-LR	529	60/1524	24/610	29/737	5/0.14	100/45
	DSK-2466-LR	553	66/1676	24/610	29/737	5/0.14	108/49
30"D work surface	DSK-2472-LR	578	72/1829	24/610	29/737	5/0.14	116/53
	DSK-3030-LR	467	30/762	30/762	29/737	3/0.08	76/34
	DSK-3036-LR	492	36/914	30/762	29/737	3/0.08	82/37
	DSK-3042-LR	517	42/1067	30/762	29/737	3/0.08	91/41
	DSK-3048-LR	541	48/1219	30/762	29/737	4/0.11	100/45
	DSK-3054-LR	559	54/1372	30/762	29/737	4/0.11	108/49
	DSK-3060-LR	578	60/1524	30/762	29/737	5/0.14	116/53
	DSK-3066-LR	627	66/1676	30/762	29/737	5/0.14	124/56
	DSK-3072-LR	637	72/1829	30/762	29/737	5/0.14	132/60

For optional 3/4 modesty panel (18in / 455mm high) add the suffix SM to the product code. i.e. DSK-2424-LR-SM

For optional 1/4 modesty panel (10in / 254mm high) add the suffix MM to the product code. i.e. DSK-2424-LR-MM

Links-Center (DSK) - LC


Desk with 24"D or 30"D work surface, two narrow connecting side panels. Links left, right to connecting 24"D or 30"D work surface. Includes grommet.



24"D work surface	DSK-2424-LC	383	24/610	24/610	29/737	3/0.08	51/23
	DSK-2430-LC	407	30/762	24/610	29/737	3/0.08	56/25
	DSK-2436-LC	432	36/914	24/610	29/737	3/0.08	65/29
	DSK-2442-LC	457	42/1067	24/610	29/737	3/0.08	71/32
	DSK-2448-LC	481	48/1219	24/610	29/737	4/0.11	79/36
	DSK-2454-LC	504	54/1372	24/610	29/737	4/0.11	86/39
	DSK-2460-LC	529	60/1524	24/610	29/737	5/0.14	93/42
	DSK-2466-LC	553	66/1676	24/610	29/737	5/0.14	101/46
30"D work surface	DSK-2472-LC	578	72/1829	24/610	29/737	5/0.14	109/49
	DSK-3030-LC	467	30/762	30/762	29/737	3/0.08	68/31
	DSK-3036-LC	492	36/914	30/762	29/737	3/0.08	74/34
	DSK-3042-LC	517	42/1067	30/762	29/737	3/0.08	83/38
	DSK-3048-LC	541	48/1219	30/762	29/737	4/0.11	92/42
	DSK-3054-LC	559	54/1372	30/762	29/737	4/0.11	100/45
	DSK-3060-LC	578	60/1524	30/762	29/737	5/0.14	108/49
	DSK-3066-LC	627	66/1676	30/762	29/737	5/0.14	116/53
	DSK-3072-LC	637	72/1829	30/762	29/737	5/0.14	124/56

For optional 3/4 modesty panel (18in / 455mm high) add the suffix SM to the product code. i.e. DSK-2424-LC-SM

For optional 1/4 modesty panel (10in / 254mm high) add the suffix MM to the product code. i.e. DSK-2424-LC-MM

For additional specification instructions see page 6. Desk components and extended gables can be found on page 127.

Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.


See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Bowed Left Links-Left (DSK) - BW-LL



Bowed desk with full panel on right, narrow connecting panel on left. Links left to 18"D or 24"D work surface. Includes grommet.

* Will not accommodate pedestal



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

24"D work surface	DSK-2424-BW-LL*	443	24/610	24/610	29/737	3/0.08	58/26
	DSK-2430-BW-LL*	467	30/762	24/610	29/737	3/0.08	63/29
	DSK-2436-BW-LL	492	36/914	24/610	29/737	3/0.08	72/33
	DSK-2442-BW-LL	523	42/1067	24/610	29/737	3/0.08	78/35
	DSK-2448-BW-LL	541	48/1219	24/610	29/737	4/0.11	86/39
	DSK-2454-BW-LL	565	54/1372	24/610	29/737	4/0.11	93/42
	DSK-2460-BW-LL	589	60/1524	24/610	29/737	5/0.14	100/45
	DSK-2466-BW-LL	613	66/1676	24/610	29/737	5/0.14	108/49
30"D work surface	DSK-2472-BW-LL	637	72/1829	24/610	29/737	5/0.14	116/53
	DSK-3030-BW-LL*	529	30/762	30/762	29/737	3/0.08	76/34
	DSK-3036-BW-LL	553	36/914	30/762	29/737	3/0.08	82/37
	DSK-3042-BW-LL	578	42/1067	30/762	29/737	3/0.08	91/41
	DSK-3048-BW-LL	602	48/1219	30/762	29/737	4/0.11	100/45
	DSK-3054-BW-LL	627	54/1372	30/762	29/737	4/0.11	108/49
	DSK-3060-BW-LL	650	60/1524	30/762	29/737	5/0.14	116/53
	DSK-3066-BW-LL	674	66/1676	30/762	29/737	5/0.14	124/56
	DSK-3072-BW-LL	699	72/1829	30/762	29/737	5/0.14	132/60

For optional 3/4 modesty panel (18in / 455mm high) add the suffix SM to the product code. i.e. DSK-2424-BW-LL-SM

For optional 1/4 modesty panel (10in / 254mm high) add the suffix MM to the product code. i.e. DSK-2424-BW-LL-MM

Bowed Right Links-Right (DSK) - BW-LR



Bowed desk with full panel on left, narrow connecting panel on right. Links right to 18"D or 24"D work surface. Includes grommet.

* Will not accommodate pedestal



24"D work surface	DSK-2424-BW-LR*	443	24/610	24/610	29/737	3/0.08	58/26
	DSK-2430-BW-LR*	467	30/762	24/610	29/737	3/0.08	63/29
	DSK-2436-BW-LR	492	36/914	24/610	29/737	3/0.08	72/33
	DSK-2442-BW-LR	523	42/1067	24/610	29/737	3/0.08	78/35
	DSK-2448-BW-LR	541	48/1219	24/610	29/737	4/0.11	86/39
	DSK-2454-BW-LR	565	54/1372	24/610	29/737	4/0.11	93/42
	DSK-2460-BW-LR	589	60/1524	24/610	29/737	5/0.14	100/45
	DSK-2466-BW-LR	613	66/1676	24/610	29/737	5/0.14	108/49
30"D work surface	DSK-2472-BW-LR	637	72/1829	24/610	29/737	5/0.14	116/53
	DSK-3030-BW-LR*	529	30/762	30/762	29/737	3/0.08	76/34
	DSK-3036-BW-LR	553	36/914	30/762	29/737	3/0.08	82/37
	DSK-3042-BW-LR	578	42/1067	30/762	29/737	3/0.08	91/41
	DSK-3048-BW-LR	602	48/1219	30/762	29/737	4/0.11	100/45
	DSK-3054-BW-LR	627	54/1372	30/762	29/737	4/0.11	108/49
	DSK-3060-BW-LR	650	60/1524	30/762	29/737	5/0.14	116/53
	DSK-3066-BW-LR	674	66/1676	30/762	29/737	5/0.14	124/56
	DSK-3072-BW-LR	699	72/1829	30/762	29/737	5/0.14	132/60

For optional 3/4 modesty panel (18in / 455mm high) add the suffix SM to the product code. i.e. DSK-2424-BW-LR-SM

For optional 1/4 modesty panel (10in / 254mm high) add the suffix MM to the product code. i.e. DSK-2424-BW-LR-MM

For additional specification instructions see page 6. Desk components and extended gables can be found on page 127.


Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Bowed Left Links-Center (DSK) - BW-LLC


Bowed desk with connecting side panels. Links right to 24"D or 30"D work surface, left to 18"D or 24"D work surfaces. Includes grommet.

* Will not accommodate pedestal



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

24"D work surface	DSK-2424-BW-LLC*	443	24/610	24/610	29/737	3/0.08	51/23
	DSK-2430-BW-LLC*	467	30/762	24/610	29/737	3/0.08	56/25
	DSK-2436-BW-LLC	492	36/914	24/610	29/737	3/0.08	65/29
	DSK-2442-BW-LLC	523	42/1067	24/610	29/737	3/0.08	71/32
	DSK-2448-BW-LLC	541	48/1219	24/610	29/737	4/0.11	79/36
	DSK-2454-BW-LLC	565	54/1372	24/610	29/737	4/0.11	86/39
	DSK-2460-BW-LLC	589	60/1524	24/610	29/737	5/0.14	93/42
	DSK-2466-BW-LLC	613	66/1676	24/610	29/737	5/0.14	101/46
30"D work surface	DSK-2472-BW-LLC	637	72/1829	24/610	29/737	5/0.14	109/49
	DSK-3030-BW-LLC*	529	30/762	30/762	29/737	3/0.08	68/31
	DSK-3036-BW-LLC	553	36/914	30/762	29/737	3/0.08	74/34
	DSK-3042-BW-LLC	578	42/1067	30/762	29/737	3/0.08	83/38
	DSK-3048-BW-LLC	602	48/1219	30/762	29/737	4/0.11	92/42
	DSK-3054-BW-LLC	627	54/1372	30/762	29/737	4/0.11	100/45
	DSK-3060-BW-LLC	650	60/1524	30/762	29/737	5/0.14	108/49
	DSK-3066-BW-LLC	674	66/1676	30/762	29/737	5/0.14	116/53
	DSK-3072-BW-LLC	699	72/1829	30/762	29/737	5/0.14	124/56

For optional 3/4 modesty panel (18in / 455mm high) add the suffix SM to the product code. i.e. DSK-2424-BW-LLC-SM

For optional 1/4 modesty panel (10in / 254mm high) add the suffix MM to the product code. i.e. DSK-2424-BW-LLC-MM

Bowed Right Links-Center (DSK) - BW-RLC


Bowed desk with two connecting side panels. Links left to 24"D or 30"D work surface, right to 18"D or 24"D work surfaces. Includes grommet.

* Will not accommodate pedestal



24"D work surface	DSK-2424-BW-RLC*	443	24/610	24/610	29/737	3/0.08	51/23
	DSK-2430-BW-RLC*	467	30/762	24/610	29/737	3/0.08	56/25
	DSK-2436-BW-RLC	492	36/914	24/610	29/737	3/0.08	65/29
	DSK-2442-BW-RLC	523	42/1067	24/610	29/737	3/0.08	71/32
	DSK-2448-BW-RLC	541	48/1219	24/610	29/737	4/0.11	79/36
	DSK-2454-BW-RLC	565	54/1372	24/610	29/737	4/0.11	86/39
	DSK-2460-BW-RLC	589	60/1524	24/610	29/737	5/0.14	93/42
	DSK-2466-BW-RLC	613	66/1676	24/610	29/737	5/0.14	101/46
30"D work surface	DSK-2472-BW-RLC	637	72/1829	24/610	29/737	5/0.14	109/49
	DSK-3030-BW-RLC*	529	30/762	30/762	29/737	3/0.08	68/31
	DSK-3036-BW-RLC	553	36/914	30/762	29/737	3/0.08	74/34
	DSK-3042-BW-RLC	578	42/1067	30/762	29/737	3/0.08	83/38
	DSK-3048-BW-RLC	602	48/1219	30/762	29/737	4/0.11	92/42
	DSK-3054-BW-RLC	627	54/1372	30/762	29/737	4/0.11	100/45
	DSK-3060-BW-RLC	650	60/1524	30/762	29/737	5/0.14	108/49
	DSK-3066-BW-RLC	674	66/1676	30/762	29/737	5/0.14	116/53
	DSK-3072-BW-RLC	699	72/1829	30/762	29/737	5/0.14	124/56

For optional 3/4 modesty panel (18in / 455mm high) add the suffix SM to the product code. i.e. DSK-2424-BW-RLC-SM

For optional 1/4 modesty panel (10in / 254mm high) add the suffix MM to the product code. i.e. DSK-2424-BW-RLC-MM

For additional specification instructions see page 6. Desk components and extended gables can be found on page 127.

Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Bowed Links Center (DSK) - BW-LC



Bowed desk with two connecting side panels. Links right and left to connecting 18"D or 24"D work surfaces. Includes grommet.



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE		PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³) (lbs/kg)
24"D work surface	DSK-2442-BW-LC	523	42/1067	24/610	29/737	3/0.08 71/32
	DSK-2448-BW-LC	541	48/1219	24/610	29/737	4/0.11 79/36
	DSK-2454-BW-LC	565	54/1372	24/610	29/737	4/0.11 86/39
	DSK-2460-BW-LC	589	60/1524	24/610	29/737	5/0.14 93/42
	DSK-2466-BW-LC	613	66/1676	24/610	29/737	5/0.14 101/46
	DSK-2472-BW-LC	637	72/1829	24/610	29/737	5/0.14 109/49
30"D work surface	DSK-3042-BW-LC	578	42/1067	30/762	29/737	3/0.08 83/38
	DSK-3048-BW-LC	602	48/1219	30/762	29/737	4/0.11 92/42
	DSK-3054-BW-LC	627	54/1372	30/762	29/737	4/0.11 100/45
	DSK-3060-BW-LC	650	60/1524	30/762	29/737	5/0.14 108/49
	DSK-3066-BW-LC	674	66/1676	30/762	29/737	5/0.14 116/53
	DSK-3072-BW-LC	699	72/1829	30/762	29/737	5/0.14 124/56

For optional 3/4 modesty panel (18in / 455mm high) add the suffix SM to the product code. i.e. DSK-2442-BW-LC-SM



For optional 1/4 modesty panel (10in / 254mm high) add the suffix MM to the product code. i.e. DSK-2442-BW-LC-MM

For additional specification instructions see page 6. Desk components and extended gables can be found on page 127.
 Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.
 See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.



Bow Front Desk




Bow front desk with full side panels, recessed back panel. No grommet.



Bow front desk with inset modesty. No grommet.





Bow front desk with inset glazed modesty. No grommet.





Recessed Back Panel




Desk with 30"D or 36"D work surface, two full side panels, recessed back panel. No grommet.



Executive desk with inset modesty. No grommet.



Executive desk with inset glazed modesty. No grommet.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

DSK-3060-LBFTD	681	60/1524	36/914	29/737	5/0.14	110/50
DSK-3066-LBFTD	718	66/1676	36/914	29/737	5/0.14	130/59
DSK-3072-LBFTD	754	72/1829	36/914	29/737	6/0.17	150/68

For optional 3/4 modesty panel (18in / 455mm high) add the suffix SM to the product code. i.e. DSK-3072-LBFTD-SM

For optional 1/4 modesty panel (10in / 254mm high) add the suffix MM to the product code. i.e. DSK-3072-LBFTD-MM

DSK-3072-LBFTD-MLM	1174	72/1829	36/914	29/737	8/0.23	170/77
--------------------	------	---------	--------	--------	--------	--------

DSK-3072-LBFTD-M [■] Z	1230	72/1829	36/914	29/737	8/0.23	170/77
---------------------------------	------	---------	--------	--------	--------	--------

M[■]Z - Specify modesty frame colour

MSZ = Silver frame

MBZ = Black frame

MWZ = White frame

DSK-3060-LF-REC	578	60/1524	30/762	29/737	5/0.14	124/56
DSK-3066-LF-REC	627	66/1676	30/762	29/737	5/0.14	132/60
DSK-3072-LF-REC	637	72/1829	30/762	29/737	5/0.14	140/64
DSK-3672-LF-REC	830	72/1829	36/914	29/737	6/0.17	150/68

For optional 3/4 modesty panel (18in / 455mm high) add the suffix SM to the product code. i.e. DSK-3072-LF-REC-SM

For optional 1/4 modesty panel (10in / 254mm high) add the suffix MM to the product code. i.e. DSK-3072-LF-REC-MM

DSK-3672-LF-REC-MLM	1250	72/1829	36/914	29/737	8/0.23	170/77
---------------------	------	---------	--------	--------	--------	--------

DSK-3672-LF-REC-M [■] Z	1305	72/1829	36/914	29/737	8/0.23	170/77
----------------------------------	------	---------	--------	--------	--------	--------

M[■]Z - Specify modesty frame colour

MSZ = Silver frame

MBZ = Black frame


MWZ = White frame

For additional specification instructions see page 6. Desk components can be found on page 127.

Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

See page 116 for keyboards and accessories.

Links "DTI" Table - LC (Links Center)




Free standing "D" shaped island work surface with narrow connecting side panels that link both left and right to connecting 24"D or 30"D work surfaces. Wire grommet included.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

24"D	DTI-2436-LC	572	36/914	24/610	29/737	3/0.08	60/27
	DTI-2442-LC	584	42/1067	24/610	29/737	3/0.08	63/29
	DTI-2448-LC	596	48/1219	24/610	29/737	4/0.11	66/30
	DTI-2454-LC	608	54/1372	24/610	29/737	4/0.11	71/32
	DTI-2460-LC	620	60/1524	24/610	29/737	5/0.14	75/34
	DTI-2466-LC	645	66/1676	24/610	29/737	5/0.14	80/36
	DTI-2472-LC	669	72/1829	24/610	29/737	5/0.14	85/39
30"D	DTI-3036-LC	596	36/914	30/762	29/737	3/0.08	71/32
	DTI-3042-LC	608	42/1067	30/762	29/737	3/0.08	73/33
	DTI-3048-LC	620	48/1219	30/762	29/737	4/0.11	76/34
	DTI-3054-LC	633	54/1372	30/762	29/737	4/0.11	84/38
	DTI-3060-LC	645	60/1524	30/762	29/737	5/0.14	86/39
	DTI-3066-LC	669	66/1676	30/762	29/737	5/0.14	91/41
	DTI-3072-LC	693	72/1829	30/762	29/737	5/0.14	96/44

C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code


Links "DTI" Table - LI (Links Interchangeable)



Free standing "D" shaped island work surface with interchangeable narrow side panels. One narrow side panel with built-in fastening connectors & wire management port, one narrow side panel with fastening hardware only. Wire grommet included.

24"D	DTI-2436-LI	572	36/914	24/610	29/737	3/0.08	60/27
	DTI-2442-LI	584	42/1067	24/610	29/737	3/0.08	63/29
	DTI-2448-LI	596	48/1219	24/610	29/737	4/0.11	66/30
	DTI-2454-LI	608	54/1372	24/610	29/737	4/0.11	71/32
	DTI-2460-LI	620	60/1524	24/610	29/737	5/0.14	75/34
	DTI-2466-LI	645	66/1676	24/610	29/737	5/0.14	80/36
	DTI-2472-LI	669	72/1829	24/610	29/737	5/0.14	85/39
30"D	DTI-3036-LI	596	36/914	30/762	29/737	3/0.08	71/32
	DTI-3042-LI	608	42/1067	30/762	29/737	3/0.08	73/33
	DTI-3048-LI	620	48/1219	30/762	29/737	4/0.11	76/34
	DTI-3054-LI	633	54/1372	30/762	29/737	4/0.11	84/38
	DTI-3060-LI	645	60/1524	30/762	29/737	5/0.14	86/39
	DTI-3066-LI	669	66/1676	30/762	29/737	5/0.14	91/41
	DTI-3072-LI	693	72/1829	30/762	29/737	5/0.14	96/44


C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code



Corner book shelf installed under "D" top.

BKC-2412-DICBH	424	24/610	12/305	28/711	5/0.14	30/14
BKC-3015-DICBH	437	30/762	15/381	28/711	7/0.20	35/16

For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.


Links "DTI" Table - NP (Narrow Panel)


"D" shaped island work surface. Links at flush height to a 24" or 30" work surface. The addition of one narrow side panel allows an optional link to the adjoining side panel.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

24"D	DTI-2436-NP	450	36/914	24/610	29/737	2/0.06	32/15
	DTI-2442-NP	463	42/1067	24/610	29/737	2/0.06	37/17
	DTI-2448-NP	475	48/1219	24/610	29/737	2/0.06	41/19
	DTI-2454-NP	487	54/1372	24/610	29/737	3/0.08	46/21
	DTI-2460-NP	499	60/1524	24/610	29/737	3/0.08	50/23
	DTI-2466-NP	523	66/1676	24/610	29/737	3/0.08	59/27
	DTI-2472-NP	548	72/1829	24/610	29/737	3/0.08	68/31
30"D	DTI-3036-NP	475	36/914	30/762	29/737	2/0.06	36/16
	DTI-3042-NP	487	42/1067	30/762	29/737	2/0.06	41/19
	DTI-3048-NP	499	48/1219	30/762	29/737	2/0.06	46/21
	DTI-3054-NP	511	54/1372	30/762	29/737	3/0.08	51/23
	DTI-3060-NP	523	60/1524	30/762	29/737	3/0.08	56/25
	DTI-3066-NP	548	66/1676	30/762	29/737	3/0.08	66/30
	DTI-3072-NP	572	72/1829	30/762	29/737	3/0.08	76/34


C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code

Links "DTI" Table


"D" shaped island work surface. Links at flush height to a 24" or 30" work surface.

24"D	DTI-2436	426	36/914	24/610	29/737	2/0.06	32/15
	DTI-2442	438	42/1067	24/610	29/737	2/0.06	37/17
	DTI-2448	450	48/1219	24/610	29/737	2/0.06	41/19
	DTI-2454	463	54/1372	24/610	29/737	3/0.08	46/21
	DTI-2460	475	60/1524	24/610	29/737	3/0.08	50/23
	DTI-2466	499	66/1676	24/610	29/737	3/0.08	59/27
	DTI-2472	523	72/1829	24/610	29/737	3/0.08	68/31
30"D	DTI-3036	450	36/914	30/762	29/737	2/0.06	36/16
	DTI-3042	463	42/1067	30/762	29/737	2/0.06	41/19
	DTI-3048	475	48/1219	30/762	29/737	2/0.06	46/21
	DTI-3054	487	54/1372	30/762	29/737	3/0.08	51/23
	DTI-3060	499	60/1524	30/762	29/737	3/0.08	56/25
	DTI-3066	523	66/1676	30/762	29/737	3/0.08	66/30
	DTI-3072	548	72/1829	30/762	29/737	3/0.08	76/34

C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code



Corner book shelf installed under "D" top.


BKC-2412-DICBH	424	24/610	12/305	28/711	5/0.14	30/14
BKC-3015-DICBH	437	30/762	15/381	28/711	7/0.20	35/16

For additional specification instructions see page 6. Desk components can be found on page 127.
 Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

Links "STI" Table - LC (Links Center)



Free standing "S" shaped island work surface with narrow connecting side panels that link both left and right to connecting 24"D or 30"D work surfaces. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------


24"D	STI-2436-LC	572	36/914	24/610	29/737	3/0.08	60/27
	STI-2442-LC	584	42/1067	24/610	29/737	3/0.08	63/29
	STI-2448-LC	596	48/1219	24/610	29/737	4/0.11	66/30
	STI-2454-LC	608	54/1372	24/610	29/737	4/0.11	71/32
	STI-2460-LC	620	60/1524	24/610	29/737	5/0.14	75/34
	STI-2466-LC	645	66/1676	24/610	29/737	5/0.14	80/36
	STI-2472-LC	669	72/1829	24/610	29/737	5/0.14	85/39
30"D	STI-3036-LC	596	36/914	30/762	29/737	3/0.08	71/32
	STI-3042-LC	608	42/1067	30/762	29/737	3/0.08	73/33
	STI-3048-LC	620	48/1219	30/762	29/737	4/0.11	76/34
	STI-3054-LC	633	54/1372	30/762	29/737	4/0.11	84/38
	STI-3060-LC	645	60/1524	30/762	29/737	5/0.14	86/39
	STI-3066-LC	669	66/1676	30/762	29/737	5/0.14	91/41
	STI-3072-LC	693	72/1829	30/762	29/737	5/0.14	96/44

C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code

Links "STI" Table - LI (Links Interchangeable)



Free standing "S" shaped island work surface with interchangeable narrow side panels. One narrow side panel with built-in fastening connectors & wire management port, one narrow side panel with fastening hardware only. Wire grommet included.



24"D	STI-2436-LI	572	36/914	24/610	29/737	3/0.08	60/27
	STI-2442-LI	584	42/1067	24/610	29/737	3/0.08	63/29
	STI-2448-LI	596	48/1219	24/610	29/737	4/0.11	66/30
	STI-2454-LI	608	54/1372	24/610	29/737	4/0.11	71/32
	STI-2460-LI	620	60/1524	24/610	29/737	5/0.14	75/34
	STI-2466-LI	645	66/1676	24/610	29/737	5/0.14	80/36
	STI-2472-LI	669	72/1829	24/610	29/737	5/0.14	85/39
30"D	STI-3036-LI	596	36/914	30/762	29/737	3/0.08	71/32
	STI-3042-LI	608	42/1067	30/762	29/737	3/0.08	73/33
	STI-3048-LI	620	48/1219	30/762	29/737	4/0.11	76/34
	STI-3054-LI	633	54/1372	30/762	29/737	4/0.11	84/38
	STI-3060-LI	645	60/1524	30/762	29/737	5/0.14	86/39
	STI-3066-LI	669	66/1676	30/762	29/737	5/0.14	91/41
	STI-3072-LI	693	72/1829	30/762	29/737	5/0.14	96/44


C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code



Corner book shelf installed under "S" top.

BKC-2412-SISBH	424	24/610	12/305	28/711	5/0.14	30/14
BKC-3015-SISBH	437	30/762	15/381	28/711	7/0.20	35/16

For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.


Links "STI" Table - NP (Narrow Panel)


"S" shaped island work surface. Links at flush height to a 24" or 30" work surface. The addition of one narrow side panel allows an optional link to the adjoining side panel.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------

24"D	STI-2436-NP	450	36/914	24/610	29/737	2/0.06	32/15
	STI-2442-NP	463	42/1067	24/610	29/737	2/0.06	37/17
	STI-2448-NP	475	48/1219	24/610	29/737	2/0.06	41/19
	STI-2454-NP	487	54/1372	24/610	29/737	3/0.08	46/21
	STI-2460-NP	499	60/1524	24/610	29/737	3/0.08	50/23
	STI-2466-NP	523	66/1676	24/610	29/737	3/0.08	59/27
	STI-2472-NP	548	72/1829	24/610	29/737	3/0.08	68/31
30"D	STI-3036-NP	475	36/914	30/762	29/737	2/0.06	36/16
	STI-3042-NP	487	42/1067	30/762	29/737	2/0.06	41/19
	STI-3048-NP	499	48/1219	30/762	29/737	2/0.06	46/21
	STI-3054-NP	511	54/1372	30/762	29/737	3/0.08	51/23
	STI-3060-NP	523	60/1524	30/762	29/737	3/0.08	56/25
	STI-3066-NP	548	66/1676	30/762	29/737	3/0.08	66/30
	STI-3072-NP	572	72/1829	30/762	29/737	3/0.08	76/34

C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code

Links "STI" Table


"S" shaped island work surface. Links at flush height to a 24" or 30" work surface.

24"D	STI-2436	426	36/914	24/610	29/737	2/0.06	32/15
	STI-2442	438	42/1067	24/610	29/737	2/0.06	37/17
	STI-2448	450	48/1219	24/610	29/737	2/0.06	41/19
	STI-2454	463	54/1372	24/610	29/737	3/0.08	46/21
	STI-2460	475	60/1524	24/610	29/737	3/0.08	50/23
	STI-2466	499	66/1676	24/610	29/737	3/0.08	59/27
	STI-2472	523	72/1829	24/610	29/737	3/0.08	68/31
30"D	STI-3036	450	36/914	30/762	29/737	2/0.06	36/16
	STI-3042	463	42/1067	30/762	29/737	2/0.06	41/19
	STI-3048	475	48/1219	30/762	29/737	2/0.06	46/21
	STI-3054	487	54/1372	30/762	29/737	3/0.08	51/23
	STI-3060	499	60/1524	30/762	29/737	3/0.08	56/25
	STI-3066	523	66/1676	30/762	29/737	3/0.08	66/30
	STI-3072	548	72/1829	30/762	29/737	3/0.08	76/34

C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code



Corner book shelf installed under "S" top.


BKC-2412-SISBH	424	24/610	12/305	28/711	5/0.14	30/14
BKC-3015-SISBH	437	30/762	15/381	28/711	7/0.20	35/16

For additional specification instructions see page 6. Desk components can be found on page 127.
 Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

Links "PTI" Table - LC (Links Center)



Free standing "P" shaped island work surface with narrow connecting side panels that link both left and right to connecting 24"D or 30"D work surfaces. Wire grommet included.



			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE		(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)


24"D	PTI-2460-LC	729	60/1524	30/762	29/737	4/0.11	79/36
	PTI-2466-LC	754	66/1676	30/762	29/737	4/0.11	83/38
	PTI-2472-LC	778	72/1829	30/762	29/737	5/0.14	88/40
30"D	PTI-3060-LC	802	60/1524	36/914	29/737	5/0.14	93/42
	PTI-3066-LC	827	66/1676	36/914	29/737	5/0.14	98/44
	PTI-3072-LC	851	72/1829	36/914	29/737	6/0.17	103/47

C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code

Links "PTI" Table - LI (Links Interchangeable)




Free standing "P" shaped island work surface with interchangeable narrow side panels. One narrow panel with built-in fastening connectors & wire management port, one narrow panel with fastening hardware only. Grommet included.



24"D	PTI-2460-LI	729	60/1524	30/762	29/737	4/0.11	79/36
	PTI-2466-LI	754	66/1676	30/762	29/737	4/0.11	83/38
	PTI-2472-LI	778	72/1829	30/762	29/737	5/0.14	88/40
30"D	PTI-3060-LI	802	60/1524	36/914	29/737	5/0.14	93/42
	PTI-3066-LI	827	66/1676	36/914	29/737	5/0.14	98/44
	PTI-3072-LI	851	72/1829	36/914	29/737	6/0.17	103/47


C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code

For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

Links "PTI" Table - NP (Narrow Panel)


"P" shaped island work surface. Links at flush height to a 24" or 30" work surface. The addition of one narrow side panel allows an optional link to the adjoining side panel.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
24"D	PTI-2460-NP	681	60/1524	30/762	29/737	3/0.08 56/25
	PTI-2466-NP	705	66/1676	30/762	29/737	3/0.08 64/29
	PTI-2472-NP	729	72/1829	30/762	29/737	4/0.11 72/33
30"D	PTI-3060-NP	754	60/1524	36/914	29/737	4/0.11 60/27
	PTI-3066-NP	778	66/1676	36/914	29/737	4/0.11 67/30
	PTI-3072-NP	802	72/1829	36/914	29/737	5/0.14 74/34
C2	110	Opt. black double post leg - add C2 to end of code				
C3	0	Opt. silver single post leg - add C3 to end of code				
C4	110	Opt. silver double post leg - add C4 to end of code				

Links "PTI" Table


"P" shaped island work surface. Links at flush height to a 24" or 30" work surface.


24"D	PTI-2460	632	60/1524	30/762	29/737	3/0.08 56/25
	PTI-2466	656	66/1676	30/762	29/737	3/0.08 64/29
	PTI-2472	681	72/1829	30/762	29/737	4/0.11 72/33
30"D	PTI-3060	705	60/1524	36/914	29/737	4/0.11 60/27
	PTI-3066	729	66/1676	36/914	29/737	4/0.11 67/30
	PTI-3072	754	72/1829	36/914	29/737	5/0.14 74/34
C2	110	Opt. black double post leg - add C2 to end of code				
C3	0	Opt. silver single post leg - add C3 to end of code				
C4	110	Opt. silver double post leg - add C4 to end of code				

For additional specification instructions see page 6. Desk components can be found on page 127.
 Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

Links "QTI" Table - LC (Links Center)



Free standing "Q" shaped island work surface with narrow connecting side panels that link both left and right to connecting 24"D or 30"D work surfaces. Wire grommet included.



			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE		(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)


24"D	QTI-2460-LC	729	60/1524	30/762	29/737	4/0.11	79/36
	QTI-2466-LC	754	66/1676	30/762	29/737	4/0.11	83/38
	QTI-2472-LC	778	72/1829	30/762	29/737	5/0.14	88/40
30"D	QTI-3060-LC	802	60/1524	36/914	29/737	5/0.14	93/42
	QTI-3066-LC	827	66/1676	36/914	29/737	5/0.14	98/44
	QTI-3072-LC	851	72/1829	36/914	29/737	6/0.17	103/47

C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code

Links "QTI" Table - LI (Links Interchangeable)




Free standing "Q" shaped island work surface with interchangeable narrow side panels. One narrow panel with built-in fastening connectors & wire management port, one narrow panel with fastening hardware only. Grommet included.



24"D	QTI-2460-LI	729	60/1524	30/762	29/737	4/0.11	79/36
	QTI-2466-LI	754	66/1676	30/762	29/737	4/0.11	83/38
	QTI-2472-LI	778	72/1829	30/762	29/737	5/0.14	88/40
30"D	QTI-3060-LI	802	60/1524	36/914	29/737	5/0.14	93/42
	QTI-3066-LI	827	66/1676	36/914	29/737	5/0.14	98/44
	QTI-3072-LI	851	72/1829	36/914	29/737	6/0.17	103/47

C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code

For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

Links "QTI" Table - NP (Narrow Panel)



"Q" shaped island work surface. Links at flush height to a 24" or 30" work surface. The addition of one narrow side panel allows an optional link to the adjoining side panel.




		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

24"D	QTI-2460-NP	681	60/1524	30/762	29/737	3/0.08	56/25
	QTI-2466-NP	705	66/1676	30/762	29/737	3/0.08	64/29
	QTI-2472-NP	729	72/1829	30/762	29/737	4/0.11	72/33
30"D	QTI-3060-NP	754	60/1524	36/914	29/737	4/0.11	60/27
	QTI-3066-NP	778	66/1676	36/914	29/737	4/0.11	67/30
	QTI-3072-NP	802	72/1829	36/914	29/737	5/0.14	74/34

C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code

Links "QTI" Table


"Q" shaped island work surface. Links at flush height to a 24" or 30" work surface.



24"D	QTI-2460	632	60/1524	30/762	29/737	3/0.08	56/25
	QTI-2466	656	66/1676	30/762	29/737	3/0.08	64/29
	QTI-2472	681	72/1829	30/762	29/737	4/0.11	72/33
30"D	QTI-3060	705	60/1524	36/914	29/737	4/0.11	60/27
	QTI-3066	729	66/1676	36/914	29/737	4/0.11	67/30
	QTI-3072	754	72/1829	36/914	29/737	5/0.14	74/34



C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code

For additional specification instructions see page 6. Desk components can be found on page 127.
 Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

Links "LTI" Table - LL (Links Left)




"L" shaped island work surface. Links left to connecting 24" work surface. Curved shape accommodates full keyboard. Wire grommet included.



Links "LTI" Table - LR (Links Right)



"L" shaped island work surface. Links right to connecting 24" work surface. Curved shape accommodates full keyboard. Wire grommet included.



			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	

24"D	LTI-2466-36-LL	888	66/1676	36/914	29/737	7/0.20	135/61
	LTI-2466-42-LL	888	66/1676	42/1067	29/737	7/0.20	143/65
	LTI-2472-36-LL	912	72/1829	36/914	29/737	8/0.23	141/64
	LTI-2472-42-LL	912	72/1829	42/1067	29/737	8/0.23	149/68
30"D	LTI-3066-42-LL	1009	66/1676	42/1067	29/737	8/0.23	141/64
	LTI-3066-48-LL	1009	66/1676	48/1219	29/737	8/0.23	149/68
	LTI-3072-42-LL	1034	72/1829	42/1067	29/737	9/0.25	150/68
	LTI-3072-48-LL	1034	72/1829	48/1219	29/737	9/0.25	158/72

C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code

24"D	LTI-2466-36-LR	888	66/1676	36/914	29/737	7/0.20	135/61
	LTI-2466-42-LR	888	66/1676	42/1067	29/737	7/0.20	143/65
	LTI-2472-36-LR	912	72/1829	36/914	29/737	8/0.23	141/64
	LTI-2472-42-LR	912	72/1829	42/1067	29/737	8/0.23	149/68
30"D	LTI-3066-42-LR	1009	66/1676	42/1067	29/737	8/0.23	141/64
	LTI-3066-48-LR	1009	66/1676	48/1219	29/737	8/0.23	149/68
	LTI-3072-42-LR	1034	72/1829	42/1067	29/737	9/0.25	150/68
	LTI-3072-48-LR	1034	72/1829	48/1219	29/737	9/0.25	158/72


C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code

For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

Links "LTI" Table - KLL (Links Left)



"L" shaped island work surface. Links left to connecting 24" work surface. Keyboard Edge. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------


24"D	LTI-2466-36-KLL	888	66/1676	36/914	29/737	7/0.20	135/61
	LTI-2466-42-KLL	888	66/1676	42/1067	29/737	7/0.20	143/65
	LTI-2472-36-KLL	912	72/1829	36/914	29/737	8/0.23	141/64
	LTI-2472-42-KLL	912	72/1829	42/1067	29/737	8/0.23	149/68
30"D	LTI-3066-42-KLL	1009	66/1676	42/1067	29/737	8/0.23	141/64
	LTI-3066-48-KLL	1009	66/1676	48/1219	29/737	8/0.23	149/68
	LTI-3072-42-KLL	1034	72/1829	42/1067	29/737	9/0.25	150/68
	LTI-3072-48-KLL	1034	72/1829	48/1219	29/737	9/0.25	158/72

C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code

Links "LTI" Table - KLR (Links Right)



"L" shaped island work surface. Links right to connecting 24" work surface. Keyboard Edge. Wire grommet included.




24"D	LTI-2466-36-KLR	888	66/1676	36/914	29/737	7/0.20	135/61
	LTI-2466-42-KLR	888	66/1676	42/1067	29/737	7/0.20	143/65
	LTI-2472-36-KLR	912	72/1829	36/914	29/737	8/0.23	141/64
	LTI-2472-42-KLR	912	72/1829	42/1067	29/737	8/0.23	149/68
30"D	LTI-3066-42-KLR	1009	66/1676	42/1067	29/737	8/0.23	141/64
	LTI-3066-48-KLR	1009	66/1676	48/1219	29/737	8/0.23	149/68
	LTI-3072-42-KLR	1034	72/1829	42/1067	29/737	9/0.25	150/68
	LTI-3072-48-KLR	1034	72/1829	48/1219	29/737	9/0.25	158/72



C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code

For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

Links "FTI" Table - LL (Links Left)



"F" shaped island work surface. Links left to connecting 24" work surface. Curved shape accommodates full keyboard. Wire grommet included.



			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	




24"D	FTI-2466-36-LL	888	66/1676	42/1067	29/737	7/0.20	135/61
	FTI-2466-42-LL	888	66/1676	48/1219	29/737	7/0.20	143/65
	FTI-2472-36-LL	912	72/1829	42/1067	29/737	8/0.23	141/64
	FTI-2472-42-LL	912	72/1829	48/1219	29/737	8/0.23	149/68
30"D	FTI-3066-42-LL	1009	66/1676	48/1219	29/737	8/0.23	141/64
	FTI-3066-48-LL	1009	66/1676	54/1372	29/737	8/0.23	149/68
	FTI-3072-42-LL	1034	72/1829	48/1219	29/737	9/0.25	150/68
	FTI-3072-48-LL	1034	72/1829	54/1372	29/737	9/0.25	158/72

C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code

Links "FTI" Table - LR (Links Right)



"F" shaped island work surface. Links right to connecting 24" work surface. Curved shape accommodates full keyboard. Wire grommet included.




24"D	FTI-2466-36-LR	888	66/1676	42/1067	29/737	7/0.20	135/61
	FTI-2466-42-LR	888	66/1676	48/1219	29/737	7/0.20	143/65
	FTI-2472-36-LR	912	72/1829	42/1067	29/737	8/0.23	141/64
	FTI-2472-42-LR	912	72/1829	48/1219	29/737	8/0.23	149/68
30"D	FTI-3066-42-LR	1009	66/1676	48/1219	29/737	8/0.23	141/64
	FTI-3066-48-LR	1009	66/1676	54/1372	29/737	8/0.23	149/68
	FTI-3072-42-LR	1034	72/1829	48/1219	29/737	9/0.25	150/68
	FTI-3072-48-LR	1034	72/1829	54/1372	29/737	9/0.25	158/72




C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code

For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

Links "FTI" Table - KLL (Links Left)



"F" shaped island work surface. Links left to connecting 24" work surface. Keyboard Edge. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------




24"D	FTI-2466-36-KLL	888	66/1676	42/1067	29/737	7/0.20	135/61
	FTI-2466-42-KLL	888	66/1676	48/1219	29/737	7/0.20	143/65
	FTI-2472-36-KLL	912	72/1829	42/1067	29/737	8/0.23	141/64
	FTI-2472-42-KLL	912	72/1829	48/1219	29/737	8/0.23	149/68
30"D	FTI-3066-42-KLL	1009	66/1676	48/1219	29/737	8/0.23	141/64
	FTI-3066-48-KLL	1009	66/1676	54/1372	29/737	8/0.23	149/68
	FTI-3072-42-KLL	1034	72/1829	48/1219	29/737	9/0.25	150/68
	FTI-3072-48-KLL	1034	72/1829	54/1372	29/737	9/0.25	158/72

C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code

Links "FTI" Table - KLR (Links Right)



"F" shaped island work surface. Links right to connecting 24" work surface. Keyboard Edge. Wire grommet included.



24"D	FTI-2466-36-KLR	888	66/1676	42/1067	29/737	7/0.20	135/61
	FTI-2466-42-KLR	888	66/1676	48/1219	29/737	7/0.20	143/65
	FTI-2472-36-KLR	912	72/1829	42/1067	29/737	8/0.23	141/64
	FTI-2472-42-KLR	912	72/1829	48/1219	29/737	8/0.23	149/68
30"D	FTI-3066-42-KLR	1009	66/1676	48/1219	29/737	8/0.23	141/64
	FTI-3066-48-KLR	1009	66/1676	54/1372	29/737	8/0.23	149/68
	FTI-3072-42-KLR	1034	72/1829	48/1219	29/737	9/0.25	150/68
	FTI-3072-48-KLR	1034	72/1829	54/1372	29/737	9/0.25	158/72


C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code
FP	49	Opt. full modesty panel - add FP to end of code

For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

Links "JT1" Table




"J" shaped island work surface. Links left or right to connecting 24" work surface. Wire grommet included.



Links "GT1" Table




"G" shaped island work surface. Links left or right to connecting 24" work surface. Wire grommet included.



Links "RT1" Table



"R" shaped island work surface. Links left or right to connecting 20" work surface. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

JTI-3072-LL	1034	72/1829	42/1067	29/737	9/0.25	158/72
JTI-3072-LR	1034	72/1829	42/1067	29/737	9/0.25	158/72

C2	110	Opt. black double post leg - add C2 to end of code				
C3	0	Opt. silver single post leg - add C3 to end of code				
C4	110	Opt. silver double post leg - add C4 to end of code				
FP	49	Opt. full modesty panel - add FP to end of code				

GTI-3072-LL	1034	72/1829	42/1067	29/737	9/0.25	158/72
GTI-3072-LR	1034	72/1829	42/1067	29/737	9/0.25	158/72

C2	110	Opt. black double post leg - add C2 to end of code				
C3	0	Opt. silver single post leg - add C3 to end of code				
C4	110	Opt. silver double post leg - add C4 to end of code				
FP	49	Opt. full modesty panel - add FP to end of code				

RTI-3072-LL	1034	72/1829	36/914	29/737	8/0.23	150/68
RTI-3072-LR	1034	72/1829	36/914	29/737	8/0.23	150/68


C2	110	Opt. black double post leg - add C2 to end of code				
C3	0	Opt. silver single post leg - add C3 to end of code				
C4	110	Opt. silver double post leg - add C4 to end of code				
FP	49	Opt. full modesty panel - add FP to end of code				

For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

Links "VTI" Table - LL (Links Left)




"V" shaped island work surface.
Links left to connecting 24" work
surface. Wire grommet included.



Links "VTI" Table - LR (Links Right)



"V" shaped island work surface.
Links right to connecting 24" work
surface. Wire grommet included.



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

VTI-3036-LL	670	36/914	30/762	29/737	3.5/0.10	76/34
VTI-3042-LL	690	42/1067	30/762	29/737	4.0/0.11	81/37
VTI-3048-LL	710	48/1219	30/762	29/737	4.5/0.13	86/39
VTI-3054-LL	730	54/1372	30/762	29/737	5.0/0.14	91/41
VTI-3060-LL	750	60/1524	30/762	29/737	5.5/0.16	96/44
VTI-3066-LL	770	66/1676	30/762	29/737	6.0/0.17	101/46
VTI-3072-LL	790	72/1829	30/762	29/737	6.5/0.18	106/48


C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code

VTI-3036-LR	670	36/914	30/762	29/737	3.5/0.10	76/34
VTI-3042-LR	690	42/1067	30/762	29/737	4.0/0.11	81/37
VTI-3048-LR	710	48/1219	30/762	29/737	4.5/0.13	86/39
VTI-3054-LR	730	54/1372	30/762	29/737	5.0/0.14	91/41
VTI-3060-LR	750	60/1524	30/762	29/737	5.5/0.16	96/44
VTI-3066-LR	770	66/1676	30/762	29/737	6.0/0.17	101/46
VTI-3072-LR	790	72/1829	30/762	29/737	6.5/0.18	106/48

C2	110	Opt. black double post leg - add C2 to end of code
C3	0	Opt. silver single post leg - add C3 to end of code
C4	110	Opt. silver double post leg - add C4 to end of code



Curved Corner Unit - (COR) Links Free - 18"




Links free, non-connecting corner unit, two narrow finished side panels. Curved shape accommodates full keyboard. Wire grommet included.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------

COR-3618-CLF	578	36/914	36/914	29/737	5/0.14	92/42
--------------	-----	--------	--------	--------	--------	-------


Curved Corner Unit - (COR) Links Left - 18"



Corner unit with one narrow connecting side panel on left side and one finished side panel on right side. Links left to connecting 18" work surface. Curved shape accommodates full keyboard. Wire grommet included.

COR-3618-CLL	578	36/914	36/914	29/737	5/0.14	92/42
--------------	-----	--------	--------	--------	--------	-------


Curved Corner Unit - (COR) Links Right - 18"



Corner unit with one narrow connecting side panel on right side and one finished side panel on left side. Links right to connecting 18" work surface. Curved shape accommodates full keyboard. Wire grommet included.

COR-3618-CLR	578	36/914	36/914	29/737	5/0.14	92/42
--------------	-----	--------	--------	--------	--------	-------

Curved Corner Unit - (COR) Links Center - 18"



Corner unit with one narrow connecting side panel on each side. Links left and right to connecting 18" work surfaces. Curved shape accommodates full keyboard. Wire grommet included.


COR-3618-CLC	578	36/914	36/914	29/737	5/0.14	92/42
--------------	-----	--------	--------	--------	--------	-------

For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.
See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Corner Unit - (COR) Links Free - 24"



Links free, non-connecting corner unit, two narrow finished side panels. Mitred shape accommodates full keyboard. Wire grommet included.




		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)

COR-3624-KLF	589	36/914	36/914	29/737	5/0.14	92/42
COR-4224-KLF	596	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-KLF	649	48/1219	48/1219	29/737	5/0.14	128/58

Corner Unit - (COR) Links Left - 24"



Corner unit with one narrow connecting side panel on left side and one finished side panel on right side. Links left to connecting 24" work surface. Mitred shape accommodates full keyboard. Wire grommet included.




COR-3624-KLL	589	36/914	36/914	29/737	5/0.14	92/42
COR-4224-KLL	596	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-KLL	649	48/1219	48/1219	29/737	5/0.14	128/58

Corner Unit - (COR) Links Right - 24"



Corner unit with one narrow connecting side panel on right side and one finished side panel on left side. Links right to connecting 24" work surface. Mitred shape accommodates full keyboard. Wire grommet included.




COR-3624-KLR	589	36/914	36/914	29/737	5/0.14	92/42
COR-4224-KLR	596	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-KLR	649	48/1219	48/1219	29/737	5/0.14	128/58

Corner Unit - (COR) Links Center - 24"



Corner unit with one narrow connecting side panel on each side. Links left and right to connecting 24" work surfaces. Mitred shape accommodates full keyboard. Wire grommet included.



COR-3624-KLC	589	36/914	36/914	29/737	5/0.14	92/42
COR-4224-KLC	596	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-KLC	649	48/1219	48/1219	29/737	5/0.14	128/58

For additional specification instructions see page 6. Desk components can be found on page 127.


Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Curved Corner Unit - (COR) Links Free - 24"



Links free, non-connecting corner unit, two narrow finished side panels. Curved shape accommodates full keyboard. Wire grommet included.




CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------

COR-3624-CLF	589	36/914	36/914	29/737	5/0.14	92/42
COR-4224-CLF	596	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-CLF	649	48/1219	48/1219	29/737	5/0.14	128/58

Curved Corner Unit - (COR) Links Left - 24"



Corner unit with one narrow connecting side panel on left side and one finished side panel on right side. Links left to connecting 24" work surface. Curved shape accommodates full keyboard. Wire grommet included.




COR-3624-CLL	589	36/914	36/914	29/737	5/0.14	92/42
COR-4224-CLL	596	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-CLL	649	48/1219	48/1219	29/737	5/0.14	128/58

Curved Corner Unit - (COR) Links Right - 24"



Corner unit with one narrow connecting side panel on right side and one finished side panel on left side. Links right to connecting 24" work surface. Curved shape accommodates full keyboard. Wire grommet included.




COR-3624-CLR	589	36/914	36/914	29/737	5/0.14	92/42
COR-4224-CLR	596	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-CLR	649	48/1219	48/1219	29/737	5/0.14	128/58

Curved Corner Unit - (COR) Links Center - 24"



Corner unit with one narrow connecting side panel on each side. Links left and right to connecting 24" work surfaces. Curved shape accommodates full keyboard. Wire grommet included.



COR-3624-CLC	589	36/914	36/914	29/737	5/0.14	92/42
COR-4224-CLC	596	42/1067	42/1067	29/737	5/0.14	92/42
COR-4824-CLC	649	48/1219	48/1219	29/737	5/0.14	128/58

For additional specification instructions see page 6. Desk components can be found on page 127.


Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Corner Unit - (COR) Links Free - 30"




Links free, non-connecting corner unit, two narrow finished side panels. Mitred shape accommodates full keyboard. Wire grommet included.



Corner Unit - (COR) Links Left - 30"




Corner unit with one narrow connecting side panel on left side and one finished side panel on right side. Links left to connecting 30" work surface. Mitred shape accommodates full keyboard. Wire grommet included.



Corner Unit - (COR) Links Right - 30"




Corner unit with one narrow connecting side panel on right side and one finished side panel on left side. Links right to connecting 30" work surface. Mitred shape accommodates full keyboard. Wire grommet included.



Corner Unit - (COR) Links Center - 30"



Corner unit with one narrow connecting side panel on each side. Links left and right to connecting 30" work surfaces. Mitred shape accommodates full keyboard. Wire grommet included.



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

COR-4230-KLF	627	42/1067	42/1067	29/737	5/0.14	118/54
COR-4830-KLF	649	48/1219	48/1219	29/737	5/0.14	128/58

COR-4230-KLL	627	42/1067	42/1067	29/737	5/0.14	118/54
COR-4830-KLL	649	48/1219	48/1219	29/737	5/0.14	128/58

COR-4230-KLR	627	42/1067	42/1067	29/737	5/0.14	118/54
COR-4830-KLR	649	48/1219	48/1219	29/737	5/0.14	128/58

COR-4230-KLC	627	42/1067	42/1067	29/737	5/0.14	118/54
COR-4830-KLC	649	48/1219	48/1219	29/737	5/0.14	128/58

For additional specification instructions see page 6. Desk components can be found on page 127.


Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Curved Corner Unit - (COR) Links Free - 30"




Links free, non-connecting corner unit, two narrow finished side panels. Curved shape accommodates full keyboard. Wire grommet included.



Curved Corner Unit - (COR) Links Left - 30"




Corner unit with one narrow connecting side panel on left side and one finished side panel on right side. Links left to connecting 30" work surface. Curved shape accommodates full keyboard. Wire grommet included.



Curved Corner Unit - (COR) Links Right - 30"




Corner unit with one narrow connecting side panel on right side and one finished side panel on left side. Links right to connecting 30" work surface. Curved shape accommodates full keyboard. Wire grommet included.



Curved Corner Unit - (COR) Links Center - 30"



Corner unit with one narrow connecting side panel on each side. Links left and right to connecting 30" work surfaces. Curved shape accommodates full keyboard. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

COR-4230-CLF	627	42/1067	42/1067	29/737	5/0.14	118/54
COR-4830-CLF	649	48/1219	48/1219	29/737	5/0.14	128/58

COR-4230-CLL	627	42/1067	42/1067	29/737	5/0.14	118/54
COR-4830-CLL	649	48/1219	48/1219	29/737	5/0.14	128/58

COR-4230-CLR	627	42/1067	42/1067	29/737	5/0.14	118/54
COR-4830-CLR	649	48/1219	48/1219	29/737	5/0.14	128/58

COR-4230-CLC	627	42/1067	42/1067	29/737	5/0.14	118/54
COR-4830-CLC	649	48/1219	48/1219	29/737	5/0.14	128/58

For additional specification instructions see page 6. Desk components can be found on page 127.



Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Corner Unit - (COR) Links Left





Corner unit with one narrow connecting side panel on left and one narrow finished side panel on right side. Links left to connecting 24" or 30" work surface. Wire grommet included.



Corner Unit - (COR) Links Right





Corner unit with one narrow connecting side panel on right and one narrow finished side panel on left side. Links left to connecting 24" or 30" work surface. Wire grommet included.



Corner Unit - (COR) Links Center



Corner unit with one narrow connecting side panel on each side. Links left and right to connecting 24" or 30" work surfaces. Wire grommet included.



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

COR-3024-LL	521	30/762	30/762	29/737	3/0.08	70/32
COR-3630-LL	555	36/914	36/914	29/737	3/0.08	90/41

COR-3024-LR	521	30/762	30/762	29/737	3/0.08	70/32
COR-3630-LR	555	36/914	36/914	29/737	3/0.08	90/41


COR-3024-LC	521	30/762	30/762	29/737	3/0.08	70/32
COR-3630-LC	555	36/914	36/914	29/737	3/0.08	90/41



Multi Dimensional Corner Unit w/ Keyboard Edge



Multi-dimensional corner unit with two narrow connecting side panels. Links right to 24" work surface and left to 30" work surface. Unit can be enclosed on 24" or 30" side with an optional finished narrow side panel. Mitred edge accommodates full keyboard shelf. Wire grommet included.




CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

COR-4248-KR24L30	627	42/1067	48/1219	29/737	5/0.14	121/55
------------------	-----	---------	---------	--------	--------	--------




Multi-dimensional corner unit as above with curved keyboard shape.



COR-4248-CR24L30	627	42/1067	48/1219	29/737	5/0.14	121/55
------------------	-----	---------	---------	--------	--------	--------




Multi-dimensional corner unit with two narrow connecting side panels. Links left to 24" work surface and right to 30" work surface. Unit can be enclosed on 24" or 30" side with an optional finished narrow side panel. Mitred edge accommodates full keyboard shelf. Wire grommet included.



COR-4842-KR30L24	627	48/1219	42/1067	29/737	5/0.14	121/55
------------------	-----	---------	---------	--------	--------	--------



Multi-dimensional corner unit as above with curved keyboard shape.



COR-4842-CR30L24	627	48/1219	42/1067	29/737	5/0.14	121/55
------------------	-----	---------	---------	--------	--------	--------

For additional specification instructions see page 6. Desk components can be found on page 127.


Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.


Multi Dimensional Corner Unit (COR)



Multi-dimensional corner unit with two narrow connecting side panels. Links left to 24" work surface and right to 30" work surface. Unit can be enclosed on 24" or 30" side with an optional finished narrow side panel. Wire grommet included.



Multi-dimensional corner unit with two narrow connecting side panels. Links right to 24" work surface and left to 30" work surface. Unit can be enclosed on 24" or 30" side with an optional finished narrow side panel. Wire grommet included.



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)

COR-3630-R30L24	596	36/914	30/762	29/737	3/0.08	80/36
-----------------	-----	--------	--------	--------	--------	-------


COR-3036-R24L30	596	30/762	36/914	29/737	3/0.08	80/36
-----------------	-----	--------	--------	--------	--------	-------

For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.
Divider panel sets and components available starting on page 96.

Corner Unit - (ACU) Links Free - 24"




Links free, non connecting corner unit, two narrow finished side panels. Mitred shape accommodates full keyboard. Wire grommet included.



Corner Unit - (ACU) Links Left - 24"




Corner unit with one narrow connecting side panel on left and one narrow finished side panel on right side. Links left to connecting 24" work surface. Mitred shape accommodates full keyboard. Wire grommet included.



Corner Unit - (ACU) Links Right - 24"




Corner unit with one narrow connecting side panel on right and one narrow finished side panel on left side. Links right to connecting 24" work surface. Mitred shape accommodates full keyboard. Wire grommet included.



Corner Unit - (ACU) Links Center - 24"



Corner unit with one narrow connecting side panel on each side. Links left and right to connecting 24" work surfaces. Mitred shape accommodates full keyboard. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

ACU-4224-KLF	596	42/1067	42/1067	29/737	5/0.14	92/42
--------------	-----	---------	---------	--------	--------	-------

ACU-4224-KLL	596	42/1067	42/1067	29/737	5/0.14	92/42
--------------	-----	---------	---------	--------	--------	-------

ACU-4224-KLR	596	42/1067	42/1067	29/737	5/0.14	92/42
--------------	-----	---------	---------	--------	--------	-------

ACU-4224-KLC	596	42/1067	42/1067	29/737	5/0.14	92/42
--------------	-----	---------	---------	--------	--------	-------


For additional specification instructions see page 6. Desk components can be found on page 127.

Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.


See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Curved Corner Unit - (ACU) Links Free - 24"



Links free, non connecting corner unit, two narrow finished side panels. Curved shape accommodates full keyboard. Wire grommet included.

**Curved Corner Unit - (ACU) Links Left - 24"**


Corner unit with one narrow connecting side panel on left and one narrow finished side panel on right side. Links left to connecting 24" work surface. Curved shape accommodates full keyboard. Wire grommet included.

**Curved Corner Unit - (ACU) Links Right - 24"**

Corner unit with one narrow connecting side panel on right and one narrow finished side panel on left side. Links right to connecting 24" work surface. Curved shape accommodates full keyboard. Wire grommet included.

**Curved Corner Unit - (ACU) Links Center - 24"**

Corner unit with one narrow connecting side panel on each side. Links left and right to connecting 24" work surfaces. Curved shape accommodates full keyboard. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------

ACU-4224-CLF	596	42/1067	42/1067	29/737	5/0.14	92/42
--------------	-----	---------	---------	--------	--------	-------

ACU-4224-CLL	596	42/1067	42/1067	29/737	5/0.14	92/42
--------------	-----	---------	---------	--------	--------	-------

ACU-4224-CLR	596	42/1067	42/1067	29/737	5/0.14	92/42
--------------	-----	---------	---------	--------	--------	-------

ACU-4224-CLC	596	42/1067	42/1067	29/737	5/0.14	92/42
--------------	-----	---------	---------	--------	--------	-------

For additional specification instructions see page 6. Desk components can be found on page 127.



Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Corner Unit - (ACU) Links Free - 30"



Links free, non connecting corner unit, two narrow finished side panels. Mitred shape accommodates full keyboard. Wire grommet included.





CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

ACU-4230-KLF	627	42/1067	42/1067	29/737	5/0.14	118/54
ACU-4830-KLF	649	48/1219	48/1219	29/737	5/0.14	128/58

Corner Unit - (ACU) Links Left - 30"



Corner unit with one narrow connecting side panel on left and one narrow finished side panel on right side. Links left to connecting 30" work surface. Mitred shape accommodates full keyboard. Wire grommet included.





ACU-4230-KLL	627	42/1067	42/1067	29/737	5/0.14	118/54
ACU-4830-KLL	649	48/1219	48/1219	29/737	5/0.14	128/58

Corner Unit - (ACU) Links Right - 30"



Corner unit with one narrow connecting side panel on right and one narrow finished side panel on left side. Links right to connecting 30" work surface. Mitred shape accommodates full keyboard. Wire grommet included.





ACU-4230-KLR	627	42/1067	42/1067	29/737	5/0.14	118/54
ACU-4830-KLR	649	48/1219	48/1219	29/737	5/0.14	128/58

Corner Unit - (ACU) Links Center - 30"



Corner unit with one narrow connecting side panel on each side. Links left and right to connecting 30" work surfaces. Mitred shape accommodates full keyboard. Wire grommet included.



ACU-4230-KLC	627	42/1067	42/1067	29/737	5/0.14	118/54
ACU-4830-KLC	649	48/1219	48/1219	29/737	5/0.14	128/58




For additional specification instructions see page 6. Desk components can be found on page 127.

Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.



See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Curved Corner Unit - (ACU) Links Free - 30"



Links free, non connecting corner unit, two narrow finished side panels. Curved shape accommodates full keyboard. Wire grommet included.

**Curved Corner Unit - (ACU) Links Left - 30"**



Corner unit with one narrow connecting side panel on left and one narrow finished side panel on right side. Links left to connecting 30" work surface. Curved shape accommodates full keyboard. Wire grommet included.

**Curved Corner Unit - (ACU) Links Right - 30"**

Corner unit with one narrow connecting side panel on right and one narrow finished side panel on left side. Links right to connecting 30" work surface. Curved shape accommodates full keyboard. Wire grommet included.

**Curved Corner Unit - (ACU) Links Center - 30"**

Corner unit with one narrow connecting side panel on each side. Links left and right to connecting 30" work surfaces. Curved shape accommodates full keyboard. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

ACU-4230-CLF	627	42/1067	42/1067	29/737	5/0.14	118/54
ACU-4830-CLF	649	48/1219	48/1219	29/737	5/0.14	128/58

ACU-4230-CLL	627	42/1067	42/1067	29/737	5/0.14	118/54
ACU-4830-CLL	649	48/1219	48/1219	29/737	5/0.14	128/58

ACU-4230-CLR	627	42/1067	42/1067	29/737	5/0.14	118/54
ACU-4830-CLR	649	48/1219	48/1219	29/737	5/0.14	128/58

ACU-4230-CLC	627	42/1067	42/1067	29/737	5/0.14	118/54
ACU-4830-CLC	649	48/1219	48/1219	29/737	5/0.14	128/58

For additional specification instructions see page 6. Desk components can be found on page 127.
 Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.
 See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Corner Unit - (ACU) 130 Degree Angle



Corner unit with one narrow connecting side panel each side. Links left and right to connecting 24" work surfaces. Mitred shape accommodates full keyboard. Wire grommet included.



Curved Corner Unit - (ACU) 130 Degree Angle



Corner unit with one narrow connecting side panel each side. Links left and right to connecting 24" work surfaces. Curved shape accommodates full keyboard. Wire grommet included.



CODE	PRICE	WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
		(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)
ACU-6060-KLC	775	60/1524	27/686	29/737	9/0.25	120/54

ACU-6060-CLC	775	60/1524	27/686	29/737	9/0.25	120/54
--------------	-----	---------	--------	--------	--------	--------


For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.
See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Curved Corner Unit - (ACU) 120 Degree Angle

Corner unit with one full side panel each side. Curved shape accommodates full keyboard. Wire grommet included.


CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

ACU-4242-120-CLF	775	42/1067	42/1067	29/737	9/0.25	120/54
------------------	-----	---------	---------	--------	--------	--------




Corner unit with one full side panel and one narrow connecting side panel. Links left to connecting 24" work surface. Curved shape accommodates full keyboard. Wire grommet included.

ACU-4242-120-CLL	775	42/1067	42/1067	29/737	9/0.25	120/54
------------------	-----	---------	---------	--------	--------	--------




Corner unit with one full side panel and one narrow connecting side panel. Links right to connecting 24" work surface. Curved shape accommodates full keyboard. Wire grommet included.

ACU-4242-120-CLR	775	42/1067	42/1067	29/737	9/0.25	120/54
------------------	-----	---------	---------	--------	--------	--------



Corner unit with one narrow connecting side panel each side. Links left and right to connecting 24" work surfaces. Curved shape accommodates full keyboard. Wire grommet included.

ACU-4242-120-CLC	775	42/1067	42/1067	29/737	9/0.25	120/54
------------------	-----	---------	---------	--------	--------	--------




For additional specification instructions see page 6. Desk components can be found on page 127.
 Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.
 See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.


Extended Corner Unit Left - (ECU) 24"




Corner unit on left side, extension on right side, non connecting work surface with two side panels. Wire grommet included.




Corner unit on left side with narrow connecting side panel, extension on right side with full side panel. Links left to connecting 24" work surface. Wire grommet included.



Corner unit on left side, extension on right side with narrow connecting side panel. Links right to connecting 24" work surface. Wire grommet included.



Corner unit on left side and extension on right side, each with narrow connecting side panel. Links right and left to connecting 24" work surface. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

ECU-2460-KLLF	802	60/1524	36/914	29/737	6/0.17	130/59
ECU-2466-KLLF	827	66/1676	36/914	29/737	7/0.20	136/62
ECU-2472-KLLF	851	72/1829	36/914	29/737	8/0.23	142/64
ECU-2460-42-KLLF	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-KLLF	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-KLLF	944	72/1829	42/1067	29/737	9/0.25	180/82

ECU-2460-KLLL	802	60/1524	36/914	29/737	6/0.17	130/59
ECU-2466-KLLL	827	66/1676	36/914	29/737	7/0.20	136/62
ECU-2472-KLLL	851	72/1829	36/914	29/737	8/0.23	142/64
ECU-2460-42-KLLL	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-KLLL	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-KLLL	944	72/1829	42/1067	29/737	9/0.25	180/82

ECU-2460-KLLR	802	60/1524	36/914	29/737	6/0.17	125/57
ECU-2466-KLLR	827	66/1676	36/914	29/737	7/0.20	130/59
ECU-2472-KLLR	851	72/1829	36/914	29/737	8/0.23	135/61
ECU-2460-42-KLLR	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-KLLR	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-KLLR	944	72/1829	42/1067	29/737	9/0.25	180/82

ECU-2460-KLLC	802	60/1524	36/914	29/737	6/0.17	125/57
ECU-2466-KLLC	827	66/1676	36/914	29/737	7/0.20	130/59
ECU-2472-KLLC	851	72/1829	36/914	29/737	8/0.23	135/61
ECU-2460-42-KLLC	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-KLLC	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-KLLC	944	72/1829	42/1067	29/737	9/0.25	180/82

For additional specification instructions see page 6. Desk components can be found on page 127.


Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.


Extended Corner Unit Left - (ECU) 24" - Curved




Corner unit on left side, extension on right side, non connecting work surface with two side panels. Features curved cutout for keyboard. Wire grommet included.




Corner unit on left side with narrow connecting side panel, extension on right side with full side panel. Links left to connecting 24" work surface. Features curved cutout for keyboard. Wire grommet included.



Corner unit on left side, extension on right side with narrow connecting side panel. Links right to connecting 24" work surface. Features curved cutout for keyboard. Wire grommet included.



Corner unit on left side and extension on right side, each with narrow connecting side panel. Links right and left to connecting 24" work surface. Features curved cutout for keyboard. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

ECU-2460-CLLF	802	60/1524	36/914	29/737	6/0.17	130/59
ECU-2466-CLLF	827	66/1676	36/914	29/737	7/0.20	136/62
ECU-2472-CLLF	851	72/1829	36/914	29/737	8/0.23	142/64
ECU-2460-42-CLLF	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CLLF	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CLLF	944	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CLLF	1052	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CLLF	1071	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CLLF	1086	72/1829	48/1219	29/737	10/0.28	200/91

ECU-2460-CLLL	802	60/1524	36/914	29/737	6/0.17	130/59
ECU-2466-CLLL	827	66/1676	36/914	29/737	7/0.20	136/62
ECU-2472-CLLL	851	72/1829	36/914	29/737	8/0.23	142/64
ECU-2460-42-CLLL	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CLLL	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CLLL	944	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CLLL	1052	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CLLL	1071	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CLLL	1086	72/1829	48/1219	29/737	10/0.28	200/91

ECU-2460-CLLR	802	60/1524	36/914	29/737	6/0.17	125/57
ECU-2466-CLLR	827	66/1676	36/914	29/737	7/0.20	130/59
ECU-2472-CLLR	851	72/1829	36/914	29/737	8/0.23	135/61
ECU-2460-42-CLLR	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CLLR	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CLLR	944	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CLLR	1052	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CLLR	1071	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CLLR	1086	72/1829	48/1219	29/737	10/0.28	200/91


ECU-2460-CLLC	802	60/1524	36/914	29/737	6/0.17	125/57
ECU-2466-CLLC	827	66/1676	36/914	29/737	7/0.20	130/59
ECU-2472-CLLC	851	72/1829	36/914	29/737	8/0.23	135/61
ECU-2460-42-CLLC	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CLLC	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CLLC	944	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CLLC	1052	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CLLC	1071	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CLLC	1086	72/1829	48/1219	29/737	10/0.28	200/91

For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.
See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.


Extended Corner Unit Right- (ECU) 24"




Corner unit on right side, extension on left side, non connecting work surface with two side panels. Wire grommet included.




Corner unit on right side, extension on left side with narrow connecting side panel. Links left to connecting 24\" work surface. Wire grommet included.



Corner unit on right side, with narrow connecting panel, extension on left side with full side panel. Links right to connecting 24\" work surface. Wire grommet included.



Corner unit on right side and extension on left side, each with narrow connecting side panel. Links right and left to connecting 24\" work surface. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
ECU-2460-KRLF	802	60/1524	36/914	29/737	6/0.17	130/59
ECU-2466-KRLF	827	66/1676	36/914	29/737	7/0.20	136/62
ECU-2472-KRLF	851	72/1829	36/914	29/737	8/0.23	142/64
ECU-2460-42-KRLF	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-KRLF	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-KRLF	944	72/1829	42/1067	29/737	9/0.25	180/82

ECU-2460-KRLL	802	60/1524	36/914	29/737	6/0.17	125/57
ECU-2466-KRLL	827	66/1676	36/914	29/737	7/0.20	130/59
ECU-2472-KRLL	851	72/1829	36/914	29/737	8/0.23	135/61
ECU-2460-42-KRLL	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-KRLL	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-KRLL	944	72/1829	42/1067	29/737	9/0.25	180/82

ECU-2460-KRLR	802	60/1524	36/914	29/737	6/0.17	130/59
ECU-2466-KRLR	827	66/1676	36/914	29/737	7/0.20	136/62
ECU-2472-KRLR	851	72/1829	36/914	29/737	8/0.23	142/64
ECU-2460-42-KRLR	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-KRLR	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-KRLR	944	72/1829	42/1067	29/737	9/0.25	180/82

ECU-2460-KRLC	802	60/1524	36/914	29/737	6/0.17	125/57
ECU-2466-KRLC	827	66/1676	36/914	29/737	7/0.20	130/59
ECU-2472-KRLC	851	72/1829	36/914	29/737	8/0.23	135/61
ECU-2460-42-KRLC	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-KRLC	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-KRLC	944	72/1829	42/1067	29/737	9/0.25	180/82

For additional specification instructions see page 6. Desk components can be found on page 127.


Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.


Extended Corner Unit Right- (ECU) 24" - Curved




Corner unit on right side, extension on left side, non connecting work surface with two side panels. Wire grommet included. Features curved cutout for keyboard. Wire grommet included.




Corner unit on right side, extension on left side with narrow connecting side panel. Links left to connecting 24" work surface. Features curved cutout for keyboard. Wire grommet included.



Corner unit on right side, with narrow connecting panel, extension on left side with full side panel. Links right to connecting 24" work surface. Features curved cutout for keyboard. Wire grommet included.



Corner unit on right side and extension on left side, each with narrow connecting side panel. Links right to connecting 24" work surface. Features curved cutout for keyboard. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------

ECU-2460-CRLF	802	60/1524	36/914	29/737	6/0.17	130/59
ECU-2466-CRLF	827	66/1676	36/914	29/737	7/0.20	136/62
ECU-2472-CRLF	851	72/1829	36/914	29/737	8/0.23	142/64
ECU-2460-42-CRLF	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CRLF	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CRLF	944	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CRLF	1052	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CRLF	1071	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CRLF	1086	72/1829	48/1219	29/737	10/0.28	200/91

ECU-2460-CRLL	802	60/1524	36/914	29/737	6/0.17	125/57
ECU-2466-CRLL	827	66/1676	36/914	29/737	7/0.20	130/59
ECU-2472-CRLL	851	72/1829	36/914	29/737	8/0.23	135/61
ECU-2460-42-CRLL	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CRLL	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CRLL	944	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CRLL	1052	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CRLL	1071	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CRLL	1086	72/1829	48/1219	29/737	10/0.28	200/91

ECU-2460-CRLR	802	60/1524	36/914	29/737	6/0.17	130/59
ECU-2466-CRLR	827	66/1676	36/914	29/737	7/0.20	136/62
ECU-2472-CRLR	851	72/1829	36/914	29/737	8/0.23	142/64
ECU-2460-42-CRLR	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CRLR	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CRLR	944	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CRLR	1052	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CRLR	1071	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CRLR	1086	72/1829	48/1219	29/737	10/0.28	200/91


ECU-2460-CRLC	802	60/1524	36/914	29/737	6/0.17	125/57
ECU-2466-CRLC	827	66/1676	36/914	29/737	7/0.20	130/59
ECU-2472-CRLC	851	72/1829	36/914	29/737	8/0.23	135/61
ECU-2460-42-CRLC	915	60/1524	42/1067	29/737	7/0.20	160/73
ECU-2466-42-CRLC	931	66/1676	42/1067	29/737	8/0.23	170/77
ECU-2472-42-CRLC	944	72/1829	42/1067	29/737	9/0.25	180/82
ECU-2460-48-CRLC	1052	60/1524	48/1219	29/737	8/0.23	180/82
ECU-2466-48-CRLC	1071	66/1676	48/1219	29/737	9/0.25	190/86
ECU-2472-48-CRLC	1086	72/1829	48/1219	29/737	10/0.28	200/91

For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.
See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.


Extended Corner Unit 30" - Links Left



Corner unit on left side, extension on right side. Links to connecting 24" work surface. Recessed back panel. Wire grommet included.




Corner unit on left side, extension on right side. Straight keyboard edge. Links to connecting 24" work surface. Recessed back panel. Wire grommet included.




Extended Corner Unit 30" - Links Right



Corner unit on right side, extension on left side. Links to connecting 24" work surface. Recessed back panel. Wire grommet included.



Corner unit on right side, extension on left side. Straight keyboard edge. Links to connecting 24" work surface. Recessed back panel. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

ECU-3066-CLLL	1016	66/1676	42/1067	29/737	7/0.20	163/74
ECU-3072-CLLL	1055	72/1829	42/1067	29/737	8/0.23	169/77

ECU-3066-KLLL	1016	66/1676	42/1067	29/737	7/0.20	163/74
ECU-3072-KLLL	1055	72/1829	42/1067	29/737	8/0.23	169/77

ECU-3066-CRLR	1016	66/1676	42/1067	29/737	7/0.20	163/74
ECU-3072-CRLR	1055	72/1829	42/1067	29/737	8/0.23	169/77



ECU-3066-KRLR	1016	66/1676	42/1067	29/737	7/0.20	163/74
ECU-3072-KRLR	1055	72/1829	42/1067	29/737	8/0.23	169/77

For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.
See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.


Bowfront Extended Corner Unit 30" - Links Left



Corner unit on left side, extension on right side. Links to connecting 24" work surface. Bow front top. Recessed back panel. Wire grommet included.





Corner unit on left side, extension on right side. Straight keyboard edge. Links to connecting 24" work surface. Bow front top. Recessed back panel. Wire grommet included.




Bowfront Extended Corner Unit 30" - Links Right



Corner unit on rightside, extension on left side. Links to connecting 24" work surface. Bow front top. Recessed back panel. Wire grommet included.



Corner unit on rightside, extension on left side. Straight keyboard edge. Links to connecting 24" work surface. Bow front top. Recessed back panel. Wire grommet included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

ECU-3066-36-BFLL	1016	66/1676	42/1067	29/737	7/0.20	153/69
ECU-3072-36-BFLL	1055	72/1829	42/1067	29/737	8/0.23	159/72
ECU-3066-42-BFLL	1221	66/1676	48/1219	29/737	8/0.23	169/77
ECU-3072-42-BFLL	1267	72/1829	48/1219	29/737	9/0.25	175/79

ECU-3066-42-BF-KLL	1221	66/1676	48/1219	29/737	8/0.23	169/77
ECU-3072-42-BF-KLL	1267	72/1829	48/1219	29/737	9/0.25	175/79

ECU-3066-36-BFLR	1016	66/1676	42/1067	29/737	7/0.20	153/69
ECU-3072-36-BFLR	1055	72/1829	42/1067	29/737	8/0.23	159/72
ECU-3066-42-BFLR	1221	66/1676	48/1219	29/737	8/0.23	169/77
ECU-3072-42-BFLR	1267	72/1829	48/1219	29/737	9/0.25	175/79

ECU-3066-42-BF-KLR	1221	66/1676	48/1219	29/737	8/0.23	169/77
ECU-3072-42-BF-KLR	1267	72/1829	48/1219	29/737	9/0.25	175/79



For additional specification instructions see page 6. Desk components can be found on page 127.
Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.
See page 116 for keyboards and accessories.

Spacesaver Extended Corner Unit Left- (ECU)





Corner unit on left side, extension on right side, non connecting work surface with two side panels. Features Spacesaver cutout for keyboard. Wire grommet included.

* Will not accommodate pedestal





Corner unit on left side with narrow connecting side panel, ext, on right with full side panel. Links left to connecting 18" or 24" work surface. Features Spacesaver cutout for keyboard. Wire grommet included.

* Will not accommodate pedestal





Corner unit on left side with extension on right side with narrow connecting side panel. Links right to connecting 18" or 24" work surface. Features Spacesaver cutout for keyboard. Wire grommet included.

* Will not accommodate pedestal



Corner unit on left side with ext. on right, each with narrow connecting side panel. Links right to 24" work surface and left to 18" or 24" work surface. Spacesaver cutout for keyboard. Wire grommet included.

* Will not accommodate pedestal



			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	

18"	ECU-1860-SLLF*	802	60/1524	36/914	29/737	6/0.17	130/59
	ECU-1866-SLLF	827	66/1676	36/914	29/737	7/0.20	136/62
	ECU-1872-SLLF	851	72/1829	36/914	29/737	8/0.23	142/64
24"	ECU-2460-SLLF*	802	60/1524	36/914	29/737	6/0.17	130/59
	ECU-2466-SLLF	827	66/1676	36/914	29/737	7/0.20	136/62
	ECU-2472-SLLF	851	72/1829	36/914	29/737	8/0.23	142/64

18"	ECU-1860-SLLL*	802	60/1524	36/914	29/737	6/0.17	130/59
	ECU-1866-SLLL	827	66/1676	36/914	29/737	7/0.20	136/62
	ECU-1872-SLLL	851	72/1829	36/914	29/737	8/0.23	142/64
24"	ECU-2460-SLLL*	802	60/1524	36/914	29/737	6/0.17	130/59
	ECU-2466-SLLL	827	66/1676	36/914	29/737	7/0.20	136/62
	ECU-2472-SLLL	851	72/1829	36/914	29/737	8/0.23	142/64

18"	ECU-1860-SLLR*	802	60/1524	36/914	29/737	6/0.17	125/57
	ECU-1866-SLLR	827	66/1676	36/914	29/737	7/0.20	130/59
	ECU-1872-SLLR	851	72/1829	36/914	29/737	8/0.23	135/61
24"	ECU-2460-SLLR*	802	60/1524	36/914	29/737	6/0.17	125/57
	ECU-2466-SLLR	827	66/1676	36/914	29/737	7/0.20	130/59
	ECU-2472-SLLR	851	72/1829	36/914	29/737	8/0.23	135/61

18"	ECU-1860-SLLC*	802	60/1524	36/914	29/737	6/0.17	125/57
	ECU-1866-SLLC	827	66/1676	36/914	29/737	7/0.20	130/59
	ECU-1872-SLLC	851	72/1829	36/914	29/737	8/0.23	135/61
24"	ECU-2460-SLLC*	802	60/1524	36/914	29/737	6/0.17	125/57
	ECU-2466-SLLC	827	66/1676	36/914	29/737	7/0.20	130/59
	ECU-2472-SLLC	851	72/1829	36/914	29/737	8/0.23	135/61

For additional specification instructions see page 6. Desk components can be found on page 127.

Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.



See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.

Spacesaver Extended Corner Unit Right- (ECU)





Corner unit on right side, extension on left side, non connecting work surface with two side panels. Features Spacesaver cutout for keyboard. Wire grommet included.

* Will not accommodate pedestal





Corner unit on right side with narrow connecting side panel, ext. on left side with full side panel. Links left to 18" or 24" work surface. Features Spacesaver cutout for keyboard. Wire grommet included.

* Will not accommodate pedestal





Corner unit on right side with extension on left side with narrow connecting side panel. Links right to connecting 18" or 24" work surface. Features Spacesaver cutout for keyboard. Wire grommet included.

* Will not accommodate pedestal



Corner unit on right side with ext. on left side, each with narrow connecting side panel. Links left to 24" work surface and right to 18" or 24" work surface. Spacesaver cutout for keyboard. Wire grommet included.

* Will not accommodate pedestal



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------

18"	ECU-1860-SRLF*	802	60/1524	36/914	29/737	6/0.17	130/59
	ECU-1866-SRLF	827	66/1676	36/914	29/737	7/0.20	136/62
	ECU-1872-SRLF	851	72/1829	36/914	29/737	8/0.23	142/64
24"	ECU-2460-SRLF*	802	60/1524	36/914	29/737	6/0.17	130/59
	ECU-2466-SRLF	827	66/1676	36/914	29/737	7/0.20	136/62
	ECU-2472-SRLF	851	72/1829	36/914	29/737	8/0.23	142/64

18"	ECU-1860-SRLL*	802	60/1524	36/914	29/737	6/0.17	130/59
	ECU-1866-SRLL	827	66/1676	36/914	29/737	7/0.20	136/62
	ECU-1872-SRLL	851	72/1829	36/914	29/737	8/0.23	142/64
24"	ECU-2460-SRLL*	802	60/1524	36/914	29/737	6/0.17	130/59
	ECU-2466-SRLL	827	66/1676	36/914	29/737	7/0.20	136/62
	ECU-2472-SRLL	851	72/1829	36/914	29/737	8/0.23	142/64

18"	ECU-1860-SRLR*	802	60/1524	36/914	29/737	6/0.17	125/57
	ECU-1866-SRLR	827	66/1676	36/914	29/737	7/0.20	130/59
	ECU-1872-SRLR	851	72/1829	36/914	29/737	8/0.23	135/61
24"	ECU-2460-SRLR*	802	60/1524	36/914	29/737	6/0.17	125/57
	ECU-2466-SRLR	827	66/1676	36/914	29/737	7/0.20	130/59
	ECU-2472-SRLR	851	72/1829	36/914	29/737	8/0.23	135/61

18"	ECU-1860-SRLC*	802	60/1524	36/914	29/737	6/0.17	125/57
	ECU-1866-SRLC	827	66/1676	36/914	29/737	7/0.20	130/59
	ECU-1872-SRLC	851	72/1829	36/914	29/737	8/0.23	135/61
24"	ECU-2460-SRLC*	802	60/1524	36/914	29/737	6/0.17	125/57
	ECU-2466-SRLC	827	66/1676	36/914	29/737	7/0.20	130/59
	ECU-2472-SRLC	851	72/1829	36/914	29/737	8/0.23	135/61


For additional specification instructions see page 6. Desk components can be found on page 127.

Refer to pages 120-121 for electrical options and pages 132-133 for power/data, grommet placement options.

See page 116 for keyboards and accessories. Divider panel sets and components available starting on page 96.



Open Hutch - 36"H




36"H Open Hutch with full width wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
HUT-1424-36	353	24/610	14/356	36/914	3/0.08	66/30
HUT-1430-36	387	30/762	14/356	36/914	3/0.08	71/32
HUT-1436-36	423	36/914	14/356	36/914	3/0.08	78/35
HUT-1442-36	457	42/1067	14/356	36/914	4/0.11	84/38
HUT-1448-36	489	48/1219	14/356	36/914	4/0.11	91/41
HUT-1454-36	523	54/1372	14/356	36/914	4/0.11	97/44
HUT-1460-36	559	60/1524	14/356	36/914	5/0.14	104/47
HUT-1466-36	592	66/1676	14/356	36/914	5/0.14	110/50
HUT-1472-36	627	72/1829	14/356	36/914	6/0.17	116/53
HUT-1478-36	752	78/1981	14/356	36/914	6/0.17	122/55

For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-36-OG

Open Hutch with Organizer- 36"H



36"H Open Hutch with organizer, full width wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.


HUT-1424-36-HS	495	24/610	14/356	36/914	3/0.08	73/33
HUT-1430-36-HS	530	30/762	14/356	36/914	3/0.08	78/35
HUT-1436-36-HS	563	36/914	14/356	36/914	3/0.08	86/39
HUT-1442-36-HS	610	42/1067	14/356	36/914	4/0.11	97/44
HUT-1448-36-HS	645	48/1219	14/356	36/914	4/0.11	109/49
HUT-1454-36-HS	690	54/1372	14/356	36/914	4/0.11	116/53
HUT-1460-36-HS	727	60/1524	14/356	36/914	5/0.14	125/57
HUT-1466-36-HS	774	66/1676	14/356	36/914	5/0.14	138/63
HUT-1472-36-HS	807	72/1829	14/356	36/914	6/0.17	145/66
HUT-1478-36-HS	968	78/1981	14/356	36/914	6/0.17	153/69

For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-36-HS-OG



DIV-14-HS	37	Extra divider with pins				
-----------	----	-------------------------	--	--	--	--


Corner Hutch - 36"H



36"H Open Corner Hutch with full width wire management. Optional hutch doors available.

HUT-3636-36	732	36/914	36/914	36/914	4/0.11	145/66
HUT-4242-36	775	42/1067	42/1067	36/914	4/0.11	170/77
HUT-4848-36	816	48/1219	48/1219	36/914	4/0.11	180/82

Open Hutch - 42"H Added Storage




42"H Open Hutch with full width wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
HUT-1424-42	459	24/610	14/356	42/1067	4/0.11	86/39
HUT-1430-42	503	30/762	14/356	42/1067	4/0.11	92/42
HUT-1436-42	550	36/914	14/356	42/1067	4/0.11	101/46
HUT-1442-42	592	42/1067	14/356	42/1067	5/0.14	109/49
HUT-1448-42	636	48/1219	14/356	42/1067	5/0.14	118/54
HUT-1454-42	681	54/1372	14/356	42/1067	5/0.14	126/57
HUT-1460-42	727	60/1524	14/356	42/1067	6/0.17	135/61
HUT-1466-42	772	66/1676	14/356	42/1067	6/0.17	143/65
HUT-1472-42	815	72/1829	14/356	42/1067	7/0.20	151/68
HUT-1478-42	978	78/1981	14/356	42/1067	7/0.20	159/72

For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-42-OG


Open Hutch with Organizer- 42"H Added Storage



42"H Open Hutch with organizer, full width wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.


HUT-1424-42-HS	601	24/610	14/356	42/1067	4/0.11	95/43
HUT-1430-42-HS	646	30/762	14/356	42/1067	4/0.11	101/46
HUT-1436-42-HS	690	36/914	14/356	42/1067	4/0.11	116/53
HUT-1442-42-HS	748	42/1067	14/356	42/1067	5/0.14	125/57
HUT-1448-42-HS	792	48/1219	14/356	42/1067	5/0.14	136/62
HUT-1454-42-HS	847	54/1372	14/356	42/1067	5/0.14	151/68
HUT-1460-42-HS	895	60/1524	14/356	42/1067	6/0.17	162/73
HUT-1466-42-HS	950	66/1676	14/356	42/1067	6/0.17	172/78
HUT-1472-42-HS	994	72/1829	14/356	42/1067	7/0.20	189/86
HUT-1478-42-HS	1193	78/1981	14/356	42/1067	7/0.20	207/94

For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-42-HS-OG



DIV-14-HS	37	Extra divider with pins				
-----------	----	-------------------------	--	--	--	--

Corner Hutch - 42"H Added Storage




42"H Open Corner Hutch with full width wire management. Optional hutch doors available.

HUT-3636-42	952	36/914	36/914	42/1067	5/0.14	189/86
HUT-4242-42	1006	42/1067	42/1067	42/1067	5/0.14	221/100
HUT-4848-42	1061	48/1219	48/1219	42/1067	5/0.14	234/106

See pages 124 & 125 for optional hutch door kits and page 126 for tackboard options.
For additional specification instructions see page 6.

Open Hutch - 42"H Standard Divider




42"H Open Hutch with full width wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
HUT-1424-42-SD	459	24/610	14/356	42/1067	4/0.11	86/39
HUT-1430-42-SD	503	30/762	14/356	42/1067	4/0.11	92/42
HUT-1436-42-SD	550	36/914	14/356	42/1067	4/0.11	101/46
HUT-1442-42-SD	592	42/1067	14/356	42/1067	5/0.14	109/49
HUT-1448-42-SD	636	48/1219	14/356	42/1067	5/0.14	118/54
HUT-1454-42-SD	681	54/1372	14/356	42/1067	5/0.14	126/57
HUT-1460-42-SD	727	60/1524	14/356	42/1067	6/0.17	135/61
HUT-1466-42-SD	772	66/1676	14/356	42/1067	6/0.17	143/65
HUT-1472-42-SD	815	72/1829	14/356	42/1067	7/0.20	151/68
HUT-1478-42-SD	978	78/1981	14/356	42/1067	7/0.20	159/72

For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-42-SD-OG


Open Hutch w/ Organizer- 42"H Standard Divider



42"H Open Hutch with organizer, full width wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.


HUT-1424-42-HS-SD	601	24/610	14/356	42/1067	4/0.11	95/43
HUT-1430-42-HS-SD	646	30/762	14/356	42/1067	4/0.11	101/46
HUT-1436-42-HS-SD	690	36/914	14/356	42/1067	4/0.11	116/53
HUT-1442-42-HS-SD	748	42/1067	14/356	42/1067	5/0.14	125/57
HUT-1448-42-HS-SD	792	48/1219	14/356	42/1067	5/0.14	136/62
HUT-1454-42-HS-SD	847	54/1372	14/356	42/1067	5/0.14	151/68
HUT-1460-42-HS-SD	895	60/1524	14/356	42/1067	6/0.17	162/73
HUT-1466-42-HS-SD	950	66/1676	14/356	42/1067	6/0.17	172/78
HUT-1472-42-HS-SD	994	72/1829	14/356	42/1067	7/0.20	189/86
HUT-1478-42-HS-SD	1193	78/1981	14/356	42/1067	7/0.20	207/94

For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-42-HS-SD-OG



DIV-14-HS	37	Extra divider with pins				
-----------	----	-------------------------	--	--	--	--

Corner Hutch - 42"H w/ Standard Divider




42"H Open Corner Hutch with full width wire management. Optional hutch doors available.

HUT-3636-42-SD	952	36/914	36/914	42/1067	5/0.14	189/86
HUT-4242-42-SD	1006	42/1067	42/1067	42/1067	5/0.14	221/100
HUT-4848-42-SD	1061	48/1219	48/1219	42/1067	5/0.14	234/106

See pages 122 & 123 for optional hutch door kits and page 126 for tackboard options.
 For additional specification instructions see page 6.

Open Hutch - 50"H Double Storage




50"H Open hutch with full wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
HUT-1424-50	530	24/610	14/356	50/1270	5/0.14	99/45
HUT-1430-50	582	30/762	14/356	50/1270	5/0.14	107/49
HUT-1436-50	634	36/914	14/356	50/1270	5/0.14	117/53
HUT-1442-50	685	42/1067	14/356	50/1270	6/0.17	126/57
HUT-1448-50	735	48/1219	14/356	50/1270	6/0.17	137/62
HUT-1454-50	784	54/1372	14/356	50/1270	6/0.17	146/66
HUT-1460-50	839	60/1524	14/356	50/1270	7/0.20	156/71
HUT-1466-50	889	66/1676	14/356	50/1270	7/0.20	165/75
HUT-1472-50	940	72/1829	14/356	50/1270	8/0.23	174/79
HUT-1478-50	1128	78/1981	14/356	50/1270	8/0.23	183/83

For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-50-OG


Open Hutch with Storage - 50"H Double Storage



50"H Open hutch with organizer, full wire management. Optional hutch doors available. Center support dividers are provided with models 42" and wider.

HUT-1424-50-HS	672	24/610	14/356	50/1270	5/0.14	108/49
HUT-1430-50-HS	725	30/762	14/356	50/1270	5/0.14	116/53
HUT-1436-50-HS	775	36/914	14/356	50/1270	5/0.14	132/60
HUT-1442-50-HS	839	42/1067	14/356	50/1270	6/0.17	142/64
HUT-1448-50-HS	890	48/1219	14/356	50/1270	6/0.17	155/70
HUT-1454-50-HS	951	54/1372	14/356	50/1270	6/0.17	171/78
HUT-1460-50-HS	1007	60/1524	14/356	50/1270	7/0.20	183/83
HUT-1466-50-HS	1069	66/1676	14/356	50/1270	7/0.20	194/88
HUT-1472-50-HS	1119	72/1829	14/356	50/1270	8/0.23	212/96
HUT-1478-50-HS	1343	78/1981	14/356	50/1270	8/0.23	231/105


For optional grommet installed on back panel below shelf, add suffix "OG" to end of code i.e. HUT-1472-50-HS-OG



DIV-14-HS	37	Extra divider with pins				
-----------	----	-------------------------	--	--	--	--


See pages 124 & 125 for optional hutch door kits and page 126 for tackboard options.
For additional specification instructions see page 6.

Optional Addition to freestanding hutch




Center Hutch with two recessed connecting gables left and right side. Add "LC" to end of code.
Ex. HUT-1472-36-LC.

Fits all freestanding hutches.



Left recessed Hutch with one connecting gable on left side and one whole gable on right side. Add "LL" to end of code.
Ex. HUT-1472-36-LL.

Fits all freestanding hutches.



Right recessed Hutch with one connecting gable on right side and one whole gable on left side. Add "LR" to end of code.
Ex. HUT-1472-36-LR.

Fits all freestanding hutches.

Hutch Paper Manager



Hutch Paper Manager (PM) with three adjustable shelves. Fits into 15" open space.



Hutch Paper Manager (PM) with four adjustable shelves. Fits into 21" open space.



Hutch Paper Manager (PM) with five adjustable shelves. Fits into 27" open space.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------

LC	137	Center Hutch - add				
----	-----	--------------------	--	--	--	--

Whole gables are required at the ends of each row of connected hutches

LL	68	Left Recessed Hutch - add				
----	----	---------------------------	--	--	--	--

Whole gables are required at the ends of each row of connected hutches

LR	68	Right Recessed Hutch - add				
----	----	----------------------------	--	--	--	--

Whole gables are required at the ends of each row of connected hutches

HUT-1316-15-PM	365	16/406	13/330	15/381	2.0/0.06	20/9
----------------	-----	--------	--------	--------	----------	------

HUT-1316-21-PM	402	16/406	13/330	21/533	2.5/0.07	23/10
----------------	-----	--------	--------	--------	----------	-------

HUT-1316-27-PM	462	16/406	13/330	27/686	3.0/0.08	30/14
----------------	-----	--------	--------	--------	----------	-------

For additional specification instructions see page 6.



Wall Mounted Open Hutch - 14"H




Wall mounted hutch. Convenient overhead storage. Optional door kits available.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
WMHT-1424-14	373	24/610	14/356	14/356	3/0.08	26/12
WMHT-1430-14	410	30/762	14/356	14/356	3/0.08	31/14
WMHT-1436-14	442	36/914	14/356	14/356	3/0.08	38/17
WMHT-1442-14	477	42/1067	14/356	14/356	4/0.11	44/20
WMHT-1448-14	509	48/1219	14/356	14/356	4/0.11	51/23
WMHT-1454-14	544	54/1372	14/356	14/356	4/0.11	57/26
WMHT-1460-14	580	60/1524	14/356	14/356	5/0.14	64/29
WMHT-1466-14	612	66/1676	14/356	14/356	5/0.14	70/32
WMHT-1472-14	646	72/1829	14/356	14/356	6/0.17	76/34


Wall Mounted Open Hutch w/ Organizer - 20"H



Wall mounted hutch with organizer shelf. Convenient overhead storage. Optional door kits available.



WMHT-1424-20-HS	516	24/610	14/356	20/508	3/0.08	36/16
WMHT-1430-20-HS	552	30/762	14/356	20/508	3/0.08	41/19
WMHT-1436-20-HS	585	36/914	14/356	20/508	3/0.08	48/22
WMHT-1442-20-HS	631	42/1067	14/356	20/508	4/0.11	54/24
WMHT-1448-20-HS	664	48/1219	14/356	20/508	4/0.11	61/28
WMHT-1454-20-HS	712	54/1372	14/356	20/508	4/0.11	67/30
WMHT-1460-20-HS	748	60/1524	14/356	20/508	5/0.14	74/34
WMHT-1466-20-HS	793	66/1676	14/356	20/508	5/0.14	80/36
WMHT-1472-20-HS	826	72/1829	14/356	20/508	6/0.17	86/39



DIV-14-HS	37	Extra divider with pins				
-----------	----	-------------------------	--	--	--	--

WALL MOUNTED STORAGE CABINET INSTALLATION HARDWARE


All wall mounted storage cabinets are shipped with Z-Bar attachment assembly. The Z-Bar assembly is a simple two bracket attachment used for all wall mounted storage cabinets. The Z-Bar is mounted to the full length of wall and includes pre-punched holes.



See pages 122 & 123 for optional hutch door kits.
For additional specification instructions see page 6.




Open Hutch - 38"H



Post mounted hutch. Includes four 24" high posts and mounting hardware. Optional hutch door kits available. Refer to Links panel inserts for optional back panel(s).

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
PMHT-1424-38	495	24/610	14/356	38/965	3/0.08	46/21
PMHT-1430-38	531	30/762	14/356	38/965	3/0.08	51/23
PMHT-1436-38	563	36/914	14/356	38/965	3/0.08	58/26
PMHT-1442-38	599	42/1067	14/356	38/965	4/0.11	64/29
PMHT-1448-38	631	48/1219	14/356	38/965	4/0.11	71/32
PMHT-1454-38	666	54/1372	14/356	38/965	4/0.11	77/35
PMHT-1460-38	701	60/1524	14/356	38/965	5/0.14	84/38
PMHT-1466-38	734	66/1676	14/356	38/965	5/0.14	90/41
PMHT-1472-38	769	72/1829	14/356	38/965	6/0.17	96/44


Corner Hutch - 38"H



Post mounted hutch. Includes five 24" high posts and mounting hardware. Optional hutch door kits available. Refer to Links panel inserts for optional back panel(s).


PMHT-3636-CU-38	875	36/914	36/914	38/965	4/0.11	120/54
PMHT-4242-CU-38	917	42/1067	42/1067	38/965	4/0.11	130/59
PMHT-4848-CU-38	958	48/1219	48/1219	38/965	4/0.11	140/64

Open Hutch with Organizer - 38"H




Post mounted hutch. Includes four 18" high posts and mounting hardware. Optional hutch door kits available. Refer to Links panel inserts for optional back panel(s).

PMHT-1424-38-HS	636	24/610	14/356	38/965	4/0.11	53/24
PMHT-1430-38-HS	674	30/762	14/356	38/965	4/0.11	58/26
PMHT-1436-38-HS	706	36/914	14/356	38/965	4/0.11	66/30
PMHT-1442-38-HS	740	42/1067	14/356	38/965	5/0.14	77/35
PMHT-1448-38-HS	778	48/1219	14/356	38/965	5/0.14	89/40
PMHT-1454-38-HS	834	54/1372	14/356	38/965	5/0.14	96/44
PMHT-1460-38-HS	869	60/1524	14/356	38/965	6/0.17	105/48
PMHT-1466-38-HS	915	66/1676	14/356	38/965	6/0.17	118/54
PMHT-1472-38-HS	957	72/1829	14/356	38/965	7/0.20	125/57



DIV-14-HS	37	Extra divider with pins				
-----------	----	-------------------------	--	--	--	--

Corner Hutch with Organizer - 38"H



Post mounted hutch. Includes five 18" high posts and mounting hardware. Optional hutch door kits available. Refer to Links panel inserts for optional back panel(s).

PMHT-3636-CU-38-HS	1052	36/914	36/914	38/965	5/0.14	149/68
PMHT-4242-CU-38-HS	1098	42/1067	42/1067	38/965	5/0.14	163/74
PMHT-4848-CU-38-HS	1146	48/1219	48/1219	38/965	5/0.14	175/79

See pages 122 & 123 for optional hutch door kits.
Optional panel insets and components available starting on page 97.
For additional specification instructions see page 6.


Desk Organizer Shell - 13"H




		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

SOR-1224-13	207	24/610	12/305	13/330	2/0.06	30/14
SOR-1230-13	226	30/762	12/305	13/330	3/0.08	35/16
SOR-1236-13	245	36/914	12/305	13/330	4/0.11	40/18
SOR-1242-13	265	42/1067	12/305	13/330	5/0.14	45/20
SOR-1248-13	286	48/1219	12/305	13/330	6/0.17	50/23
SOR-1254-13	307	54/1372	12/305	13/330	7/0.20	55/25
SOR-1260-13	323	60/1524	12/305	13/330	8/0.23	60/27
SOR-1266-13	345	66/1676	12/305	13/330	9/0.25	65/29
SOR-1272-13	366	72/1829	12/305	13/330	10/0.28	70/32

Desk Organizer Shell with Dividers - 13"H




SOR-1224-13-HS	349	24/610	12/305	13/330	2/0.06	40/18
SOR-1230-13-HS	369	30/762	12/305	13/330	3/0.08	45/20
SOR-1236-13-HS	387	36/914	12/305	13/330	4/0.11	50/23
SOR-1242-13-HS	419	42/1067	12/305	13/330	5/0.14	55/25
SOR-1248-13-HS	440	48/1219	12/305	13/330	6/0.17	60/27
SOR-1254-13-HS	471	54/1372	12/305	13/330	7/0.20	65/29
SOR-1260-13-HS	492	60/1524	12/305	13/330	8/0.23	70/32
SOR-1266-13-HS	525	66/1676	12/305	13/330	9/0.25	75/34
SOR-1272-13-HS	545	72/1829	12/305	13/330	10/0.28	80/36



DIV-12-HS	37	Extra divider with pins
-----------	----	-------------------------

Corner Organizer Shell - 13"H



SOR-3636-13	568	36/914	36/914	13/330	4/0.11	58/26
SOR-4242-13	612	42/1067	42/1067	13/330	4/0.11	67/30
SOR-4848-13	657	48/1219	48/1219	13/330	4/0.11	76/34

For additional specification instructions see page 6.

Hutch Mail Sorter - 36H



Hutch Mail Sorter. Five adjustable shelves each section.

One divider, two sections, ten adjustable shelves for 24W and 30W. Two dividers, three sections, fifteen adjustable shelves for 36W.



			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	


14D	HUT-1424-36-MS	745	24/610	14/356	36/914	9/0.25	85/39
	HUT-1430-36-MS	795	30/762	14/356	36/914	11/0.31	90/41
	HUT-1436-36-MS	950	36/914	14/356	36/914	13/0.37	110/50
16D	HUT-1624-36-MS	895	24/610	16/406	36/914	10/0.28	90/41
	HUT-1630-36-MS	955	30/762	16/406	36/914	12/0.34	95/43
	HUT-1636-36-MS	1140	36/914	16/406	36/914	14/0.40	115/52

Hutch Mail Sorter - 42H



Hutch Mail Sorter. Six adjustable shelves each section.

One divider, two sections, twelve adjustable shelves for 24W and 30W. Two dividers, three sections, eighteen adjustable shelves for 36W.



14D	HUT-1424-42-MS	900	24/610	14/356	42/1067	10/0.28	95/43
	HUT-1430-42-MS	970	30/762	14/356	42/1067	12/0.34	100/45
	HUT-1436-42-MS	1160	36/914	14/356	42/1067	14/0.40	120/54
16D	HUT-1624-42-MS	1080	24/610	16/406	42/1067	11/0.31	100/45
	HUT-1630-42-MS	1165	30/762	16/406	42/1067	13/0.37	105/48
	HUT-1636-42-MS	1395	36/914	16/406	42/1067	15/0.42	125/57




Extra shelf with pins for mail sorter.

SHELF-14-MS24	35
SHELF-14-MS30	35
SHELF-14-MS36	35
SHELF-16-MS24	35
SHELF-16-MS30	35
SHELF-16-MS36	35

Please note: cabinet shelves are colour matched to top colour, unless otherwise specified.
 For additional specification instructions see page 6.




Mail Sorter Cabinets - 48H



8 shelves per section.

24W and 30W cabinets have one center divider and 16 adjustable shelves.


36W cabinets have two dividers and 24 adjustable shelves



		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

CAB-1424-48-MS	1035	24/610	14/356	48/1219	11/0.31	99/45
CAB-1430-48-MS	1116	30/762	14/356	48/1219	14/0.40	107/49
CAB-1436-48-MS	1334	36/914	14/356	48/1219	16/0.45	127/58
CAB-1624-48-MS	1242	24/610	16/406	48/1219	13/0.37	109/49
CAB-1630-48-MS	1340	30/762	16/406	48/1219	16/0.45	117/53
CAB-1636-48-MS	1604	36/914	16/406	48/1219	19/0.54	137/62


Mail Sorter Cabinets - 66H



12 shelves per section.


24W and 30W cabinets have one center divider with 24 adjustable shelves.

36W cabinets have two dividers and 36 adjustable shelves



CAB-1424-66-MS	1190	24/610	14/356	66/1676	15/0.42	150/68
CAB-1430-66-MS	1285	30/762	14/356	66/1676	18/0.51	160/73
CAB-1436-66-MS	1535	36/914	14/356	66/1676	22/0.62	180/82
CAB-1624-66-MS	1430	24/610	16/406	66/1676	17/0.48	160/73
CAB-1630-66-MS	1540	30/762	16/406	66/1676	21/0.59	170/77
CAB-1636-66-MS	1845	36/914	16/406	66/1676	25/0.71	200/91

Mail Sorter Cabinets - 72H




12 shelves per section.

24W and 30W cabinets have one center divider with 24 adjustable shelves.

36W cabinets have two dividers and 36 adjustable shelves



CAB-1424-72-MS	1245	24/610	14/356	72/1829	16/0.45	160/73
CAB-1430-72-MS	1340	30/762	14/356	72/1829	20/0.57	170/77
CAB-1436-72-MS	1600	36/914	14/356	72/1829	24/0.68	190/86
CAB-1624-72-MS	1490	24/610	16/406	72/1829	18/0.51	170/77
CAB-1630-72-MS	1610	30/762	16/406	72/1829	23/0.65	180/82
CAB-1636-72-MS	1925	36/914	16/406	72/1829	27/0.76	220/100



Extra shelf with pins for mail sorter.

SHELF-14-MS24	35
SHELF-14-MS30	35
SHELF-14-MS36	35
SHELF-16-MS24	35
SHELF-16-MS30	35
SHELF-16-MS36	35

Please note: cabinet shelves are colour matched to top colour, unless otherwise specified.
For additional specification instructions see page 6-7.

Two Drawer

Lateral file. Two drawer. Grommet included on 24in depth units.

P - Specify pull handle style

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	
20"	CAB-2024-LF-P	720	24/610	20/508	29/737	10/0.28	116/53
	CAB-2030-LF-P	744	30/762	20/508	29/737	12/0.34	126/57
	CAB-2036-LF-P	769	36/914	20/508	29/737	14/0.40	136/62
24"	CAB-2424-LF-P	747	24/610	24/610	29/737	11/0.31	126/57
	CAB-2430-LF-P	772	30/762	24/610	29/737	14/0.40	136/62
	CAB-2436-LF-P	795	36/914	24/610	29/737	17/0.48	146/66

Two Drawer - Mechanical Interlock

Lateral file. Two drawer with Mechanical interlock allows only one drawer to open at a time. Grommet included on 24in depth units.

P - Specify pull handle style

20"	CAB-2024-LF-2F-P	774	24/610	20/508	29/737	10/0.28	116/53
	CAB-2030-LF-2F-P	798	30/762	20/508	29/737	12/0.34	126/57
	CAB-2036-LF-2F-P	821	36/914	20/508	29/737	14/0.40	136/62
24"	CAB-2424-LF-2F-P	801	24/610	24/610	29/737	11/0.31	126/57
	CAB-2430-LF-2F-P	826	30/762	24/610	29/737	14/0.40	136/62
	CAB-2436-LF-2F-P	849	36/914	24/610	29/737	17/0.48	146/66

Three Drawer

Locking three drawer lateral file. Mechanical interlock allows only one drawer to open at a time. Grommet included on 24in depth units.

42H	CAB-202442-3L-P	1344	24/610	20/508	42/1067	15/0.42	178/81
	CAB-203042-3L-P	1359	30/762	20/508	42/1067	17/0.48	186/84
	CAB-203642-3L-P	1370	36/914	20/508	42/1067	20/0.57	195/88
	CAB-242442-3L-P	1370	24/610	24/610	42/1067	17/0.48	188/85
	CAB-243042-3L-P	1384	30/762	24/610	42/1067	20/0.57	196/89
	CAB-243642-3L-P	1394	36/914	24/610	42/1067	23/0.65	206/93

Four Drawer

Locking four drawer lateral file. Mechanical interlock allows only one drawer to open at a time. Grommet included on 24in depth units.

55H	CAB-202455-4L-P	1714	24/610	20/508	55/1397	19/0.54	226/103
	CAB-203055-4L-P	1727	30/762	20/508	55/1397	22/0.62	234/106
	CAB-203655-4L-P	1740	36/914	20/508	55/1397	26/0.74	244/111
	CAB-242455-4L-P	1733	24/610	24/610	55/1397	22/0.62	238/108
	CAB-243055-4L-P	1742	30/762	24/610	55/1397	26/0.74	246/112
	CAB-243655-4L-P	1755	36/914	24/610	55/1397	30/0.85	256/116

Four Drawer, Open

Locking four drawer lateral file with open compartment. Mechanical interlock allows only one drawer to open at a time. Grommet included on 24in depth units.

P - Specify pull handle style

66H	CAB-202466-4L-P	1717	24/610	20/508	66/1676	23/0.65	269/122
	CAB-203066-4L-P	1727	30/762	20/508	66/1676	25/0.71	279/127
	CAB-203666-4L-P	1740	36/914	20/508	66/1676	30/0.85	289/131
	CAB-242466-4L-P	1731	24/610	24/610	66/1676	27/0.76	281/127
	CAB-243066-4L-P	1742	30/762	24/610	66/1676	30/0.85	291/132
	CAB-243666-4L-P	1755	36/914	24/610	66/1676	36/1.02	301/137
72H	CAB-202472-4L-P	1889	24/610	20/508	72/1829	25/0.71	280/127
	CAB-203072-4L-P	1899	30/762	20/508	72/1829	28/0.79	290/132
	CAB-203672-4L-P	1913	36/914	20/508	72/1829	33/0.93	301/137
	CAB-242472-4L-P	1905	24/610	24/610	72/1829	29/0.82	293/133
	CAB-243072-4L-P	1915	30/762	24/610	72/1829	33/0.93	303/137
	CAB-243672-4L-P	1930	36/914	24/610	72/1829	39/1.10	315/143

Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified.
 For additional specification instructions and pull handle options see pages 6-7.

Mobile Pedestals




One box and one file drawer with ball bearing suspension on the file drawer and on box drawer. Locking drawers. Four casters.

P  - Specify pull handle style

		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

CAB-1622-LMBF	583	16/406	22/559	21/533	5/0.14	65/29
CAB-1622-LMBF-P 	625	With optional handles				



One box and one file drawer with ball bearing suspension. Locking drawers. Four casters. Cushioned seat. Refer to Links Fabric cards for available fabric selection.

P  - Specify pull handle style


CAB-1622-LMBF-SE	827	16/406	22/559	24/610	6/0.17	65/29
CAB-1622-LMBF-SE-P 	869	With optional handles				



Two box and one file drawer with ball bearing suspension on the file drawer and on box drawer. Locking drawers. Four casters.

P  - Specify pull handle style

CAB-1622-LMBBF	645	16/406	22/559	28/711	6/0.17	80/36
CAB-1622-LMBBF-P 	708	With optional handles				



Mobile pedestal on casters. Two file drawer with ball bearing suspension on both drawers. Locking drawers. Four casters.

P  - Specify pull handle style

CAB-1622-LMFF	645	16/406	22/559	28/711	6/0.17	80/36
CAB-1622-LMFF-P 	687	With optional handles				



Four box drawers with ball bearing suspension. Locking drawers. Four casters.

P  - Specify pull handle style

CAB-1622-LM4B	707	16/406	22/559	28/711	6/0.17	80/36
CAB-1622-LM4B-P 	791	With optional handles				

Stationary and Fixed Pedestals




Stationary pedestal. Two box and one file drawer with ball bearing suspension on the file and on both drawers. Locking drawers.

P - Specify pull handle style

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------

CAB-1622-LPBBF	645	16/406	22/559	28/711	6/0.17	80/36
CAB-1622-LPBBF-P	708	With optional handles				



Stationary pedestal. Two file drawers with ball bearing suspension on both drawers. Locking drawers.

P - Specify pull handle style

CAB-1622-LPFF	645	16/406	22/559	28/711	6/0.17	80/36
CAB-1622-LPFF-P	687	With optional handles				



Stationary pedestal. Four box drawers with ball bearing suspension. Locking drawers.

P - Specify pull handle style


CAB-1622-LP4B	707	16/406	22/559	28/711	6/0.17	80/36
CAB-1622-LP4B-P	791	With optional handles				



Fixed pedestal. One box and one file drawer with ball bearing suspension on the file and on box drawer. Locking drawers.

P - Specify pull handle style


CAB-1622-LPBF	460	16/406	22/559	18/457	5/0.14	66/30
CAB-1622-LPBF-P	502	With optional handles				



No-top fixed stationary pedestal. Two box and one file drawer with ball bearing suspension on the file and on both drawers. Locking drawers.

P - Specify pull handle style

CAB-1622-LOBBF	632	16/406	22/559	28/711	6/0.17	70/32
CAB-1622-LOBBF-P	695	With optional handles				



No-top fixed stationary pedestal. Two file drawers with ball bearing suspension on both drawers. Locking drawers.

P - Specify pull handle style

CAB-1622-LOFF	632	16/406	22/559	28/711	6/0.17	70/32
CAB-1622-LOFF-P	674	With optional handles				




No-top fixed stationary pedestal. Four box drawers with ball bearing suspension. Locking drawers.

P - Specify pull handle style

CAB-1622-LO4B	694	16/406	22/559	28/711	6/0.17	70/32
CAB-1622-LO4B-P	778	With optional handles				

For additional specification instructions and pull handle options see pages 6-7.

Credenzas



Double lateral file credenza.

P ■ - Specify pull handle style

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------


20"	CAB-2060-LFLF-P	1494	60/1524	20/508	29/737	24/0.68	252/114
	CAB-2072-LFLF-P	1539	72/1829	20/508	29/737	28/0.79	261/118
24"	CAB-2460-LFLF-P	1539	60/1524	24/610	29/737	25/0.71	262/119
	CAB-2472-LFLF-P	1553	72/1829	24/610	29/737	29/0.82	271/123



Double mini lateral file credenza.

P ■ - Specify pull handle style


20"	CAB-2060-MLML-P	1494	60/1524	20/508	29/737	24/0.68	252/114
	CAB-2072-MLML-P	1539	72/1829	20/508	29/737	28/0.79	261/118
24"	CAB-2460-MLML-P	1539	60/1524	24/610	29/737	25/0.71	262/119
	CAB-2472-MLML-P	1553	72/1829	24/610	29/737	29/0.82	271/123



Lateral file storage credenza. One adjustable shelf in storage cabinet.

P ■ - Specify pull handle style


20"	CAB-2060-LFSC-P	1342	60/1524	20/508	29/737	24/0.68	227/103
	CAB-2072-LFSC-P	1379	72/1829	20/508	29/737	28/0.79	236/107
24"	CAB-2460-LFSC-P	1378	60/1524	24/610	29/737	25/0.71	237/108
	CAB-2472-LFSC-P	1390	72/1829	24/610	29/737	29/0.82	246/112



Storage lateral file credenza. One adjustable shelf in storage cabinet.

P ■ - Specify pull handle style


20"	CAB-2060-SCLF-P	1342	60/1524	20/508	29/737	24/0.68	227/103
	CAB-2072-SCLF-P	1379	72/1829	20/508	29/737	28/0.79	236/107
24"	CAB-2460-SCLF-P	1378	60/1524	24/610	29/737	25/0.71	237/108
	CAB-2472-SCLF-P	1390	72/1829	24/610	29/737	29/0.82	246/112



Double storage cabinet credenza. One adjustable shelf in each storage cabinet.

P ■ - Specify pull handle style

20"	CAB-2060-SCSC-P	1208	60/1524	20/508	29/737	24/0.68	197/89
	CAB-2072-SCSC-P	1242	72/1829	20/508	29/737	28/0.79	206/93
24"	CAB-2460-SCSC-P	1220	60/1524	24/610	29/737	25/0.71	207/94
	CAB-2472-SCSC-P	1255	72/1829	24/610	29/737	29/0.82	216/98




Double mini storage cabinet credenza.

P ■ - Specify pull handle style

20"	CAB-2060-MSMS-P	1208	60/1524	20/508	29/737	24/0.68	197/89
	CAB-2072-MSMS-P	1242	72/1829	20/508	29/737	28/0.79	206/93
24"	CAB-2460-MSMS-P	1220	60/1524	24/610	29/737	25/0.71	207/94
	CAB-2472-MSMS-P	1255	72/1829	24/610	29/737	29/0.82	216/98

For additional specification instructions and pull handle options see pages 6-7.

Credenzas



Multifunctional storage credenza. Multifunction cabinet with left storage, 2 box drawers, and 1 lateral file. One adjustable shelf in storage cabinet.

P - Specify pull handle style

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------


20"	CAB-2060-MFSC-P	1607	60/1524	20/508	29/737	24/0.68	233/106
	CAB-2072-MFSC-P	1644	72/1829	20/508	29/737	28/0.79	253/115
24"	CAB-2460-MFSC-P	1642	60/1524	24/610	29/737	25/0.71	263/119
	CAB-2472-MFSC-P	1656	72/1829	24/610	29/737	29/0.82	273/124



Storage multifunctional credenza. One adjustable shelf in storage cabinet. Multifunction cabinet with right storage, 2 box drawers, and 1 lateral file.

P - Specify pull handle style


20"	CAB-2060-SCMF-P	1607	60/1524	20/508	29/737	24/0.68	233/106
	CAB-2072-SCMF-P	1644	72/1829	20/508	29/737	28/0.79	253/115
24"	CAB-2460-SCMF-P	1642	60/1524	24/610	29/737	25/0.71	263/119
	CAB-2472-SCMF-P	1656	72/1829	24/610	29/737	29/0.82	273/124



Multifunctional lateral file credenza. Multifunction cabinet with left storage, 2 box drawers, and 1 lateral file. Two drawer lateral file.

P - Specify pull handle style

20"	CAB-2060-MFLF-P	1759	60/1524	20/508	29/737	24/0.68	262/119
	CAB-2072-MFLF-P	1804	72/1829	20/508	29/737	28/0.79	282/128
24"	CAB-2460-MFLF-P	1803	60/1524	24/610	29/737	25/0.71	282/128
	CAB-2472-MFLF-P	1819	72/1829	24/610	29/737	29/0.82	302/137




Lateral file multifunctional credenza. Two drawer lateral file. Multifunction cabinet with right storage, 2 box drawers, and 1 lateral file.

P - Specify pull handle style

20"	CAB-2060-LFMF-P	1759	60/1524	20/508	29/737	24/0.68	262/119
	CAB-2072-LFMF-P	1804	72/1829	20/508	29/737	28/0.79	282/128
24"	CAB-2460-LFMF-P	1803	60/1524	24/610	29/737	25/0.71	282/128
	CAB-2472-LFMF-P	1819	72/1829	24/610	29/737	29/0.82	302/137

Buffet Credenza



Box drawers, non locking. Locking Storage with one adjustable shelf in each compartment.

P - Specify pull handle style

20"	CAB-2060-36-SC2B-P	2083	60/1524	20/508	36/914	30/0.85	285/129
	CAB-2072-36-SC2B-P	2118	72/1829	20/508	36/914	35/0.99	295/134
24"	CAB-2460-36-SC2B-P	2106	60/1524	24/610	36/914	30/0.85	300/136
	CAB-2472-36-SC2B-P	2141	72/1829	24/610	36/914	39/1.10	310/141

For additional specification instructions and pull handle options see pages 6-7.

Rectangular Top (for no top cabinets)



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
TOP-2024	121	24/610	20/508	1/25	0.9/0.03	12/5
TOP-2030	137	30/762	20/508	1/25	1.2/0.03	15/7
TOP-2036	168	36/914	20/508	1/25	1.4/0.04	18/8
TOP-2042	200	42/1067	20/508	1/25	1.6/0.05	20/9
TOP-2048	226	48/1219	20/508	1/25	1.8/0.05	23/10
TOP-2054	263	54/1372	20/508	1/25	2.0/0.06	26/12
TOP-2060	289	60/1524	20/508	1/25	2.3/0.07	29/13
TOP-2066	320	66/1676	20/508	1/25	2.5/0.07	32/15
TOP-2072	347	72/1829	20/508	1/25	2.7/0.08	35/16
TOP-2078	373	78/1981	20/508	1/25	2.9/0.08	38/17
TOP-2084	399	84/2134	20/508	1/25	3.1/0.09	41/19
TOP-2096	452	96/2438	20/508	1/25	3.6/0.10	47/21



TOP-2424	133	24/610	24/610	1/25	1.1/0.03	14/6
TOP-2430	167	30/762	24/610	1/25	1.4/0.04	18/8
TOP-2436	201	36/914	24/610	1/25	1.6/0.05	21/10
TOP-2442	234	42/1067	24/610	1/25	1.9/0.05	25/11
TOP-2448	252	48/1219	24/610	1/25	2.2/0.06	28/13
TOP-2454	284	54/1372	24/610	1/25	2.4/0.07	32/15
TOP-2460	315	60/1524	24/610	1/25	2.7/0.08	35/16
TOP-2466	347	66/1676	24/610	1/25	2.9/0.08	39/18
TOP-2472	377	72/1829	24/610	1/25	3.2/0.09	42/19
TOP-2478	404	78/1981	24/610	1/25	3.5/0.10	46/21
TOP-2484	431	84/2134	24/610	1/25	3.7/0.10	49/22
TOP-2496	483	96/2438	24/610	1/25	4.3/0.12	56/25




TOP-3030	242	30/762	30/762	1/25	1.7/0.05	22/10
TOP-3036	251	36/914	30/762	1/25	2.0/0.06	26/12
TOP-3042	290	42/1067	30/762	1/25	2.3/0.07	31/14
TOP-3048	315	48/1219	30/762	1/25	2.7/0.08	35/16
TOP-3054	354	54/1372	30/762	1/25	3.0/0.08	39/18
TOP-3060	394	60/1524	30/762	1/25	3.3/0.09	44/20
TOP-3066	433	66/1676	30/762	1/25	3.6/0.10	48/22
TOP-3072	471	72/1829	30/762	1/25	4.0/0.11	53/24
TOP-3078	499	78/1981	30/762	1/25	4.3/0.12	57/26
TOP-3084	525	84/2134	30/762	1/25	4.6/0.13	61/28
TOP-3096	578	96/2438	30/762	1/25	5.3/0.15	70/32



TOP-3636	322	36/914	36/914	1/25	2.4/0.07	32/15
TOP-3642	354	42/1067	36/914	1/25	2.8/0.08	37/17
TOP-3648	378	48/1219	36/914	1/25	3.2/0.09	42/19
TOP-3654	420	54/1372	36/914	1/25	3.6/0.10	47/21
TOP-3660	446	60/1524	36/914	1/25	4.0/0.11	53/24
TOP-3666	478	66/1676	36/914	1/25	4.3/0.12	58/26
TOP-3672	525	72/1829	36/914	1/25	4.7/0.13	63/29
TOP-3678	567	78/1981	36/914	1/25	5.1/0.14	68/31
TOP-3684	609	84/2134	36/914	1/25	5.5/0.16	74/34
TOP-3696	683	96/2438	36/914	1/25	6.3/0.18	84/38

IN ORDER FOR WORKSURFACE TO BE PRE-DRILLED BY FACTORY, PLEASE SPECIFY NO TOP CABINET WIDTH(S) INTENDED FOR USE AS BASE OTHERWISE ASSEMBLY MAY REQUIRE INSTALLER SUPPLIED 'L' BRACKETS

No Top Cabinets - 28"H




Bookcase with three adjustable shelves. Installed under 24"D and 30"D work surface.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
CAB-2018-OS-NT	562	18/457	20/508	28/711	8/0.23	110/50
CAB-2024-OS-NT	572	24/610	20/508	28/711	10/0.28	116/53
CAB-2030-OS-NT	596	30/762	20/508	28/711	12/0.34	126/57
CAB-2036-OS-NT	620	36/914	20/508	28/711	14/0.40	136/62




Storage cabinet with locking doors, one adjustable shelf. Installed under 24"D and 30"D work surface.

P - Specify pull handle style




CAB-2018-L-SC-NT-P	562	18/457	20/508	28/711	8/0.23	75/34
CAB-2018-R-SC-NT-P	562	18/457	20/508	28/711	8/0.23	75/34
CAB-2024-L-SC-NT-P	572	24/610	20/508	28/711	10/0.28	81/37
CAB-2024-R-SC-NT-P	572	24/610	20/508	28/711	10/0.28	81/37
CAB-2030-SC-NT-P	596	30/762	20/508	28/711	12/0.34	91/41
CAB-2036-SC-NT-P	620	36/914	20/508	28/711	14/0.40	101/46



Multifunction cabinet with left or right storage, 2 box drawers, and 1 lateral file. Installed under 24"D and 30"D work surface.

P - Specify pull handle style




CAB-2030-L-LMFC-NT-P	1009	30/762	20/508	28/711	12/0.34	130/59
CAB-2030-R-LMFC-NT-P	1009	30/762	20/508	28/711	12/0.34	130/59
CAB-2036-L-LMFC-NT-P	1034	36/914	20/508	28/711	14/0.40	140/64
CAB-2036-R-LMFC-NT-P	1034	36/914	20/508	28/711	14/0.40	140/64




Multifunction cabinet with left or right file, 2 box drawers, and 1 lateral file. Installed under 24"D and 30"D work surface.

P - Specify pull handle style



CAB-2036-L-LMFD-NT-P	1135	36/914	20/508	28/711	14/0.40	140/64
CAB-2036-R-LMFD-NT-P	1135	36/914	20/508	28/711	14/0.40	140/64



Lateral file. Two drawer. Installed under 24"D and 30"D work surface.

P - Specify pull handle style


CAB-2024-LF-NT-P	720	24/610	20/508	28/711	10/0.28	110/50
CAB-2030-LF-NT-P	744	30/762	20/508	28/711	12/0.34	120/54
CAB-2036-LF-NT-P	769	36/914	20/508	28/711	14/0.40	130/59

Cabinets - 29"H



Storage cabinet with locking doors, one adjustable shelf. Grommet included on 24in depth units.

P  - Specify pull handle style



			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	
20"	CAB-2018-L-SC-P	562	18/457	20/508	29/737	8/0.23	75/34
	CAB-2018-R-SC-P	562	18/457	20/508	29/737	8/0.23	75/34
	CAB-2024-L-SC-P	572	24/610	20/508	29/737	10/0.28	87/39
	CAB-2024-R-SC-P	572	24/610	20/508	29/737	10/0.28	87/39
	CAB-2030-SC-P	596	30/762	20/508	29/737	12/0.34	97/44
	CAB-2036-SC-P	620	36/914	20/508	29/737	14/0.40	107/49
24"	CAB-2418-L-SC-P	588	18/457	24/610	29/737	10/0.28	91/41
	CAB-2418-R-SC-P	588	18/457	24/610	29/737	10/0.28	91/41
	CAB-2424-L-SC-P	599	24/610	24/610	29/737	11/0.31	97/44
	CAB-2424-R-SC-P	599	24/610	24/610	29/737	11/0.31	97/44
	CAB-2430-SC-P	624	30/762	24/610	29/737	14/0.40	107/49
	CAB-2436-SC-P	647	36/914	24/610	29/737	17/0.48	117/53



Bookcase with three adjustable shelves. Grommet included on 24in depth units.

20"	CAB-2018-OS	562	18/457	20/508	29/737	8/0.23	110/50
	CAB-2024-OS	572	24/610	20/508	29/737	10/0.28	116/53
	CAB-2030-OS	596	30/762	20/508	29/737	12/0.34	126/57
	CAB-2036-OS	620	36/914	20/508	29/737	14/0.40	136/62
24"	CAB-2418-OS	588	18/457	24/610	29/737	9/0.25	120/54
	CAB-2424-OS	599	24/610	24/610	29/737	11/0.31	126/57
	CAB-2430-OS	624	30/762	24/610	29/737	14/0.40	136/62
	CAB-2436-OS	647	36/914	24/610	29/737	17/0.48	146/66



Multifunction cabinet with left or right storage, 2 box drawers, and 1 lateral file. Grommet included on 24D units.

P  - Specify pull handle style



20"	CAB-2030-L-LMFC-P	1009	30/762	20/508	29/737	12/0.34	136/62
	CAB-2030-R-LMFC-P	1009	30/762	20/508	29/737	12/0.34	136/62
	CAB-2036-L-LMFC-P	1034	36/914	20/508	29/737	14/0.40	146/66
	CAB-2036-R-LMFC-P	1034	36/914	20/508	29/737	14/0.40	146/66
24"	CAB-2430-L-LMFC-P	1036	30/762	24/610	29/737	14/0.40	146/66
	CAB-2430-R-LMFC-P	1036	30/762	24/610	29/737	14/0.40	146/66
	CAB-2436-L-LMFC-P	1061	36/914	24/610	29/737	17/0.48	156/71
	CAB-2436-R-LMFC-P	1061	36/914	24/610	29/737	17/0.48	156/71



Multifunction cabinet with left or right file, 2 box drawers, and 1 lateral file. Grommet included on 24D units.

P  - Specify pull handle style




CAB-2036-L-LMFD-P	1135	36/914	20/508	29/737	14/0.40	146/66
CAB-2036-R-LMFD-P	1135	36/914	20/508	29/737	14/0.40	146/66
CAB-2436-L-LMFD-P	1160	36/914	24/610	29/737	14/0.40	146/66
CAB-2436-R-LMFD-P	1160	36/914	24/610	29/737	14/0.40	146/66

Cabinets - 29"H



Open Compartment, Mini Storage Cabinet. Grommet included on 24in depth units.

P - Specify pull handle style



			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE		(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)
20"	CAB-2018-L-SO-P	562	18/457	20/508	29/737	8/0.23	86/39
	CAB-2018-R-SO-P	562	18/457	20/508	29/737	8/0.23	86/39
	CAB-2024-L-SO-P	572	24/610	20/508	29/737	10/0.28	92/42
	CAB-2024-R-SO-P	572	24/610	20/508	29/737	10/0.28	92/42
	CAB-2030-SO-P	596	30/762	20/508	29/737	12/0.34	102/46
	CAB-2036-SO-P	620	36/914	20/508	29/737	14/0.40	112/51
24"	CAB-2418-L-SO-P	588	18/457	24/610	29/737	9/0.25	96/44
	CAB-2418-R-SO-P	588	18/457	24/610	29/737	9/0.25	96/44
	CAB-2424-L-SO-P	599	24/610	24/610	29/737	11/0.31	102/46
	CAB-2424-R-SO-P	599	24/610	24/610	29/737	11/0.31	102/46
	CAB-2430-SO-P	624	30/762	24/610	29/737	14/0.40	112/51
	CAB-2436-SO-P	647	36/914	24/610	29/737	17/0.48	122/55



Open Compartment, One Lateral File Drawer. Grommet included on 24in depth units.

P - Specify pull handle style

20"	CAB-2024-LO-P	599	24/610	20/508	29/737	10/0.28	110/50
	CAB-2030-LO-P	624	30/762	20/508	29/737	12/0.34	120/54
	CAB-2036-LO-P	647	36/914	20/508	29/737	14/0.40	130/59
24"	CAB-2424-LO-P	626	24/610	24/610	29/737	11/0.31	120/54
	CAB-2430-LO-P	649	30/762	24/610	29/737	14/0.40	130/59
	CAB-2436-LO-P	673	36/914	24/610	29/737	17/0.48	140/64



Organizer, Mini Storage Cabinet. Grommet included on 24in depth units.

P - Specify pull handle style

CAB-2036-SD-P	821	36/914	20/508	29/737	14/0.40	136/62
CAB-2436-SD-P	849	36/914	24/610	29/737	17/0.48	146/66



Organizer, One Lateral File Drawer. Grommet included on 24in depth units.

P - Specify pull handle style

CAB-2036-LD-P	848	36/914	20/508	29/737	14/0.40	136/62
CAB-2436-LD-P	876	36/914	24/610	29/737	17/0.48	146/66

For additional specification instructions and pull handle options see pages 6-7.

Cabinets - 36"H



Storage cabinet with locking doors, one adjustable shelf. Grommet included on 24in depth units.

P - Specify pull handle style



L



R

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	
20"	CAB-2018-36-L-SC-P	747	18/457	20/508	36/914	12/0.34	102/46
	CAB-2018-36-R-SC-P	747	18/457	20/508	36/914	12/0.34	102/46
	CAB-2024-36-L-SC-P	757	24/610	20/508	36/914	13/0.37	108/49
	CAB-2024-36-R-SC-P	757	24/610	20/508	36/914	13/0.37	108/49
	CAB-2030-36-SC-P	781	30/762	20/508	36/914	14/0.40	120/54
	CAB-2036-36-SC-P	811	36/914	20/508	36/914	14/0.40	132/60
24"	CAB-2418-36-L-SC-P	773	18/457	24/610	36/914	13/0.37	112/51
	CAB-2418-36-R-SC-P	773	18/457	24/610	36/914	13/0.37	112/51
	CAB-2424-36-L-SC-P	783	24/610	24/610	36/914	14/0.40	118/54
	CAB-2424-36-R-SC-P	783	24/610	24/610	36/914	14/0.40	118/54
	CAB-2430-36-SC-P	809	30/762	24/610	36/914	18/0.51	130/59
	CAB-2436-36-SC-P	838	36/914	24/610	36/914	20/0.57	142/64

Cabinets - 36"H Glazed



Storage cabinet with glazed doors, one adjustable shelf. Grommet included on 24in depth units.

P - Specify pull handle style



L



R

20"	CAB-2024-36-L-Z-P	1182	24/610	20/508	36/914	13/0.37	108/49
	CAB-2024-36-R-Z-P	1182	24/610	20/508	36/914	13/0.37	108/49
	CAB-2030-36-Z-P	1213	30/762	20/508	36/914	14/0.40	120/54
	CAB-2036-36-Z-P	1236	36/914	20/508	36/914	14/0.40	132/60
24"	CAB-2424-36-L-Z-P	1209	24/610	24/610	36/914	14/0.40	118/54
	CAB-2424-36-R-Z-P	1209	24/610	24/610	36/914	14/0.40	118/54
	CAB-2430-36-Z-P	1233	30/762	24/610	36/914	18/0.51	130/59
	CAB-2436-36-Z-P	1266	36/914	24/610	36/914	20/0.57	142/64

Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame

Buffet Cabinets - 36"H



Buffet cabinet. Storage with locking doors, one adjustable shelf. One drawer. Grommet included on 24in depth units.

P - Specify pull handle style

20"	CAB-2030-36-SC1B-P	1045	30/762	20/508	36/914	14/0.40	120/54
	CAB-2036-36-SC1B-P	1061	36/914	20/508	36/914	14/0.40	132/60
24"	CAB-2430-36-SC1B-P	1055	30/762	24/610	36/914	18/0.51	130/59
	CAB-2436-36-SC1B-P	1071	36/914	24/610	36/914	20/0.57	142/64



42"H Cabinets



Storage Cabinet with 2 adjustable shelves. Grommet included on 24in depth units.

P  - Specify pull handle style




L



R

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE		(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

20"	CAB-2018-42-L-SC-P	804	18/457	20/508	42/1067	14/0.40	112/51
	CAB-2018-42-R-SC-P	804	18/457	20/508	42/1067	14/0.40	112/51
	CAB-2024-42-L-SC-P	815	24/610	20/508	42/1067	15/0.42	118/54
	CAB-2024-42-R-SC-P	815	24/610	20/508	42/1067	15/0.42	118/54
	CAB-2030-42-SC-P	839	30/762	20/508	42/1067	16/0.45	130/59
	CAB-2036-42-SC-P	868	36/914	20/508	42/1067	20/0.57	142/64
24"	CAB-2418-42-L-SC-P	831	18/457	24/610	42/1067	15/0.42	122/55
	CAB-2418-42-R-SC-P	831	18/457	24/610	42/1067	15/0.42	122/55
	CAB-2424-42-L-SC-P	841	24/610	24/610	42/1067	16/0.45	128/58
	CAB-2424-42-R-SC-P	841	24/610	24/610	42/1067	16/0.45	128/58
	CAB-2430-42-SC-P	866	30/762	24/610	42/1067	19/0.54	140/64
	CAB-2436-42-SC-P	896	36/914	24/610	42/1067	23/0.65	152/69



Storage Cabinet/Bookcase with mini storage, one adjustable shelf. Grommet included on 24D units.

P  - Specify pull handle style



L



R

20"	CAB-2018-42-L-SO-P	799	18/457	20/508	42/1067	14/0.40	112/51
	CAB-2018-42-R-SO-P	799	18/457	20/508	42/1067	14/0.40	112/51
	CAB-2024-42-L-SO-P	810	24/610	20/508	42/1067	15/0.42	118/54
	CAB-2024-42-R-SO-P	810	24/610	20/508	42/1067	15/0.42	118/54
	CAB-2030-42-SO-P	839	30/762	20/508	42/1067	16/0.45	130/59
	CAB-2036-42-SO-P	868	36/914	20/508	42/1067	20/0.57	142/64
24"	CAB-2418-42-L-SO-P	824	18/457	24/610	42/1067	15/0.42	122/55
	CAB-2418-42-R-SO-P	824	18/457	24/610	42/1067	15/0.42	122/55
	CAB-2424-42-L-SO-P	835	24/610	24/610	42/1067	16/0.45	128/58
	CAB-2424-42-R-SO-P	835	24/610	24/610	42/1067	16/0.45	128/58
	CAB-2430-42-SO-P	866	30/762	24/610	42/1067	19/0.54	140/64
	CAB-2436-42-SO-P	896	36/914	24/610	42/1067	23/0.65	152/69



Storage Cabinet with one open compartment, one adjustable shelf. Grommet included on 24D units.

P  - Specify pull handle style



L



R

20"	CAB-2018-42-L-SCO-P	799	18/457	20/508	42/1067	12/0.34	112/51
	CAB-2018-42-R-SCO-P	799	18/457	20/508	42/1067	12/0.34	112/51
	CAB-2024-42-L-SCO-P	810	24/610	20/508	42/1067	13/0.37	118/54
	CAB-2024-42-R-SCO-P	810	24/610	20/508	42/1067	13/0.37	118/54
	CAB-2030-42-SCO-P	839	30/762	20/508	42/1067	16/0.45	130/59
	CAB-2036-42-SCO-P	868	36/914	20/508	42/1067	20/0.57	142/64
24"	CAB-2418-42-L-SCO-P	824	18/457	24/610	42/1067	14/0.40	122/55
	CAB-2418-42-R-SCO-P	824	18/457	24/610	42/1067	14/0.40	122/55
	CAB-2424-42-L-SCO-P	835	24/610	24/610	42/1067	15/0.42	128/58
	CAB-2424-42-R-SCO-P	835	24/610	24/610	42/1067	15/0.42	128/58
	CAB-2430-42-SCO-P	866	30/762	24/610	42/1067	19/0.54	140/64
	CAB-2436-42-SCO-P	896	36/914	24/610	42/1067	23/0.65	152/69

42"H Cabinets



Storage Cabinet with two adj. shelves, non-locking glazed doors. Grommet included on 24D units.

P - Specify pull handle style



L



R

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

20"	CAB-2024-42-L--P	1240	24/610	20/508	42/1067	13/0.37	118/54
	CAB-2024-42-R--P	1240	24/610	20/508	42/1067	13/0.37	118/54
	CAB-2030-42--P	1272	30/762	20/508	42/1067	16/0.45	130/59
	CAB-2036-42--P	1294	36/914	20/508	42/1067	19/0.54	142/64
24"	CAB-2424-42-L--P	1266	24/610	24/610	42/1067	15/0.42	128/58
	CAB-2424-42-R--P	1266	24/610	24/610	42/1067	15/0.42	128/58
	CAB-2430-42--P	1292	30/762	24/610	42/1067	19/0.54	140/64
	CAB-2436-42--P	1324	36/914	24/610	42/1067	23/0.65	152/69

- Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame



Mini Lateral Cabinet/Bookcase with one lateral file drawer and one adjustable shelf. Grommet included on 24in depth units.

P - Specify pull handle style

20"	CAB-2024-42-LO-P	841	24/610	20/508	42/1067	13/0.37	126/57
	CAB-2030-42-LO-P	866	30/762	20/508	42/1067	16/0.45	148/67
	CAB-2036-42-LO-P	890	36/914	20/508	42/1067	20/0.57	160/73
24"	CAB-2424-42-LO-P	868	24/610	24/610	42/1067	15/0.42	146/66
	CAB-2430-42-LO-P	893	30/762	24/610	42/1067	19/0.54	158/72
	CAB-2436-42-LO-P	917	36/914	24/610	42/1067	23/0.65	170/77



Two Drawer Lateral File with open compartment. Mechanical interlock allows only one drawer to open at a time. Grommet included on 24in depth units.

P - Specify pull handle style

20"	CAB-2024-42-LFO-P	1017	24/610	20/508	42/1067	13/0.37	146/66
	CAB-2030-42-LFO-P	1042	30/762	20/508	42/1067	16/0.45	158/72
	CAB-2036-42-LFO-P	1066	36/914	20/508	42/1067	20/0.57	180/82
24"	CAB-2424-42-LFO-P	1044	24/610	24/610	42/1067	15/0.42	160/73
	CAB-2430-42-LFO-P	1069	30/762	24/610	42/1067	19/0.54	168/76
	CAB-2436-42-LFO-P	1093	36/914	24/610	42/1067	23/0.65	190/86



Vertical lateral file and bookcase. Locking lateral file drawers. Two adjustable shelves in bookcase. Grommet included on 24in depth units.

P  - Specify pull handle style

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE		(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

66H	CAB-202466-LB-P	1202	24/610	20/508	66/1676	23/0.65	222/101
	CAB-203066-LB-P	1213	30/762	20/508	66/1676	25/0.71	232/105
	CAB-203666-LB-P	1239	36/914	20/508	66/1676	30/0.85	242/110
	CAB-242466-LB-P	1264	24/610	24/610	66/1676	27/0.76	234/106
	CAB-243066-LB-P	1275	30/762	24/610	66/1676	30/0.85	244/111
	CAB-243666-LB-P	1348	36/914	24/610	66/1676	36/1.02	254/115
72H	CAB-202472-LB-P	1324	24/610	20/508	72/1829	25/0.71	233/106
	CAB-203072-LB-P	1335	30/762	20/508	72/1829	28/0.79	243/110
	CAB-203672-LB-P	1362	36/914	20/508	72/1829	33/0.93	254/115
	CAB-242472-LB-P	1392	24/610	24/610	72/1829	29/0.82	246/112
	CAB-243072-LB-P	1403	30/762	24/610	72/1829	33/0.93	256/116
	CAB-243672-LB-P	1483	36/914	24/610	72/1829	39/1.10	268/122




Open bookcase w/ four adjustable shelves. Grommet included on 24in depth units.

66H	CAB-202466-OB	972	24/610	20/508	66/1676	23/0.65	166/75
	CAB-203066-OB	982	30/762	20/508	66/1676	25/0.71	176/80
	CAB-203666-OB	994	36/914	20/508	66/1676	30/0.85	186/84
	CAB-242466-OB	986	24/610	24/610	66/1676	27/0.76	178/81
	CAB-243066-OB	996	30/762	24/610	66/1676	30/0.85	188/85
	CAB-243666-OB	1009	36/914	24/610	66/1676	36/1.02	198/90
72H	CAB-202472-OB	1069	24/610	20/508	72/1829	25/0.71	177/80
	CAB-203072-OB	1079	30/762	20/508	72/1829	28/0.79	187/85
	CAB-203672-OB	1094	36/914	20/508	72/1829	33/0.93	198/90
	CAB-242472-OB	1086	24/610	24/610	72/1829	29/0.82	190/86
	CAB-243072-OB	1096	30/762	24/610	72/1829	33/0.93	200/91
	CAB-243672-OB	1110	36/914	24/610	72/1829	39/1.10	212/96




Vertical cabinet extension. 27"H with one adjustable shelf. Grommet included on 24in depth units.

P  - Specify pull handle style



20"D	CAB-202427-L-VS-HE-P	365	24/610	20/508	27/686	9/0.25	51/23
	CAB-202427-R-VS-HE-P	365	24/610	20/508	27/686	9/0.25	51/23
	CAB-203027-VS-HE-P	375	30/762	20/508	27/686	11/0.31	56/25
	CAB-203627-VS-HE-P	499	36/914	20/508	27/686	13/0.37	66/30
24"D	CAB-242427-L-VS-HE-P	491	24/610	24/610	27/686	11/0.31	63/29
	CAB-242427-R-VS-HE-P	491	24/610	24/610	27/686	11/0.31	63/29
	CAB-243027-VS-HE-P	501	30/762	24/610	27/686	13/0.37	68/31
	CAB-243627-VS-HE-P	525	36/914	24/610	27/686	15/0.42	78/35


Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified. For additional specification instructions and pull handle options see pages 6-7.



Vertical storage cabinet and bookcase. Locking storage cabinet with one adjustable shelf. Two adjustable shelves in bookcase. Grommet included on 24in depth units.

P  - Specify pull handle style


			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)
66H	CAB-202466-L-SB-P	1140	24/610	20/508	66/1676	20/0.57	191/87
	CAB-202466-R-SB-P	1140	24/610	20/508	66/1676	20/0.57	191/87
	CAB-203066-SB-P	1171	30/762	20/508	66/1676	25/0.71	201/91
	CAB-203666-SB-P	1195	36/914	20/508	66/1676	30/0.85	211/96
	CAB-242466-L-SB-P	1190	24/610	24/610	66/1676	24/0.68	203/92
	CAB-242466-R-SB-P	1190	24/610	24/610	66/1676	24/0.68	203/92
	CAB-243066-SB-P	1220	30/762	24/610	66/1676	30/0.85	213/97
	CAB-243666-SB-P	1244	36/914	24/610	66/1676	36/1.02	223/101
72H	CAB-202472-L-SB-P	1258	24/610	20/508	72/1829	22/0.62	202/92
	CAB-202472-R-SB-P	1258	24/610	20/508	72/1829	22/0.62	202/92
	CAB-203072-SB-P	1288	30/762	20/508	72/1829	28/0.79	212/96
	CAB-203672-SB-P	1316	36/914	20/508	72/1829	33/0.93	223/101
	CAB-242472-L-SB-P	1312	24/610	24/610	72/1829	27/0.76	215/98
	CAB-242472-R-SB-P	1312	24/610	24/610	72/1829	27/0.76	215/98
	CAB-243072-SB-P	1342	30/762	24/610	72/1829	33/0.93	225/102
	CAB-243672-SB-P	1369	36/914	24/610	72/1829	39/1.10	237/108



Locking vertical storage cabinet with four adjustable shelves. Grommet included on 24in depth units.

P  - Specify pull handle style

66H	CAB-202466-L-VS-P	1137	24/610	20/508	66/1676	20/0.57	200/91
	CAB-202466-R-VS-P	1137	24/610	20/508	66/1676	20/0.57	200/91
	CAB-203066-VS-P	1167	30/762	20/508	66/1676	25/0.71	210/95
	CAB-203666-VS-P	1204	36/914	20/508	66/1676	30/0.85	220/100
	CAB-242466-L-VS-P	1226	24/610	24/610	66/1676	24/0.68	212/96
	CAB-242466-R-VS-P	1226	24/610	24/610	66/1676	24/0.68	212/96
	CAB-243066-VS-P	1256	30/762	24/610	66/1676	30/0.85	222/101
	CAB-243666-VS-P	1329	36/914	24/610	66/1676	36/1.02	232/105
72H	CAB-202472-L-VS-P	1253	24/610	20/508	72/1829	22/0.62	211/96
	CAB-202472-R-VS-P	1253	24/610	20/508	72/1829	22/0.62	211/96
	CAB-203072-VS-P	1283	30/762	20/508	72/1829	28/0.79	221/100
	CAB-203672-VS-P	1323	36/914	20/508	72/1829	33/0.93	232/105
	CAB-242472-L-VS-P	1351	24/610	24/610	72/1829	27/0.76	224/102
	CAB-242472-R-VS-P	1351	24/610	24/610	72/1829	27/0.76	224/102
	CAB-243072-VS-P	1381	30/762	24/610	72/1829	33/0.93	234/106
	CAB-243672-VS-P	1461	36/914	24/610	72/1829	39/1.10	246/112



Vertical storage with non locking glazed doors and four adj. shelves. Grommet included on 24D units.

P  - Specify pull handle style

 Z - Specify door frame colour
SZ = Silver frame
BZ = Black frame
WZ = White frame


66H	CAB-202466-L-VS-  Z-P	1931	24/610	20/508	66/1676	20/0.57	200/91
	CAB-202466-R-VS-  Z-P	1931	24/610	20/508	66/1676	20/0.57	200/91
	CAB-203066-VS-  Z-P	1961	30/762	20/508	66/1676	25/0.71	210/95
	CAB-203666-VS-  Z-P	1986	36/914	20/508	66/1676	30/0.85	220/100
	CAB-242466-L-VS-  Z-P	1959	24/610	24/610	66/1676	24/0.68	212/96
	CAB-242466-R-VS-  Z-P	1959	24/610	24/610	66/1676	24/0.68	212/96
	CAB-243066-VS-  Z-P	1989	30/762	24/610	66/1676	30/0.85	222/101
	CAB-243666-VS-  Z-P	2014	36/914	24/610	66/1676	36/1.02	232/105
72H	CAB-202472-L-VS-  Z-P	2127	24/610	20/508	72/1829	22/0.62	211/96
	CAB-202472-R-VS-  Z-P	2127	24/610	20/508	72/1829	22/0.62	211/96
	CAB-203072-VS-  Z-P	2157	30/762	20/508	72/1829	28/0.79	221/100
	CAB-203672-VS-  Z-P	2183	36/914	20/508	72/1829	33/0.93	232/105
	CAB-242472-L-VS-  Z-P	2158	24/610	24/610	72/1829	27/0.76	224/102
	CAB-242472-R-VS-  Z-P	2158	24/610	24/610	72/1829	27/0.76	224/102
	CAB-243072-VS-  Z-P	2188	30/762	24/610	72/1829	33/0.93	234/106
	CAB-243672-VS-  Z-P	2214	36/914	24/610	72/1829	39/1.10	246/112

Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified.
For additional specification instructions and pull handle options see pages 6-7.



Vertical lateral file storage cabinet. Locking three drawer lateral file, locking doors. Mechanical interlock allows only one drawer to open at a time. One adjustable shelf in storage cabinet. Grommet included on 24in depth units.

P  - Specify pull handle style




			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)
66H	CAB-202466-L-3LSC-P	1749	24/610	20/508	66/1676	20/0.57	274/124
	CAB-202466-R-3LSC-P	1749	24/610	20/508	66/1676	20/0.57	274/124
	CAB-203066-3LSC-P	1779	30/762	20/508	66/1676	25/0.71	284/129
	CAB-203666-3LSC-P	1792	36/914	20/508	66/1676	30/0.85	294/133
	CAB-242466-L-3LSC-P	1773	24/610	24/610	66/1676	24/0.68	286/130
	CAB-242466-R-3LSC-P	1773	24/610	24/610	66/1676	24/0.68	286/130
	CAB-243066-3LSC-P	1803	30/762	24/610	66/1676	30/0.85	296/134
	CAB-243666-3LSC-P	1817	36/914	24/610	66/1676	36/1.02	306/139
72H	CAB-202472-L-3LSC-P	1928	24/610	20/508	72/1829	22/0.62	285/129
	CAB-202472-R-3LSC-P	1928	24/610	20/508	72/1829	22/0.62	285/129
	CAB-203072-3LSC-P	1958	30/762	20/508	72/1829	28/0.79	295/134
	CAB-203672-3LSC-P	1970	36/914	20/508	72/1829	33/0.93	306/139
	CAB-242472-L-3LSC-P	1955	24/610	24/610	72/1829	27/0.76	298/135
	CAB-242472-R-3LSC-P	1955	24/610	24/610	72/1829	27/0.76	298/135
	CAB-243072-3LSC-P	1985	30/762	24/610	72/1829	33/0.93	308/140
	CAB-243672-3LSC-P	1998	36/914	24/610	72/1829	39/1.10	320/145



Vertical lateral file storage cabinet. Locking two drawer lateral file. Locking storage cabinet with two adjustable shelves. Grommet included on 24in depth units.

P  - Specify pull handle style




66H	CAB-202466-L-LS-P	1370	24/610	20/508	66/1676	20/0.57	243/110
	CAB-202466-R-LS-P	1370	24/610	20/508	66/1676	20/0.57	243/110
	CAB-203066-LS-P	1400	30/762	20/508	66/1676	25/0.71	253/115
	CAB-203666-LS-P	1425	36/914	20/508	66/1676	30/0.85	263/119
	CAB-242466-L-LS-P	1397	24/610	24/610	66/1676	24/0.68	255/116
	CAB-242466-R-LS-P	1397	24/610	24/610	66/1676	24/0.68	255/116
	CAB-243066-LS-P	1427	30/762	24/610	66/1676	30/0.85	265/120
	CAB-243666-LS-P	1451	36/914	24/610	66/1676	36/1.02	275/125
72H	CAB-202472-L-LS-P	1510	24/610	20/508	72/1829	22/0.62	254/115
	CAB-202472-R-LS-P	1510	24/610	20/508	72/1829	22/0.62	254/115
	CAB-203072-LS-P	1540	30/762	20/508	72/1829	28/0.79	264/120
	CAB-203672-LS-P	1567	36/914	20/508	72/1829	33/0.93	275/125
	CAB-242472-L-LS-P	1541	24/610	24/610	72/1829	27/0.76	267/121
	CAB-242472-R-LS-P	1541	24/610	24/610	72/1829	27/0.76	267/121
	CAB-243072-LS-P	1571	30/762	24/610	72/1829	33/0.93	277/126
	CAB-243672-LS-P	1597	36/914	24/610	72/1829	39/1.10	289/131




Locking wardrobe cabinet with one shelf and one coat rod. Grommet included on 24in depth units.

P  - Specify pull handle style



66H	CAB-202466-L-WR-P	1137	24/610	20/508	66/1676	20/0.57	173/78
	CAB-202466-R-WR-P	1137	24/610	20/508	66/1676	20/0.57	173/78
	CAB-203066-WR-P	1167	30/762	20/508	66/1676	25/0.71	183/83
	CAB-203666-WR-P	1204	36/914	20/508	66/1676	30/0.85	193/88
	CAB-242466-L-WR-P	1226	24/610	24/610	66/1676	24/0.68	185/84
	CAB-242466-R-WR-P	1226	24/610	24/610	66/1676	24/0.68	185/84
	CAB-243066-WR-P	1256	30/762	24/610	66/1676	30/0.85	195/88
	CAB-243666-WR-P	1329	36/914	24/610	66/1676	36/1.02	205/93
72H	CAB-202472-L-WR-P	1253	24/610	20/508	72/1829	22/0.62	184/83
	CAB-202472-R-WR-P	1253	24/610	20/508	72/1829	22/0.62	184/83
	CAB-203072-WR-P	1283	30/762	20/508	72/1829	28/0.79	194/88
	CAB-203672-WR-P	1323	36/914	20/508	72/1829	33/0.93	205/93
	CAB-242472-L-WR-P	1351	24/610	24/610	72/1829	27/0.76	197/89
	CAB-242472-R-WR-P	1351	24/610	24/610	72/1829	27/0.76	197/89
	CAB-243072-WR-P	1381	30/762	24/610	72/1829	33/0.93	207/94
	CAB-243672-WR-P	1461	36/914	24/610	72/1829	39/1.10	219/99

Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified. For additional specification instructions and pull handle options see pages 6-7.



Vertical lateral file storage cabinet. Locking 3 drawer lateral file, non-locking glazed doors. Mechanical interlock allows only one drawer to open at a time. One adj. shelf in storage cabinet. Grommet included on 24" depth units.

P - Specify pull handle style


Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)
66H	CAB-202466-L-3L-Z-P	2151	24/610	20/508	66/1676	20/0.57	274/124
	CAB-202466-R-3L-Z-P	2151	24/610	20/508	66/1676	20/0.57	274/124
	CAB-203066-3L-Z-P	2181	30/762	20/508	66/1676	25/0.71	284/129
	CAB-203666-3L-Z-P	2192	36/914	20/508	66/1676	30/0.85	294/133
	CAB-242466-L-3L-Z-P	2175	24/610	24/610	66/1676	24/0.68	286/130
	CAB-242466-R-3L-Z-P	2175	24/610	24/610	66/1676	24/0.68	286/130
	CAB-243066-3L-Z-P	2205	30/762	24/610	66/1676	30/0.85	296/134
	CAB-243666-3L-Z-P	2218	36/914	24/610	66/1676	36/1.02	306/139
72H	CAB-202472-L-3L-Z-P	2368	24/610	20/508	72/1829	22/0.62	285/129
	CAB-202472-R-3L-Z-P	2368	24/610	20/508	72/1829	22/0.62	285/129
	CAB-203072-3L-Z-P	2398	30/762	20/508	72/1829	28/0.79	295/134
	CAB-203672-3L-Z-P	2412	36/914	20/508	72/1829	33/0.93	306/139
	CAB-242472-L-3L-Z-P	2396	24/610	24/610	72/1829	27/0.76	298/135
	CAB-242472-R-3L-Z-P	2396	24/610	24/610	72/1829	27/0.76	298/135
	CAB-243072-3L-Z-P	2426	30/762	24/610	72/1829	33/0.93	308/140
	CAB-243672-3L-Z-P	2438	36/914	24/610	72/1829	39/1.10	320/145



Vertical lateral file storage cabinet. Locking two drawer lateral file. Non-locking glazed door storage cabinet with two adjustable shelves. Grommet included on 24in depth units.

P - Specify pull handle style


Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame

66H	CAB-202466-L-LS-Z-P	1795	24/610	20/508	66/1676	20/0.57	243/110
	CAB-202466-R-LS-Z-P	1795	24/610	20/508	66/1676	20/0.57	243/110
	CAB-203066-LS-Z-P	1825	30/762	20/508	66/1676	25/0.71	253/115
	CAB-203666-LS-Z-P	1850	36/914	20/508	66/1676	30/0.85	263/119
	CAB-242466-L-LS-Z-P	1822	24/610	24/610	66/1676	24/0.68	255/116
	CAB-242466-R-LS-Z-P	1822	24/610	24/610	66/1676	24/0.68	255/116
	CAB-243066-LS-Z-P	1852	30/762	24/610	66/1676	30/0.85	265/120
	CAB-243666-LS-Z-P	1876	36/914	24/610	66/1676	36/1.02	275/125
72H	CAB-202472-L-LS-Z-P	1978	24/610	20/508	72/1829	22/0.62	254/115
	CAB-202472-R-LS-Z-P	1978	24/610	20/508	72/1829	22/0.62	254/115
	CAB-203072-LS-Z-P	2008	30/762	20/508	72/1829	28/0.79	264/120
	CAB-203672-LS-Z-P	2035	36/914	20/508	72/1829	33/0.93	275/125
	CAB-242472-L-LS-Z-P	2007	24/610	24/610	72/1829	27/0.76	267/121
	CAB-242472-R-LS-Z-P	2007	24/610	24/610	72/1829	27/0.76	267/121
	CAB-243072-LS-Z-P	2037	30/762	24/610	72/1829	33/0.93	277/126
	CAB-243672-LS-Z-P	2063	36/914	24/610	72/1829	39/1.10	289/131



Wardrobe cabinet with non-locking glazed doors, one shelf and one coat rod. Grommet included on 24in depth units.

P - Specify pull handle style

Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame

66H	CAB-202466-L-WR-Z-P	1931	24/610	20/508	66/1676	20/0.57	173/78
	CAB-202466-R-WR-Z-P	1931	24/610	20/508	66/1676	20/0.57	173/78
	CAB-203066-WR-Z-P	1961	30/762	20/508	66/1676	25/0.71	183/83
	CAB-203666-WR-Z-P	1986	36/914	20/508	66/1676	30/0.85	193/88
	CAB-242466-L-WR-Z-P	1959	24/610	24/610	66/1676	24/0.68	185/84
	CAB-242466-R-WR-Z-P	1959	24/610	24/610	66/1676	24/0.68	185/84
	CAB-243066-WR-Z-P	1989	30/762	24/610	66/1676	30/0.85	195/88
	CAB-243666-WR-Z-P	2014	36/914	24/610	66/1676	36/1.02	205/93
72H	CAB-202472-L-WR-Z-P	2127	24/610	20/508	72/1829	22/0.62	184/83
	CAB-202472-R-WR-Z-P	2127	24/610	20/508	72/1829	22/0.62	184/83
	CAB-203072-WR-Z-P	2157	30/762	20/508	72/1829	28/0.79	194/88
	CAB-203672-WR-Z-P	2183	36/914	20/508	72/1829	33/0.93	205/93
	CAB-242472-L-WR-Z-P	2157	24/610	24/610	72/1829	27/0.76	197/89
	CAB-242472-R-WR-Z-P	2157	24/610	24/610	72/1829	27/0.76	197/89
	CAB-243072-WR-Z-P	2187	30/762	24/610	72/1829	33/0.93	207/94
	CAB-243672-WR-Z-P	2213	36/914	24/610	72/1829	39/1.10	219/99

Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified. For additional specification instructions and pull handle options see pages 6-7.



Locking personal wardrobe storage cabinet. Four adjustable shelves in storage cabinet. One grommet rod and one shelf in wardrobe. Grommet included on 24in depth units.

P - Specify pull handle style

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)
66H	CAB-203066-WS-P	1671	30/762	20/508	66/1676	25/0.71	210/95
	CAB-203666-WS-P	1695	36/914	20/508	66/1676	30/0.85	220/100
	CAB-243066-WS-P	1730	30/762	24/610	66/1676	30/0.85	222/101
	CAB-243666-WS-P	1756	36/914	24/610	66/1676	36/1.02	232/105
72H	CAB-203072-WS-P	1836	30/762	20/508	72/1829	28/0.79	224/102
	CAB-203672-WS-P	1863	36/914	20/508	72/1829	33/0.93	232/105
	CAB-243072-WS-P	1905	30/762	24/610	72/1829	33/0.93	238/108
	CAB-243672-WS-P	1931	36/914	24/610	72/1829	39/1.10	246/112




Personal wardrobe storage cabinet with non-locking glazed doors. Four adjustable shelves in storage cabinet. One grommet rod and one shelf in wardrobe. Grommet included on 24in depth units.

P - Specify pull handle style

Z - Specify door frame colour
SZ = Silver frame
BZ = Black frame
WZ = White frame

66H	CAB-203666-WS-Z-P	2391	36/914	20/508	66/1676	30/0.85	220/100
	CAB-243666-WS-Z-P	2419	36/914	24/610	66/1676	36/1.02	232/105
	CAB-203672-WS-Z-P	2630	36/914	20/508	72/1829	33/0.93	232/105
	CAB-243672-WS-Z-P	2660	36/914	24/610	72/1829	39/1.10	246/112



Multifunctional storage cabinet. Locking multifunction cabinet with left or right storage, 2 box drawers, and 1 lateral file. Locking storage with two adjustable shelves. Grommet included on 24in depth units.

P - Specify pull handle style

66H	CAB-203066-L-FS-P	1664	30/762	20/508	66/1676	25/0.71	253/115
	CAB-203066-R-FS-P	1664	30/762	20/508	66/1676	25/0.71	253/115
	CAB-203666-L-FS-P	1691	36/914	20/508	66/1676	30/0.85	263/119
	CAB-203666-R-FS-P	1691	36/914	20/508	66/1676	30/0.85	263/119
	CAB-243066-L-FS-P	1692	30/762	24/610	66/1676	30/0.85	265/120
	CAB-243066-R-FS-P	1692	30/762	24/610	66/1676	30/0.85	265/120
	CAB-243666-L-FS-P	1717	36/914	24/610	66/1676	36/1.02	275/125
	CAB-243666-R-FS-P	1717	36/914	24/610	66/1676	36/1.02	275/125
72H	CAB-203072-L-FS-P	1805	30/762	20/508	72/1829	28/0.79	264/120
	CAB-203072-R-FS-P	1805	30/762	20/508	72/1829	28/0.79	264/120
	CAB-203672-L-FS-P	1832	36/914	20/508	72/1829	33/0.93	275/125
	CAB-203672-R-FS-P	1832	36/914	20/508	72/1829	33/0.93	275/125
	CAB-243072-L-FS-P	1835	30/762	24/610	72/1829	33/0.93	277/126
	CAB-243072-R-FS-P	1835	30/762	24/610	72/1829	33/0.93	277/126
	CAB-243672-L-FS-P	1863	36/914	24/610	72/1829	39/1.10	289/131
	CAB-243672-R-FS-P	1863	36/914	24/610	72/1829	39/1.10	289/131




Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified.
For additional specification instructions and pull handle options see pages 6-7.





Wardrobe, Personal Storage Tower.
Left hinge wardrobe with coat rack, locking right hinge storage cabinet with 2 adjustable shelves, two locking box drawers, one locking file drawer.

P ■ - Specify pull handle style






			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)
66H	CAB-2066-PT-L-BBF-P	1414	24/610	20/508	66/1676	20/0.57	198/90
	CAB-203066-PT-L-BBF-P	1485	30/762	20/508	66/1676	25/0.71	208/94
	CAB-203666-PT-L-BBF-P	1555	36/914	20/508	66/1676	30/0.85	218/99
	CAB-2466-PT-L-BBF-P	1451	24/610	24/610	66/1676	24/0.68	210/95
	CAB-243066-PT-L-BBF-P	1525	30/762	24/610	66/1676	30/0.85	220/100
	CAB-243666-PT-L-BBF-P	1596	36/914	24/610	66/1676	36/1.02	230/104
72H	CAB-2072-PT-L-BBF-P	1556	24/610	20/508	72/1829	22/0.62	208/94
	CAB-203072-PT-L-BBF-P	1635	30/762	20/508	72/1829	28/0.79	218/99
	CAB-203672-PT-L-BBF-P	1712	36/914	20/508	72/1829	33/0.93	228/103
	CAB-2472-PT-L-BBF-P	1596	24/610	24/610	72/1829	27/0.76	221/100
	CAB-243072-PT-L-BBF-P	1676	30/762	24/610	72/1829	33/0.93	231/105
	CAB-243672-PT-L-BBF-P	1756	36/914	24/610	72/1829	39/1.10	241/109



Wardrobe, Personal Storage Tower.
Left hinge wardrobe with coat rack, locking right hinge door storage cabinet with 2 adjustable shelves, two locking file drawers.

P ■ - Specify pull handle style






66H	CAB-2066-PT-L-FF-P	1414	24/610	20/508	66/1676	20/0.57	199/90
	CAB-203066-PT-L-FF-P	1485	30/762	20/508	66/1676	25/0.71	209/95
	CAB-203666-PT-L-FF-P	1555	36/914	20/508	66/1676	30/0.85	219/99
	CAB-2466-PT-L-FF-P	1451	24/610	24/610	66/1676	24/0.68	211/96
	CAB-243066-PT-L-FF-P	1525	30/762	24/610	66/1676	30/0.85	221/100
	CAB-243666-PT-L-FF-P	1596	36/914	24/610	66/1676	36/1.02	231/105
72H	CAB-2072-PT-L-FF-P	1556	24/610	20/508	72/1829	22/0.62	208/94
	CAB-203072-PT-L-FF-P	1635	30/762	20/508	72/1829	28/0.79	218/99
	CAB-203672-PT-L-FF-P	1712	36/914	20/508	72/1829	33/0.93	228/103
	CAB-2472-PT-L-FF-P	1596	24/610	24/610	72/1829	27/0.76	221/100
	CAB-243072-PT-L-FF-P	1676	30/762	24/610	72/1829	33/0.93	231/105
	CAB-243672-PT-L-FF-P	1756	36/914	24/610	72/1829	39/1.10	241/109



Wardrobe, Personal Storage Tower.
Left hinge wardrobe with coat rack, locking right hinge door storage cabinet with one adjustable shelf, three locking file drawers.

P ■ - Specify pull handle style






66H	CAB-2066-PT-L-3F-P	1536	24/610	20/508	66/1676	20/0.57	199/90
	CAB-203066-PT-L-3F-P	1606	30/762	20/508	66/1676	25/0.71	209/95
	CAB-203666-PT-L-3F-P	1677	36/914	20/508	66/1676	30/0.85	219/99
	CAB-2466-PT-L-3F-P	1573	24/610	24/610	66/1676	24/0.68	211/96
	CAB-243066-PT-L-3F-P	1647	30/762	24/610	66/1676	30/0.85	221/100
	CAB-243666-PT-L-3F-P	1733	36/914	24/610	66/1676	36/1.02	231/105
72H	CAB-2072-PT-L-3F-P	1689	24/610	20/508	72/1829	22/0.62	216/98
	CAB-203072-PT-L-3F-P	1768	30/762	20/508	72/1829	28/0.79	226/103
	CAB-203672-PT-L-3F-P	1845	36/914	20/508	72/1829	33/0.93	236/107
	CAB-2472-PT-L-3F-P	1730	24/610	24/610	72/1829	27/0.76	229/104
	CAB-243072-PT-L-3F-P	1810	30/762	24/610	72/1829	33/0.93	239/108
	CAB-243672-PT-L-3F-P	1890	36/914	24/610	72/1829	39/1.10	249/113



Wardrobe, Personal Storage Tower.
Left hinge wardrobe with coat rack, locking right hinge door storage cabinet with four adjustable shelves.

P ■ - Specify pull handle style




66H	CAB-2066-PT-L-WS-P	1414	24/610	20/508	66/1676	20/0.57	179/81
	CAB-203066-PT-L-WS-P	1485	30/762	20/508	66/1676	25/0.71	189/86
	CAB-203666-PT-L-WS-P	1555	36/914	20/508	66/1676	30/0.85	199/90
	CAB-2466-PT-L-WS-P	1451	24/610	24/610	66/1676	24/0.68	191/87
	CAB-243066-PT-L-WS-P	1525	30/762	24/610	66/1676	30/0.85	201/91
	CAB-243666-PT-L-WS-P	1596	36/914	24/610	66/1676	36/1.02	211/96
72H	CAB-2072-PT-L-WS-P	1556	24/610	20/508	72/1829	22/0.62	189/86
	CAB-203072-PT-L-WS-P	1635	30/762	20/508	72/1829	28/0.79	199/90
	CAB-203672-PT-L-WS-P	1712	36/914	20/508	72/1829	33/0.93	209/95
	CAB-2472-PT-L-WS-P	1596	24/610	24/610	72/1829	27/0.76	202/92
	CAB-243072-PT-L-WS-P	1676	30/762	24/610	72/1829	33/0.93	212/96
	CAB-243672-PT-L-WS-P	1756	36/914	24/610	72/1829	39/1.10	222/101

Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified.
For additional specification instructions and pull handle options see pages 6-7.




Wardrobe, Personal Storage Tower.
Right hinge wardrobe with coat rack, locking left hinge storage cabinet with 2 adjustable shelves, two locking box drawers, one locking file drawer.


P ■ - Specify pull handle style



24W



30W



36W

6W


12W

18W




Wardrobe, Personal Storage Tower.
Right hinge wardrobe with coat rack, locking left hinge door storage cabinet with 2 adjustable shelves, two locking file drawers.


P ■ - Specify pull handle style



24W



30W



36W

6W


12W

18W




Wardrobe, Personal Storage Tower.
Right hinge wardrobe with coat rack, locking left hinge storage cabinet with one adjustable shelf, three locking file drawers.


P ■ - Specify pull handle style



24W



30W



36W

6W


12W

18W




Wardrobe, Personal Storage Tower.
Right hinge wardrobe with coat rack, locking left hinge door storage cabinet with four adjustable shelves.


P ■ - Specify pull handle style



24W



30W



36W

6W

12W

18W

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

66H	CAB-2066-PT-R-BBF-P	1414	24/610	20/508	66/1676	20/0.57	198/90
	CAB-203066-PT-R-BBF-P	1485	30/762	20/508	66/1676	25/0.71	208/94
	CAB-203666-PT-R-BBF-P	1555	36/914	20/508	66/1676	30/0.85	218/99
	CAB-2466-PT-R-BBF-P	1451	24/610	24/610	66/1676	24/0.68	210/95
	CAB-243066-PT-R-BBF-P	1525	30/762	24/610	66/1676	30/0.85	220/100
	CAB-243666-PT-R-BBF-P	1596	36/914	24/610	66/1676	36/1.02	230/104
72H	CAB-2072-PT-R-BBF-P	1556	24/610	20/508	72/1829	22/0.62	208/94
	CAB-203072-PT-R-BBF-P	1635	30/762	20/508	72/1829	28/0.79	218/99
	CAB-203672-PT-R-BBF-P	1712	36/914	20/508	72/1829	33/0.93	228/103
	CAB-2472-PT-R-BBF-P	1596	24/610	24/610	72/1829	27/0.76	221/100
	CAB-243072-PT-R-BBF-P	1676	30/762	24/610	72/1829	33/0.93	231/105
	CAB-243672-PT-R-BBF-P	1756	36/914	24/610	72/1829	39/1.10	241/109

66H	CAB-2066-PT-R-FF-P	1414	24/610	20/508	66/1676	20/0.57	199/90
	CAB-203066-PT-R-FF-P	1485	30/762	20/508	66/1676	25/0.71	209/95
	CAB-203666-PT-R-FF-P	1555	36/914	20/508	66/1676	30/0.85	219/99
	CAB-2466-PT-R-FF-P	1451	24/610	24/610	66/1676	24/0.68	211/96
	CAB-243066-PT-R-FF-P	1525	30/762	24/610	66/1676	30/0.85	221/100
	CAB-243666-PT-R-FF-P	1596	36/914	24/610	66/1676	36/1.02	231/105
72H	CAB-2072-PT-R-FF-P	1556	24/610	20/508	72/1829	22/0.62	208/94
	CAB-203072-PT-R-FF-P	1635	30/762	20/508	72/1829	28/0.79	218/99
	CAB-203672-PT-R-FF-P	1712	36/914	20/508	72/1829	33/0.93	228/103
	CAB-2472-PT-R-FF-P	1596	24/610	24/610	72/1829	27/0.76	221/100
	CAB-243072-PT-R-FF-P	1676	30/762	24/610	72/1829	33/0.93	231/105
	CAB-243672-PT-R-FF-P	1756	36/914	24/610	72/1829	39/1.10	241/109

66H	CAB-2066-PT-R-3F-P	1536	24/610	20/508	66/1676	20/0.57	199/90
	CAB-203066-PT-R-3F-P	1606	30/762	20/508	66/1676	25/0.71	209/95
	CAB-203666-PT-R-3F-P	1677	36/914	20/508	66/1676	30/0.85	219/99
	CAB-2466-PT-R-3F-P	1573	24/610	24/610	66/1676	24/0.68	211/96
	CAB-243066-PT-R-3F-P	1647	30/762	24/610	66/1676	30/0.85	221/100
	CAB-243666-PT-R-3F-P	1733	36/914	24/610	66/1676	36/1.02	231/105
72H	CAB-2072-PT-R-3F-P	1689	24/610	20/508	72/1829	22/0.62	216/98
	CAB-203072-PT-R-3F-P	1768	30/762	20/508	72/1829	28/0.79	226/103
	CAB-203672-PT-R-3F-P	1845	36/914	20/508	72/1829	33/0.93	236/107
	CAB-2472-PT-R-3F-P	1730	24/610	24/610	72/1829	27/0.76	229/104
	CAB-243072-PT-R-3F-P	1810	30/762	24/610	72/1829	33/0.93	239/108
	CAB-243672-PT-R-3F-P	1890	36/914	24/610	72/1829	39/1.10	249/113

66H	CAB-2066-PT-R-WS-P	1414	24/610	20/508	66/1676	20/0.57	179/81
	CAB-203066-PT-R-WS-P	1485	30/762	20/508	66/1676	25/0.71	189/86
	CAB-203666-PT-R-WS-P	1555	36/914	20/508	66/1676	30/0.85	199/90
	CAB-2466-PT-R-WS-P	1451	24/610	24/610	66/1676	24/0.68	191/87
	CAB-243066-PT-R-WS-P	1525	30/762	24/610	66/1676	30/0.85	201/91
	CAB-243666-PT-R-WS-P	1596	36/914	24/610	66/1676	36/1.02	211/96
72H	CAB-2072-PT-R-WS-P	1556	24/610	20/508	72/1829	22/0.62	189/86
	CAB-203072-PT-R-WS-P	1635	30/762	20/508	72/1829	28/0.79	199/90
	CAB-203672-PT-R-WS-P	1712	36/914	20/508	72/1829	33/0.93	209/95
	CAB-2472-PT-R-WS-P	1596	24/610	24/610	72/1829	27/0.76	202/92
	CAB-243072-PT-R-WS-P	1676	30/762	24/610	72/1829	33/0.93	212/96
	CAB-243672-PT-R-WS-P	1756	36/914	24/610	72/1829	39/1.10	222/101

Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified.
For additional specification instructions and pull handle options see pages 6-7.



Wardrobe, Personal Storage Tower. Left hinge wardrobe with coat rack, non-locking right hinge glazed door storage cabinet with 2 adjustable shelves, two locking box drawers, one locking file drawer.

P - Specify pull handle style

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

66H	CAB-2066-PT-L-BBF-Z-P	1917	24/610	20/508	66/1676	20/0.57	198/90
	CAB-2466-PT-L-BBF-Z-P	1946	24/610	24/610	66/1676	24/0.68	210/95
72H	CAB-2072-PT-L-BBF-Z-P	2111	24/610	20/508	72/1829	22/0.62	208/94
	CAB-2472-PT-L-BBF-Z-P	2140	24/610	24/610	72/1829	27/0.76	221/100

Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame



Wardrobe, Personal Storage Tower. Left hinge wardrobe with coat rack, non-locking right hinge glazed door storage cabinet with 2 adjustable shelves, two locking file drawers.

P - Specify pull handle style

66H	CAB-2066-PT-L-FF-Z-P	1917	24/610	20/508	66/1676	20/0.57	199/90
	CAB-2466-PT-L-FF-Z-P	1946	24/610	24/610	66/1676	24/0.68	211/96
72H	CAB-2072-PT-L-FF-Z-P	2111	24/610	20/508	72/1829	22/0.62	208/94
	CAB-2472-PT-L-FF-Z-P	2140	24/610	24/610	72/1829	27/0.76	221/100

Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame



Wardrobe, Personal Storage Tower. Left hinge wardrobe with coat rack, non-locking right hinge glazed door storage cabinet with one adjustable shelf, three locking file drawers.

P - Specify pull handle style

66H	CAB-2066-PT-L-3F-Z-P	2039	24/610	20/508	66/1676	20/0.57	199/90
	CAB-2466-PT-L-3F-Z-P	2066	24/610	24/610	66/1676	24/0.68	211/96
72H	CAB-2072-PT-L-3F-Z-P	2244	24/610	20/508	72/1829	22/0.62	216/98
	CAB-2472-PT-L-3F-Z-P	2275	24/610	24/610	72/1829	27/0.76	229/104

Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame



Wardrobe, Personal Storage Tower. Left hinge wardrobe with coat rack, non-locking right hinge door storage cabinet with four adjustable shelves.

P - Specify pull handle style

66H	CAB-2066-PT-L-WS-Z-P	1986	24/610	20/508	66/1676	20/0.57	179/81
	CAB-2466-PT-L-WS-Z-P	2014	24/610	24/610	66/1676	24/0.68	191/87
72H	CAB-2072-PT-L-WS-Z-P	2183	24/610	20/508	72/1829	22/0.62	189/86
	CAB-2472-PT-L-WS-Z-P	2214	24/610	24/610	72/1829	27/0.76	202/92

Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame

Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified.
For additional specification instructions and pull handle options see pages 6-7.



Wardrobe, Personal Storage Tower. Right hinge wardrobe with coat rack, non-locking left hinge glazed door storage cabinet with 2 adjustable shelves, two locking box drawers, one locking file drawer.

P - Specify pull handle style

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE		(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)
66H	CAB-2066-PT-R-BBF- Z-P	1917	24/610	20/508	66/1676	20/0.57	198/90
	CAB-2466-PT-R-BBF- Z-P	1946	24/610	24/610	66/1676	24/0.68	210/95
72H	CAB-2072-PT-R-BBF- Z-P	2111	24/610	20/508	72/1829	22/0.62	208/94
	CAB-2472-PT-R-BBF- Z-P	2140	24/610	24/610	72/1829	27/0.76	221/100

Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame



Wardrobe, Personal Storage Tower. Right hinge wardrobe with coat rack, non-locking left hinge glazed door storage cabinet with 2 adjustable shelves, two locking file drawers.

P - Specify pull handle style

66H	CAB-2066-PT-R-FF- Z-P	1917	24/610	20/508	66/1676	20/0.57	199/90
	CAB-2466-PT-R-FF- Z-P	1946	24/610	24/610	66/1676	24/0.68	211/96
72H	CAB-2072-PT-R-FF- Z-P	2111	24/610	20/508	72/1829	22/0.62	208/94
	CAB-2472-PT-R-FF- Z-P	2140	24/610	24/610	72/1829	27/0.76	221/100

Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame



Wardrobe, Personal Storage Tower. Right hinge wardrobe with coat rack, non-locking left hinge glazed door storage cabinet with one adjustable shelf, three locking file drawers.

P - Specify pull handle style

66H	CAB-2066-PT-R-3F- Z-P	2039	24/610	20/508	66/1676	20/0.57	199/90
	CAB-2466-PT-R-3F- Z-P	2066	24/610	24/610	66/1676	24/0.68	211/96
72H	CAB-2072-PT-R-3F- Z-P	2244	24/610	20/508	72/1829	22/0.62	216/98
	CAB-2472-PT-R-3F- Z-P	2275	24/610	24/610	72/1829	27/0.76	229/104

Z - Specify door frame colour

SZ = Silver frame

BZ = Black frame

WZ = White frame



Wardrobe, Personal Storage Tower. Right hinge wardrobe with coat rack, non-locking left hinge door storage cabinet with four adjustable shelves.

P - Specify pull handle style

66H	CAB-2066-PT-R-WS- Z-P	1986	24/610	20/508	66/1676	20/0.57	179/81
	CAB-2466-PT-R-WS- Z-P	2014	24/610	24/610	66/1676	24/0.68	191/87
72H	CAB-2072-PT-R-WS- Z-P	2183	24/610	20/508	72/1829	22/0.62	189/86
	CAB-2472-PT-R-WS- Z-P	2214	24/610	24/610	72/1829	27/0.76	202/92

Z - Specify door frame colour

SZ = Silver frame



BZ = Black frame

WZ = White frame

Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified.
For additional specification instructions and pull handle options see pages 6-7.


			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
		CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³) (lbs/kg)
	Vertical storage cabinet with one 1" adjustable shelf, bookcase with two 1" adjustable shelves	BKC-123672-SCBC-P	735	36/914	12/305	72/1829	20/0.57 129/59
	P - Specify pull handle style						
	Bookcase with one 1" adjustable shelf.	BKC-122429-BC	486	24/610	12/305	29/737	7/0.20 60/27
		BKC-123029-BC	509	30/762	12/305	29/737	8/0.23 70/32
		BKC-123629-BC	532	36/914	12/305	29/737	9/0.25 80/36
	Bookcase with three 1" adjustable shelves.	BKC-122448-BC	511	24/610	12/305	48/1219	9/0.25 78/35
		BKC-123048-BC	534	30/762	12/305	48/1219	11/0.31 91/41
		BKC-123648-BC	559	36/914	12/305	48/1219	14/0.40 103/47
	Bookcase with four 1" adjustable shelves.	BKC-122466-BC	548	24/610	12/305	66/1676	13/0.37 102/46
		BKC-123066-BC	572	30/762	12/305	66/1676	16/0.45 119/54
		BKC-123666-BC	596	36/914	12/305	66/1676	19/0.54 135/61
		BKC-122472-BC	572	24/610	12/305	72/1829	14/0.40 107/49
		BKC-123072-BC	596	30/762	12/305	72/1829	17/0.48 124/56
		BKC-123672-BC	620	36/914	12/305	72/1829	20/0.57 141/64
	Bookcase with five 1" adjustable shelves.	BKC-122484-BC	744	24/610	12/305	84/2134	18/0.51 140/64
		BKC-123084-BC	775	30/762	12/305	84/2134	22/0.62 161/73
		BKC-123684-BC	805	36/914	12/305	84/2134	27/0.76 185/84
	Extra 1" shelves for bookcase.	BKC-24-SHELF	63	22/559	11/279	1/25	
		BKC-30-SHELF	68	28/711	11/279	1/25	
		BKC-36-SHELF	74	34/864	11/279	1/25	

All Links bookcases are manufactured with full 1" construction, 3mm edging and finished matching back.
Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified.
For additional specification instructions and pull handle options see pages 6-7.

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)
	Vertical storage cabinet and display case. One adjustable shelf in storage cabinet, three fixed display shelves with a 1" thick black lip.	BKC-123672-SCDC-P	1021	36/914	12/305	72/1829	18/0.51 120/54
	P - Specify pull handle style						
	Display case with four fixed display shelves with a 1" thick black lip.	BKC-123672-DC	898	36/914	12/305	72/1829	20/0.57 120/54
	27"H Bookcase extension with one adjustable shelf.	BKC-122427-BC-HE	374	24/610	12/305	27/686	3/0.08 72/33
		BKC-123027-BC-HE	398	30/762	12/305	27/686	3/0.08 75/34
		BKC-123627-BC-HE	423	36/914	12/305	27/686	3/0.08 78/35
	Corner bookcase with four 1" adjustable shelves.	BKC-123672-CBC	1633	36/914	12/305	72/1829	54/1.53 260/118
	27"H Corner Bookcase extension with one adjustable shelf.	BKC-123627-CBC-HE	775	36/914	12/305	27/686	4/0.11 140/64


All Links bookcases are manufactured with full 1" construction, 3mm edging and finished matching back.
 Please note: cabinet door, shelves and lateral file drawer fronts are colour matched to top colour, unless otherwise specified.
 For additional specification instructions and pull handle options see pages 6-7.

Square Corner Bookshelf




29"H Square Corner Bookshelf with one adjustable shelf. Left or right.

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)
20"	BKC-2029-L-SBS	563	20/508	20/508	29/737	10/0.28	102/46
	BKC-2029-R-SBS	563	20/508	20/508	29/737	10/0.28	102/46
24"	BKC-2429-L-SBS	588	24/610	24/610	29/737	11/0.31	130/59
	BKC-2429-R-SBS	588	24/610	24/610	29/737	11/0.31	130/59



36"H Square Corner Bookshelf with one adjustable shelf. Left or right.

20"	BKC-2036-L-SBS	803	20/508	20/508	36/914	10/0.28	105/48
	BKC-2036-R-SBS	803	20/508	20/508	36/914	10/0.28	105/48
24"	BKC-2436-L-SBS	874	24/610	24/610	36/914	14/0.40	135/61
	BKC-2436-R-SBS	874	24/610	24/610	36/914	14/0.40	135/61



42"H Square Corner Bookshelf with two adjustable shelves. Left or right.


20"	BKC-2042-L-SBS	827	20/508	20/508	42/1067	11/0.31	108/49
	BKC-2042-R-SBS	827	20/508	20/508	42/1067	11/0.31	108/49
24"	BKC-2442-L-SBS	851	24/610	24/610	42/1067	15/0.42	140/64
	BKC-2442-R-SBS	851	24/610	24/610	42/1067	15/0.42	140/64



66"H, 72"H Square Corner Bookshelf with four adjustable shelves. Left or right.


66H	BKC-2066-L-SBS	888	20/508	20/508	66/1676	18/0.51	116/53
	BKC-2066-R-SBS	888	20/508	20/508	66/1676	18/0.51	116/53
	BKC-2466-L-SBS	912	24/610	24/610	66/1676	25/0.71	150/68
	BKC-2466-R-SBS	912	24/610	24/610	66/1676	25/0.71	150/68
72H	BKC-2072-L-SBS	978	20/508	20/508	72/1829	20/0.57	126/57
	BKC-2072-R-SBS	978	20/508	20/508	72/1829	20/0.57	126/57
	BKC-2472-L-SBS	1014	24/610	24/610	72/1829	27/0.76	160/73
	BKC-2472-R-SBS	1014	24/610	24/610	72/1829	27/0.76	160/73

For additional specification instructions see page 6.

Corner Bookshelf


29"H Corner Bookshelf with one fixed shelf. Left or right.

CODE	PRICE	WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
		(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)
20" BKC-2029-L-CBS	442	20/508	20/508	29/737	10/0.28	102/46
	442	20/508	20/508	29/737	10/0.28	102/46
24" BKC-2429-L-CBS	466	24/610	24/610	29/737	11/0.31	130/59
	466	24/610	24/610	29/737	11/0.31	130/59




36"H Corner Bookshelf with one fixed shelf. Left or right.

20" BKC-2036-L-CBS	683	20/508	20/508	36/914	10/0.28	105/48
	683	20/508	20/508	36/914	10/0.28	105/48
24" BKC-2436-L-CBS	706	24/610	24/610	36/914	14/0.40	135/61
	706	24/610	24/610	36/914	14/0.40	135/61



42"H Corner Bookshelf with two fixed shelves. Left or right.

20" BKC-2042-L-CBS	705	20/508	20/508	42/1067	11/0.31	108/49
	705	20/508	20/508	42/1067	11/0.31	108/49
24" BKC-2442-L-CBS	729	24/610	24/610	42/1067	15/0.42	140/64
	729	24/610	24/610	42/1067	15/0.42	140/64



66"H, 72"H Corner Bookshelf with four fixed shelves. Left or right.

66H	BKC-2066-L-CBS	765	20/508	20/508	66/1676	18/0.51	116/53
	BKC-2066-R-CBS	765	20/508	20/508	66/1676	18/0.51	116/53
	BKC-2466-L-CBS	791	24/610	24/610	66/1676	25/0.71	150/68
	BKC-2466-R-CBS	791	24/610	24/610	66/1676	25/0.71	150/68
72H	BKC-2072-L-CBS	842	20/508	20/508	72/1829	20/0.57	126/57
	BKC-2072-R-CBS	842	20/508	20/508	72/1829	20/0.57	126/57
	BKC-2472-L-CBS	869	24/610	24/610	72/1829	27/0.76	160/73
	BKC-2472-R-CBS	869	24/610	24/610	72/1829	27/0.76	160/73




14" Corner Book Shelf (hutch) with two fixed shelves. Left or right.

36H	BKC-1436-L-CBS	323	14/356	14/356	36/914	5/0.14	30/14
	BKC-1436-R-CBS	323	14/356	14/356	36/914	5/0.14	30/14
42H	BKC-1442-L-CBS	372	14/356	14/356	42/1067	6/0.17	40/18
	BKC-1442-R-CBS	372	14/356	14/356	42/1067	6/0.17	40/18

For additional specification instructions see page 6.

Posts



In-Links divider post with post cap included.
Come in 6", 12", 18", 24", and 36" heights.

2 posts required for straight panel applications,
3 posts required for corner applications.

Default post colour is Black.

For Black Post add **BK** to code
i.e. PST-0012-BK

For Silver Post add **AL** to code
i.e. PST-0012-AL

CODE	PRICE	WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
		(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)
PST-0006-	58	2/51	dia.	6/152	1/0.03	1.0/0.5
PST-0012-	63	2/51	dia.	12/305	1/0.03	1.0/0.5
PST-0018-	68	2/51	dia.	18/457	1/0.03	1.5/0.7
PST-0024-	72	2/51	dia.	24/610	1/0.03	2.0/0.9
PST-0036-	100	2/51	dia.	36/914	1/0.03	3.0/1.4

**Worksurfaces are predrilled with anchor holes to accept divider posts.
A drawing must be provided with your order to ensure sufficient number
of spacers and fillers are included.**



For additional specification instructions see page 6.

Panel Inserts

Panels are specified as followed:

Specify Type:



Laminate (L)

i.e. TIL-1272-L

(see samples for finish colour selection)



Glazed (G) (smoked ribbed polycarbonate)

i.e. TIL-1272-G



Crystal (C) (crystal ribbed polycarbonate)

i.e. TIL-1272-C



Whiteboard (W)

i.e. TIL-1272-W



Fabric (F)

i.e. TIL-1272-F

(see fabric cards for available selection)



Slatwall (S) (specify finish)

Chamois Black - BK

Brushed Aluminum - AL

i.e. TIL-1272-S-AL



Frosted (Z) or Clear (X)

i.e. TIL-1272-Z or TIL-1272-X

Please Specify

- For laminate, specify finish
- For slatwall, specify finish code
- For fabric, specify fabric colour code
- Please provide drawing at time of order.

See Links Fabric cards for available selections.

Refer to pages 106-107 for available slatwall accessories.

For additional specification instructions and laminate colours see pages 6-7.

CODE	PRICE					WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	(L)	(G,C,W)	(F)	(S)	(Z,X)	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

6" HIGH	TIL-0624-	120	150	169	187	221	24/610	2/51	6/152	1/0.03	1.6/0.7
	TIL-0630-	132	166	190	207	247	30/762	2/51	6/152	1/0.03	2.0/0.9
	TIL-0636-	143	179	207	227	268	36/914	2/51	6/152	1/0.03	2.5/1.1
	TIL-0642-	152	195	226	248	294	42/1067	2/51	6/152	1/0.03	2.9/1.3
	TIL-0648-	165	210	243	267	316	48/1219	2/51	6/152	1/0.03	3.3/1.5
	TIL-0654-	173	226	263	289	341	54/1372	2/51	6/152	1/0.03	3.7/1.7
	TIL-0660-	186	254	280	308	364	60/1524	2/51	6/152	1/0.03	4.1/1.9
	TIL-0666-	196	271	296	323	385	66/1676	2/51	6/152	1/0.03	4.5/2.0
	TIL-0672-	207	298	321	345	419	72/1829	2/51	6/152	1/0.03	4.9/2.2

12" HIGH	TIL-1224-	135	168	190	208	247	24/610	2/51	12/305	1/0.03	1.8/0.8
	TIL-1230-	147	184	210	231	273	30/762	2/51	12/305	1/0.03	2.2/1.0
	TIL-1236-	161	200	231	253	299	36/914	2/51	12/305	1/0.03	2.7/1.2
	TIL-1242-	170	218	252	276	328	42/1067	2/51	12/305	1/0.03	3.1/1.4
	TIL-1248-	181	235	272	298	354	48/1219	2/51	12/305	1/0.03	3.6/1.6
	TIL-1254-	195	252	293	320	381	54/1372	2/51	12/305	1/0.03	4.0/1.8
	TIL-1260-	207	267	313	341	406	60/1524	2/51	12/305	1/0.03	4.5/2.0
	TIL-1266-	221	286	337	363	438	66/1676	2/51	12/305	1/0.03	5.0/2.3
	TIL-1272-	235	301	360	385	468	72/1829	2/51	12/305	1/0.03	5.5/2.5

18" HIGH	TIL-1824-	175	276	289	N/A	375	24/610	2/51	18/457	1/0.03	2.4/1.1
	TIL-1830-	191	298	319	N/A	415	30/762	2/51	18/457	1/0.03	3.0/1.4
	TIL-1836-	207	321	349	N/A	454	36/914	2/51	18/457	1/0.03	3.7/1.7
	TIL-1842-	222	358	382	N/A	497	42/1067	2/51	18/457	1/0.03	4.3/2.0
	TIL-1848-	235	371	408	N/A	531	48/1219	2/51	18/457	1/0.03	4.9/2.2
	TIL-1854-	253	395	442	N/A	575	54/1372	2/51	18/457	1/0.03	5.5/2.5
	TIL-1860-	270	421	470	N/A	613	60/1524	2/51	18/457	1/0.03	6.1/2.8
	TIL-1866-	286	442	505	N/A	657	66/1676	2/51	18/457	1/0.03	6.7/3.0
	TIL-1872-	307	465	527	N/A	687	72/1829	2/51	18/457	1/0.03	7.3/3.3

24" HIGH	TIL-2424-	229	308	320	N/A	416	24/610	2/51	24/610	1/0.03	3.2/1.5
	TIL-2430-	249	332	357	N/A	464	30/762	2/51	24/610	1/0.03	4.0/1.8
	TIL-2436-	270	359	389	N/A	505	36/914	2/51	24/610	1/0.03	5.0/2.3
	TIL-2442-	287	400	426	N/A	553	42/1067	2/51	24/610	1/0.03	5.8/2.6
	TIL-2448-	307	413	457	N/A	592	48/1219	2/51	24/610	1/0.03	6.6/3.0
	TIL-2454-	328	438	490	N/A	637	54/1372	2/51	24/610	1/0.03	7.4/3.4
	TIL-2460-	351	465	523	N/A	679	60/1524	2/51	24/610	1/0.03	8.2/3.7
	TIL-2466-	372	497	563	N/A	732	66/1676	2/51	24/610	1/0.03	9.0/4.1
	TIL-2472-	397	531	602	N/A	782	72/1829	2/51	24/610	1/0.03	9.8/4.4

Panel Insert widths shown reflect size of worksurface when used with Links support posts only.

Linear Panel Set



Includes: two 6"H black support posts, two black support caps, and one 6"H divider panel. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. LPS-0648-L-AL

PRICE						WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT	
CODE	(L)	(G,C,W)	(F)	(S)	(Z,X)	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)	
6" HIGH	LPS-0624-	273	300	316	335	411	24/610	2/51	6/152	1/0.03	9/4.1
	LPS-0630-	287	321	341	360	444	30/762	2/51	6/152	1/0.03	11/5.0
	LPS-0636-	300	344	366	387	476	36/914	2/51	6/152	1/0.03	13/5.9
	LPS-0642-	316	366	390	414	507	42/1067	2/51	6/152	1/0.03	14/6.4
	LPS-0648-	330	386	414	442	539	48/1219	2/51	6/152	1/0.03	16/7.3
	LPS-0654-	344	407	441	468	573	54/1372	2/51	6/152	1/0.03	17/7.7
	LPS-0660-	358	429	464	494	604	60/1524	2/51	6/152	1/0.03	19/8.6
	LPS-0666-	372	452	489	519	636	66/1676	2/51	6/152	1/0.03	21/9.5
	LPS-0672-	386	470	515	543	668	72/1829	2/51	6/152	1/0.03	22/10.0



Includes: two 12"H black support posts, two black support caps, and one 12"H divider panel. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. LPS-1248-L-AL

12" HIGH	LPS-1224-	273	300	316	335	411	24/610	2/51	12/305	1/0.03	9/4.1
	LPS-1230-	287	321	341	360	444	30/762	2/51	12/305	1/0.03	11/5.0
	LPS-1236-	300	344	366	387	476	36/914	2/51	12/305	1/0.03	13/5.9
	LPS-1242-	316	366	390	414	507	42/1067	2/51	12/305	1/0.03	14/6.4
	LPS-1248-	330	386	414	442	539	48/1219	2/51	12/305	1/0.03	16/7.3
	LPS-1254-	344	407	441	468	573	54/1372	2/51	12/305	1/0.03	17/7.7
	LPS-1260-	358	429	464	494	604	60/1524	2/51	12/305	1/0.03	19/8.6
	LPS-1266-	372	452	489	519	636	66/1676	2/51	12/305	1/0.03	21/9.5
	LPS-1272-	386	470	515	543	668	72/1829	2/51	12/305	1/0.03	22/10.0



Includes: two 18"H black support posts, two black support caps, and one 18"H divider panel. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. LPS-1848-L-AL

18" HIGH	LPS-1824-	335	377	403	N/A	523	24/610	2/51	18/457	1/0.03	13/5.9
	LPS-1830-	355	404	437	N/A	568	30/762	2/51	18/457	1/0.03	15/6.8
	LPS-1836-	373	431	465	N/A	606	36/914	2/51	18/457	1/0.03	17/7.7
	LPS-1842-	393	457	497	N/A	646	42/1067	2/51	18/457	1/0.03	19/8.6
	LPS-1848-	411	483	529	N/A	688	48/1219	2/51	18/457	1/0.03	21/9.5
	LPS-1854-	432	511	561	N/A	730	54/1372	2/51	18/457	1/0.03	23/10.4
	LPS-1860-	452	538	591	N/A	771	60/1524	2/51	18/457	1/0.03	25/11.3
	LPS-1866-	470	562	626	N/A	813	66/1676	2/51	18/457	1/0.03	27/12.2
	LPS-1872-	490	589	655	N/A	852	72/1829	2/51	18/457	1/0.03	29/13.2



Includes: two 24"H black support posts, two black support caps, and two 12"H divider panels. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. LPS-2448-L-AL


24" HIGH	LPS-2424-	395	453	488	N/A	635	24/610	2/51	24/610	1/0.03	18/8.2
	LPS-2430-	422	484	530	N/A	689	30/762	2/51	24/610	1/0.03	22/10.0
	LPS-2436-	444	516	565	N/A	735	36/914	2/51	24/610	1/0.03	26/11.8
	LPS-2442-	469	545	605	N/A	784	42/1067	2/51	24/610	1/0.03	30/13.6
	LPS-2448-	494	579	643	N/A	836	48/1219	2/51	24/610	1/0.03	32/14.5
	LPS-2454-	519	612	683	N/A	887	54/1372	2/51	24/610	1/0.03	34/15.4
	LPS-2460-	543	645	719	N/A	933	60/1524	2/51	24/610	1/0.03	38/17.2
	LPS-2466-	570	674	758	N/A	986	66/1676	2/51	24/610	1/0.03	42/19.1
	LPS-2472-	594	707	797	N/A	1035	72/1829	2/51	24/610	1/0.03	44/20.0



Includes: two 36"H black support posts, two black support caps, three 12"H divider panels. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. LPS-3648-L-AL

36" HIGH	LPS-3624-	572	678	757	N/A	984	24/610	2/51	36/914	1/0.03	27/12.2
	LPS-3630-	602	726	818	N/A	1064	30/762	2/51	36/914	1/0.03	33/15.0
	LPS-3636-	632	774	875	N/A	1137	36/914	2/51	36/914	1/0.03	39/17.7
	LPS-3642-	665	819	939	N/A	1220	42/1067	2/51	36/914	1/0.03	45/20.4
	LPS-3648-	697	870	994	N/A	1294	48/1219	2/51	36/914	1/0.03	48/21.8
	LPS-3654-	728	917	1055	N/A	1372	54/1372	2/51	36/914	1/0.03	51/23.1
	LPS-3660-	758	965	1113	N/A	1447	60/1524	2/51	36/914	1/0.03	57/25.9
	LPS-3666-	791	1012	1174	N/A	1527	66/1676	2/51	36/914	1/0.03	63/28.6
	LPS-3672-	820	1061	1235	N/A	1602	72/1829	2/51	36/914	1/0.03	66/29.9



Drawing must be provided at time of order to ensure sufficient number of spacers are included.

Panel widths shown reflect size of worksurface.

Refer to page 97 for panel type insert options, finish codes.

For additional specification instructions and laminate colours see pages 6-7.

See Links Fabric cards for available selections. Refer to pages 106-107 for available slatwall accessories.

Corner Panel Set



Includes: three 6"H black support posts, three black support caps, and two 6"H divider panels. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. CPS-4848-L6-AL

CODE	PRICE					WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	(L)	(G,C,W)	(F)	(S)	(Z,X)	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)
6" HIGH	CPS-3030-6	532	602	641	679	833	30/762	30/762	6/152	1/0.03 18/8.2
	CPS-3636-6	560	646	687	732	893	36/914	36/914	6/152	1/0.03 21/9.5
	CPS-4242-6	588	687	737	786	960	42/1067	42/1067	6/152	1/0.03 23/10.4
	CPS-4848-6	616	730	786	841	1024	48/1219	48/1219	6/152	1/0.03 27/12.2
	CPS-4842-6	602	708	762	815	991	48/1219	42/1067	6/152	1/0.03 23/10.4
	CPS-4248-6	602	708	762	815	991	42/1067	48/1219	6/152	1/0.03 23/10.4
	CPS-3630-6	544	625	664	706	863	36/914	30/762	6/152	1/0.03 20/9.10
	CPS-3036-6	544	625	664	706	863	30/762	36/914	6/152	1/0.03 20/9.10



Includes: three 12"H black support posts, three black support caps, and two 12"H divider panels. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. CPS-4848-L12-AL

12" HIGH	CPS-3030-12	532	602	641	679	833	30/762	30/762	12/305	1/0.03 18/8.2
	CPS-3636-12	560	646	687	732	893	36/914	36/914	12/305	1/0.03 21/9.5
	CPS-4242-12	588	687	737	786	960	42/1067	42/1067	12/305	1/0.03 23/10.4
	CPS-4848-12	616	730	786	841	1024	48/1219	48/1219	12/305	1/0.03 27/12.2
	CPS-4842-12	602	708	762	815	991	48/1219	42/1067	12/305	1/0.03 23/10.4
	CPS-4248-12	602	708	762	815	991	42/1067	48/1219	12/305	1/0.03 23/10.4
	CPS-3630-12	544	625	664	706	863	36/914	30/762	12/305	1/0.03 20/9.10
	CPS-3036-12	544	625	664	706	863	30/762	36/914	12/305	1/0.03 20/9.10



Includes: three 18"H black support posts, three black support caps, and two 18"H divider panels. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. CPS-4848-18HL-AL


18" HIGH	CPS-3030-18H	645	753	805	N/A	1047	30/762	30/762	18/457	1/0.03 18/8.2
	CPS-3636-18H	683	807	867	N/A	1127	36/914	36/914	18/457	1/0.03 21/9.5
	CPS-4242-18H	722	859	931	N/A	1212	42/1067	42/1067	18/457	1/0.03 23/10.4
	CPS-4848-18H	760	915	1034	N/A	1342	48/1219	48/1219	18/457	1/0.03 27/12.2
	CPS-4842-18H	742	885	963	N/A	1251	48/1219	42/1067	18/457	1/0.03 23/10.4
	CPS-4248-18H	742	885	963	N/A	1251	42/1067	48/1219	18/457	1/0.03 23/10.4
	CPS-3630-18H	663	780	836	N/A	1088	36/914	30/762	18/457	1/0.03 20/9.10
	CPS-3036-18H	663	780	836	N/A	1088	30/762	36/914	18/457	1/0.03 20/9.10



Includes: three 24"H black support posts, three black support caps, and four 12"H divider panels. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. CPS-4848-24HL-AL


24" HIGH	CPS-3030-24H	804	903	971	N/A	1263	30/762	30/762	24/610	1/0.03 36/16.3
	CPS-3636-24H	828	967	1046	N/A	1360	36/914	36/914	24/610	1/0.03 42/19.1
	CPS-4242-24H	856	1031	1126	N/A	1464	42/1067	42/1067	24/610	1/0.03 46/20.9
	CPS-4848-24H	903	1096	1255	N/A	1631	48/1219	48/1219	24/610	1/0.03 54/24.5
	CPS-4842-24H	879	1062	1162	N/A	1510	48/1219	42/1067	24/610	1/0.03 46/20.9
	CPS-4248-24H	879	1062	1162	N/A	1510	42/1067	48/1219	24/610	1/0.03 46/20.9
	CPS-3630-24H	779	936	1009	N/A	1311	36/914	30/762	24/610	1/0.03 40/18.1
	CPS-3036-24H	779	936	1009	N/A	1311	30/762	36/914	24/610	1/0.03 40/18.1



Includes: three 36"H black support posts, three black support caps, and six 12"H divider panels. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. CPS-4848-36HL-AL

36" HIGH	CPS-3030-36H	1076	1356	1508	N/A	1961	30/762	30/762	36/914	1/0.03 54/24.5
	CPS-3636-36H	1138	1451	1622	N/A	2109	36/914	36/914	36/914	1/0.03 63/28.6
	CPS-4242-36H	1200	1546	1747	N/A	2273	42/1067	42/1067	36/914	1/0.03 69/31.3
	CPS-4848-36H	1265	1644	1862	N/A	2421	48/1219	48/1219	36/914	1/0.03 81/36.7
	CPS-4842-36H	1233	1594	1804	N/A	2346	48/1219	42/1067	36/914	1/0.03 69/31.3
	CPS-4248-36H	1233	1594	1804	N/A	2346	42/1067	48/1219	36/914	1/0.03 69/31.3
	CPS-3630-36H	1109	1402	1565	N/A	2035	36/914	30/762	36/914	1/0.03 60/27.2
	CPS-3036-36H	1109	1402	1565	N/A	2035	30/762	36/914	36/914	1/0.03 60/27.2



Drawing must be provided at time of order to ensure sufficient number of spacers are included.

Panel widths and depths shown reflect size of worksurface.

Refer to page 97 for panel type insert options, finish codes.

For additional specification instructions and laminate colours see pages 6-7.

See Links Fabric cards for available selections. Refer to pages 106-107 for available slatwall accessories.

Angled Panel Set



CODE		PRICE					WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
		(L)	(G,C,W)	(F)	(S)	(Z,X)	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)

6"H	APS-4242-6	595	750	800	849	1023	42/1067	42/1067	6/152	1/0.03	24/10.9
	APS-4848-6	679	793	849	904	1087	48/1219	48/1219	6/152	1/0.03	28/12.7
	APS-6060-6	699	813	869	924	1107	60/1524	60/1524	6/152	1/0.03	30/13.6

Includes: four 6"H black support posts, four black support caps, and three 6"H divider panel. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. APS-4848-L6-AL



12"H	APS-4242-	595	750	800	849	1023	42/1067	42/1067	12/305	1/0.03	24/10.9
	APS-4848-	679	793	849	904	1087	48/1219	48/1219	12/305	1/0.03	28/12.7
	APS-6060-	699	813	869	924	1107	60/1524	60/1524	12/305	1/0.03	30/13.6

Includes: four 12"H black support posts, four black support caps, and three 12"H divider panel. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. APS-4848-L-AL



18"H	APS-4242-18H	790	927	999	N/A	1280	42/1067	42/1067	18/457	1/0.03	24/10.9
	APS-4848-18H	828	983	1102	N/A	1410	48/1219	48/1219	18/457	1/0.03	28/12.7
	APS-6060-18H	848	1003	1122	N/A	1430	60/1524	60/1524	18/457	1/0.03	30/13.6

Includes: four 18"H black support posts, four black support caps, and three 18"H divider panel. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. APS-4848-18HL-AL



24"H	APS-4242-24H	928	1103	1198	N/A	1536	42/1067	42/1067	24/610	1/0.03	48/21.8
	APS-4848-24H	975	1168	1327	N/A	1703	48/1219	48/1219	24/610	1/0.03	56/25.4
	APS-6060-24H	995	1188	1347	N/A	1723	60/1524	60/1524	24/610	1/0.03	60/27.2

Includes: four 24"H black support posts, four black support caps, and six 12"H divider panels. All mounting hardware included.



For optional brushed aluminum posts add suffix **AL** to end of code. i.e. APS-4848-24HL-AL



36"H	APS-4242-36H	1300	1646	1847	N/A	2373	42/1067	42/1067	24/610	1/0.03	74/33.6
	APS-4848-36H	1365	1744	1962	N/A	2521	48/1219	48/1219	24/610	1/0.03	86/39.0
	APS-6060-36H	1385	1764	1982	N/A	2541	60/1524	60/1524	24/610	1/0.03	90/40.8

Includes: four 36"H black support posts, four black support caps, nine 12"H divider panels. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. APS-4848-36HL-AL



Panel widths and depths shown reflect code size of ACU worksurface.
Additional support posts may be required for some applications.

Drawing must be provided at time of order to ensure sufficient number of spacers are included


Refer to page 97 for panel type insert options, finish codes.

For additional specification instructions and laminate colours see pages 6-7.


See Links Fabric cards for available selections. Refer to pages 106-107 for available slatwall accessories.



Linear Transaction Set



Includes: two 6"H black support posts, one transaction top, and one 6"H divider panel. All mounting hardware included.



For optional brushed aluminum posts add suffix **AL** to end of code. i.e. LTS-1248-L6-AL



Includes: two 12"H black support posts, one transaction top, and one 12"H divider panel. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. LTS-1248-L-AL



Radius End Left
Add **RL** to code.
i.e. LTS-1248-L-RL



Radius End Right
Add **RR** to code.
i.e. LTS-1248-L-RR

CODE	PRICE					WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	(L)	(G,C,W)	(F)	(S)	(Z,X)	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

6" HIGH	LTS-1224-	6	300	330	344	363	446	24/610	12/305	6/152	1.0/0.03	18/8.2
	LTS-1230-	6	316	350	370	389	481	30/762	12/305	6/152	1.0/0.03	21/9.5
	LTS-1236-	6	330	372	394	415	512	36/914	12/305	6/152	1.0/0.03	25/11.3
	LTS-1242-	6	344	394	421	443	546	42/1067	12/305	6/152	1.2/0.03	29/13.2
	LTS-1248-	6	358	414	443	469	576	48/1219	12/305	6/152	1.3/0.04	31/14.1
	LTS-1254-	6	372	435	468	497	610	54/1372	12/305	6/152	1.5/0.04	34/15.4
	LTS-1260-	6	386	458	492	521	641	60/1524	12/305	6/152	1.6/0.05	38/17.2
	LTS-1266-	6	402	480	518	549	672	66/1676	12/305	6/152	1.8/0.05	41/18.6
	LTS-1272-	6	414	501	542	573	705	72/1829	12/305	6/152	2.0/0.06	44/20.0


12" HIGH	LTS-1224-		300	330	344	363	446	24/610	12/305	12/305	1.0/0.03	18/8.2
	LTS-1230-		316	350	370	389	481	30/762	12/305	12/305	1.0/0.03	21/9.5
	LTS-1236-		330	372	394	415	512	36/914	12/305	12/305	1.0/0.03	25/11.3
	LTS-1242-		344	394	421	443	546	42/1067	12/305	12/305	1.2/0.03	29/13.2
	LTS-1248-		358	414	443	469	576	48/1219	12/305	12/305	1.3/0.04	31/14.1
	LTS-1254-		372	435	468	497	610	54/1372	12/305	12/305	1.5/0.04	34/15.4
	LTS-1260-		386	458	492	521	641	60/1524	12/305	12/305	1.6/0.05	38/17.2
	LTS-1266-		402	480	518	549	672	66/1676	12/305	12/305	1.8/0.05	41/18.6
	LTS-1272-		414	501	542	573	705	72/1829	12/305	12/305	2.0/0.06	44/20.0

Drawing must be provided at time of order to ensure sufficient number of spacers are included.

Corner Transaction Set



Includes: three 6"H black support posts, one corner transaction top, and two 6"H divider panels. All mounting hardware included.



For optional brushed aluminum posts add suffix **AL** to end of code. i.e. CTS-4848-L6-AL



Includes: three 12"H black support posts, one corner transaction top, and two 12"H divider panels. All mounting hardware included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. CTS-4848-L-AL

6" HIGH	CTS-3030-	6	599	673	710	750	923	36/914	36/914	6/152	1.5/0.04	36/16.3
	CTS-3636-	6	630	678	758	781	986	42/1067	42/1067	6/152	1.5/0.04	41/18.6
	CTS-4242-	6	659	758	811	858	1053	48/1219	48/1219	6/152	1.7/0.05	46/20.9
	CTS-4848-	6	687	801	858	912	1116	54/1372	54/1372	5/127	1.7/0.05	54/24.5
	CTS-4842-	6	673	779	834	885	1083	54/1372	48/1219	6/152	1.7/0.05	46/20.9
	CTS-4248-	6	673	779	834	885	1083	48/1219	54/1372	6/152	1.7/0.05	46/20.9
	CTS-3630-	6	616	687	694	730	893	42/1067	36/914	6/152	1.5/0.04	39/17.7
	CTS-3036-	6	616	687	694	730	893	36/914	42/1067	6/152	1.5/0.04	39/17.7
	CTS-3018-	6	574	625	646	685	839	36/914	24/610	6/152	1.0/0.03	31/14.1
	CTS-1830-	6	574	625	646	685	839	24/610	36/914	6/152	1.0/0.03	31/14.1
12" HIGH	CTS-2418-	6	560	609	630	666	818	30/762	24/610	6/152	1.0/0.03	31/14.1
	CTS-1824-	6	560	609	630	666	818	24/610	30/762	6/152	1.0/0.03	31/14.1

12" HIGH	CTS-3030-		599	673	710	750	923	36/914	36/914	12/305	1.5/0.04	36/16.3
	CTS-3636-		630	678	758	781	986	42/1067	42/1067	12/305	1.5/0.04	41/18.6
	CTS-4242-		659	758	811	858	1053	48/1219	48/1219	12/305	1.7/0.05	46/20.9
	CTS-4848-		687	801	858	912	1116	54/1372	54/1372	12/305	1.7/0.05	54/24.5
	CTS-4842-		673	779	834	885	1083	54/1372	48/1219	12/305	1.7/0.05	46/20.9
	CTS-4248-		673	779	834	885	1083	48/1219	54/1372	12/305	1.7/0.05	46/20.9
	CTS-3630-		616	687	694	730	893	42/1067	36/914	12/305	1.5/0.04	39/17.7
	CTS-3036-		616	687	694	730	893	36/914	42/1067	12/305	1.5/0.04	39/17.7
	CTS-3018-		574	625	646	685	839	36/914	24/610	12/305	1.0/0.03	31/14.1
	CTS-1830-		574	625	646	685	839	24/610	36/914	12/305	1.0/0.03	31/14.1
12" HIGH	CTS-2418-		560	609	630	666	818	30/762	24/610	12/305	1.0/0.03	31/14.1
	CTS-1824-		560	609	630	666	818	24/610	30/762	12/305	1.0/0.03	31/14.1

Drawing must be provided at time of order to ensure sufficient number of spacers are included.

Refer to page 97 for panel type insert options, finish codes.

For additional specification instructions and laminate colours see pages 6-7.



See Links Fabric cards for available selections. Refer to pages 106-107 for available slatwall accessories.

Angled Corner Transaction Set



Includes: Four 6"H or 12"H black posts, one corner transaction top and three 6"H or 12"H privacy divider panels. All mounting hardware is included.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. ATS-4848-L-AL



130 Degree Corner Unit


CODE	PRICE					WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	(L)	(G,C,W)	(F)	(S)	(Z,X)	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

6"H	ATS-4242-	6	848	948	1014	1107	1319	48/1219	48/1219	6/152	1.7/0.05	46/20.9
	ATS-4848-	6	876	990	1071	1175	1392	54/1372	54/1372	6/152	1.7/0.05	54/24.5
	ATS-6060-	6	1020	1168	1284	1400	1671	66/1676	18/457	6/152	3.4/0.09	84/38.1

12"H	ATS-4242-		848	948	1014	1107	1319	48/1219	48/1219	12/305	1.7/0.05	46/20.9
	ATS-4848-		876	990	1071	1175	1392	54/1372	54/1372	12/305	1.7/0.05	54/24.5
	ATS-6060-		1020	1168	1284	1400	1671	66/1676	18/457	12/305	3.4/0.09	84/38.1

Additional support posts may be required for some applications. Contact Customer Service for details.


Quad Transaction Set



Divide multi-station clusters with an attractive transaction set. Comes complete with four 12"H divider panels, one quad and four linear transaction tops, eight 12"H black support posts, four center inserts and all hardware.

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. QTS-4848-F-AL

12"H	QTS-3636-		1360	1560	1674	1764	2176	72/1829	72/1829	12/305	4.0/0.11	72/32.7
	QTS-4242-		1416	1617	1730	1826	2250	84/2134	84/2134	12/305	4.0/0.11	82/37.2
	QTS-4848-		1476	1702	1844	1951	2397	96/2438	96/2438	12/305	4.0/0.11	92/41.7



Refer to page 97 for panel type insert options, finish codes.


For additional specification instructions and laminate colours see pages 6-7.

See Links Fabric cards for available selections. Refer to pages 106-107 for available slatwall accessories.

Round Transaction Set



Divide single island worksurfaces with an attractive transaction set. Comes complete with divider panel, rounded end transaction top, two black support posts and all hardware.



CODE	PRICE					WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
	(L)	(G,C,W)	(F)	(S)	(Z,X)	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)

6"H	RTS-1248-	6	414	470	501	529	650	48/1219	12/305	6/152	1.3/0.04	31/14.1
	RTS-1260-	6	443	515	550	579	715	60/1524	12/305	6/152	1.6/0.05	38/17.2
	RTS-1266-	6	458	558	575	605	748	66/1676	12/305	6/152	1.8/0.05	44/20.0
	RTS-1272-	6	486	614	617	654	804	72/1829	12/305	6/152	2.0/0.06	51/23.1

12"H	RTS-1248-		414	470	501	529	650	48/1219	12/305	12/305	1.3/0.04	31/14.1
	RTS-1260-		443	515	550	579	715	60/1524	12/305	12/305	1.6/0.05	38/17.2
	RTS-1266-		458	558	575	605	748	66/1676	12/305	12/305	1.8/0.05	44/20.0
	RTS-1272-		486	614	617	654	804	72/1829	12/305	12/305	2.0/0.06	51/23.1


For optional brushed aluminum posts add suffix **AL** to end of code. i.e. RTS-1248-L-AL

Drawing must be provided at time of order to ensure sufficient number of spacers are included.

Elliptical Transaction Set



Divide single island worksurfaces with an attractive transaction set. Comes complete with divider panel, elliptical transaction top, two black support posts and all hardware.



6"H	ETS-1448-	6	414	470	501	529	650	48/1219	14/356	6/152	1.3/0.04	31/14.1
	ETS-1460-	6	443	515	550	579	715	60/1524	14/356	6/152	1.6/0.05	38/17.2
	ETS-1466-	6	458	558	575	605	748	66/1676	14/356	6/152	1.8/0.05	44/20.0
	ETS-1472-	6	486	614	617	654	804	72/1829	14/356	6/152	2.0/0.06	51/23.1

12"H	ETS-1448-		414	470	501	529	650	48/1219	14/356	12/305	1.3/0.04	31/14.1
	ETS-1460-		443	515	550	579	715	60/1524	14/356	12/305	1.6/0.05	38/17.2
	ETS-1466-		458	558	575	605	748	66/1676	14/356	12/305	1.8/0.05	44/20.0
	ETS-1472-		486	614	617	654	804	72/1829	14/356	12/305	2.0/0.06	51/23.1

For optional brushed aluminum posts add suffix **AL** to end of code. i.e. ETS-1448-L-AL



Drawing must be provided at time of order to ensure sufficient number of spacers are included.




Refer to page 97 for panel type insert options, finish codes.

For additional specification instructions and laminate colours see pages 6-7.

See Links Fabric cards for available selections. Refer to pages 106-107 for available slatwall accessories.




			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
		CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³) (lbs/kg)
	Accessory Tray Available in black or silver.	ACC-1004-	51	9.5/241	10/254	2.0/51	
	For Black - add BK to code i.e. ACC-1004-BK Silver - add SL to code i.e. ACC-1004-SL						
	Phone Stand Available in black or silver.	ACC-1005-	56	8.5/216	9.5/241	2.0/51	
	For Black - add BK to code i.e. ACC-1005-BK Silver - add SL to code i.e. ACC-1005-SL						
	Pencil Holder Available in black or silver.	ACC-1000-	25	4/102	3.5/89	4.0/102	
	For Black - add BK to code i.e. ACC-1000-BK Silver - add SL to code i.e. ACC-1000-SL						
	Folder Tray Available in black or silver.	ACC-1008-	84	7/178	12.5/318	2.5/64	
	For Black - add BK to code i.e. ACC-1008-BK Silver - add SL to code i.e. ACC-1008-SL						

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
		CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3) (lbs/kg)
	Letter Size Paper Tray Available in black or silver. For Black - add BK to code i.e. ACC-1003-BK Silver - add SL to code i.e. ACC-1003-SL	ACC-1003-	71	9.5/241	14/356	2.0/51	
	Legal Size / A4 Paper Tray Available in black or silver. For Black - add BK to code i.e. ACC-1007-BK Silver - add SL to code i.e. ACC-1007-SL	ACC-1007-	71	10.5/267	15/381	2.0/51	
	Binder Holder Available in black or silver. For Black - add BK to code i.e. ACC-1009-BK Silver - add SL to code i.e. ACC-1009-SL	ACC-1009-	38	5/127	10.5/267	9.0/229	
	CD Holder - holds 10 CD cases Available in black or silver. For Black - add BK to code i.e. ACC-1001-BK Silver - add SL to code i.e. ACC-1001-SL	ACC-1001-	38	5.5/140	7/178	2.0/51	
	Beverage Container Holder Available in black or silver. For Black - add BK to code i.e. ACC-1014-BK Silver - add SL to code i.e. ACC-1014-SL	ACC-1014-	25	4/102	5/127	2.0/51	

Half Round Table




Half Round, multi-function table tops. Links two 24" work surfaces into one 48" peninsula or two 30" work surfaces into one 60" peninsula. All hardware included.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
DTI-2448-H	429	48/1219	24/610	29/737	2/0.06	38/17
DTI-3060-H	460	60/1524	30/762	29/737	3/0.08	50/23
C2	110	Opt. black double post leg - add C2 to end of code				
C3	0	Opt. silver single post leg - add C3 to end of code				
C4	110	Opt. silver double post leg - add C4 to end of code				
FP	49	Opt. full modesty panel - add FP to end of code				

End Table




TBL-2024-ET	400	24/610	20/508	18/457	6/0.17	36/16
-------------	-----	--------	--------	--------	--------	-------

Coffee Table



TBL-2442-CF	400	42/1067	24/610	18/457	7/0.20	44/20
-------------	-----	---------	--------	--------	--------	-------

Lecturn



Mobile presentation lecturn with fixed shelves.

CAB-2024-48-LTNS	877	24/610	20/508	48/1219	16/0.45	100/45
------------------	-----	--------	--------	---------	---------	--------

For additional specification instructions see pages 6-7.



Racetrack Shape Top

1" top, 1" matching edge.



MODEL NO.	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	PRICE - BASE STYLE		
				TB	VB	XB
TBL-6-TR-	72/1829	36/914	29/737	938	938	851
TBL-8-TR-	96/2438	42/1067	29/737	1082	1082	995
TBL-10-TR-	120/3048	48/1219	29/737	1650	1650	1292
TBL-12-TR-	144/3658	48/1219	29/737	1765	1765	1407
TBL-14-TR-	168/4267	48/1219	29/737	2165	2165	1991
TBL-16-TR-	192/4877	48/1219	29/737	2281	2281	2200


1" top with 1.5" black bullnose polymer edge.



TBL-6-TR-BN-	72/1829	36/914	29/737	971	971	885
TBL-8-TR-BN-	96/2438	42/1067	29/737	1154	1154	1068
TBL-10-TR-BN-	120/3048	48/1219	29/737	1783	1783	1424
TBL-12-TR-BN-	144/3658	48/1219	29/737	2202	2202	1843
TBL-14-TR-BN-	168/4267	48/1219	29/737	2436	2436	2263
TBL-16-TR-BN-	192/4877	48/1219	29/737	2604	2604	2523

Boat Shape Top


1" top, 1" matching edge.



TBL-6-BS-	72/1829	36/914	29/737	938	938	851
TBL-8-BS-	96/2438	42/1067	29/737	1082	1082	995
TBL-10-BS-	120/3048	48/1219	29/737	1650	1650	1292
TBL-12-BS-	144/3658	48/1219	29/737	1765	1765	1407
TBL-14-BS-	168/4267	48/1219	29/737	2165	2165	1991
TBL-16-BS-	192/4877	48/1219	29/737	2281	2281	2200

Rectangular Shape Top


1" top, 1" matching edge.



TBL-6-RC-	72/1829	36/914	29/737	938	938	851
TBL-8-RC-	96/2438	42/1067	29/737	1082	1082	995
TBL-10-RC-	120/3048	48/1219	29/737	1650	1650	1292
TBL-12-RC-	144/3658	48/1219	29/737	1765	1765	1407
TBL-14-RC-	168/4267	48/1219	29/737	2165	2165	1991
TBL-16-RC-	192/4877	48/1219	29/737	2281	2281	2200

Square Shape Top

1" top, 1" matching edge.



TBL-3030-SQ-	30/762	30/762	29/737	N/A	N/A	492
TBL-3636-SQ-	36/914	36/914	29/737	N/A	N/A	508
TBL-4242-SQ-	42/1067	42/1067	29/737	N/A	N/A	562
TBL-4848-SQ-	48/1219	48/1219	29/737	N/A	N/A	615
TBL-5454-SQ-	54/1372	54/1372	29/737	N/A	N/A	897

Round Shape Top

1" top, 1" matching edge.



TBL-3030-RD-	30/762	30/762	29/737	N/A	N/A	492
TBL-3636-RD-	36/914	36/914	29/737	N/A	N/A	508
TBL-4242-RD-	42/1067	42/1067	29/737	N/A	N/A	562
TBL-4848-RD-	48/1219	48/1219	29/737	N/A	N/A	615
TBL-5454-RD-	54/1372	54/1372	29/737	N/A	N/A	897

1" top with 1.5" black bullnose polymer edge.




TBL-3030-RD-BN-	30/762	30/762	29/737	N/A	N/A	532
TBL-3636-RD-BN-	36/914	36/914	29/737	N/A	N/A	553
TBL-4242-RD-BN-	42/1067	42/1067	29/737	N/A	N/A	605
TBL-4848-RD-BN-	48/1219	48/1219	29/737	N/A	N/A	657
TBL-5454-RD-BN-	54/1372	54/1372	29/737	N/A	N/A	949

T-BASE


V-BASE

X-BASE




PRICE - BASE STYLE


D1 (BLK)	D3 (SIL)	C1 (BLK)	C3 (SIL)	SB	SH	RB	RH
1407	1407	921	921	N/A	N/A	1510	1812
1552	1552	1284	1284	1667	1968	2170	2622
2123	2123	1394	1394	2297	2749	2281	2731
2240	2240	1730	1730	2413	2864	2912	3512
2639	2639	2130	2130	2813	3264	3310	3912
2755	2755	2246	2246	3449	4051	3426	4028




1441	1441	953	953	N/A	N/A	1544	1845
1622	1622	1357	1357	1739	2039	2242	2693
2258	2258	1528	1528	2431	2882	2413	2864
2675	2675	2167	2167	2850	3301	3347	3949
2912	2912	2401	2401	3085	3536	3583	4185
3079	3079	2570	2570	3773	4375	3751	4352




1407	1407	921	921	N/A	N/A	1510	1812
1552	1552	1284	1284	1667	1968	2170	2622
2123	2123	1394	1394	2297	2749	2281	2731
2240	2240	1730	1730	2413	2864	2912	3512
2639	2639	2130	2130	2813	3264	3310	3912
2755	2755	2246	2246	3449	4051	3426	4028




1407	1407	921	921	N/A	N/A	1510	1812
1552	1552	1284	1284	1667	1968	2170	2622
2123	2123	1394	1394	2297	2749	2281	2731
2240	2240	1730	1730	2413	2864	2912	3512
2639	2639	2130	2130	2813	3264	3310	3912
2755	2755	2246	2246	3449	4051	3426	4028




828	828	747	747	828	979	N/A	N/A
843	843	762	762	843	994	N/A	N/A
875	875	794	794	875	1025	N/A	N/A
N/A	N/A	847	847	928	1078	N/A	N/A
N/A	N/A	931	931	1036	1187	N/A	N/A



828	828	747	747	N/A	N/A	N/A	N/A
843	843	762	762	843	994	N/A	N/A
875	875	794	794	875	1025	N/A	N/A
928	928	847	847	928	1078	N/A	N/A
N/A	N/A	931	931	1036	1187	N/A	N/A



868	868	786	786	N/A	N/A	N/A	N/A
889	889	809	809	889	1040	N/A	N/A
917	917	836	836	917	1068	N/A	N/A
970	970	889	889	970	1120	N/A	N/A
N/A	N/A	984	984	1089	1239	N/A	N/A



DRUM BASE
BLACK



DRUM BASE
SILVER




COLUMN BASE
BLACK



COLUMN BASE
SILVER



SQUARE BASE



SQUARE BASE
HINGED



RECTANGULAR
BASE



RECTANGULAR
BASE HINGED




Racetrack Shape Top

1" thick top with matching edge.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

TBL-0006-TPTR	481	72/1829	36/914	1/25	2/0.06	80/36
TBL-0008-TPTR	626	96/2438	42/1067	1/25	3/0.08	95/43
TBL-0010-TPTR	735	120/3048	48/1219	1/25	4/0.11	115/52
TBL-0012-TPTR	851	144/3658	48/1219	1/25	4/0.11	160/73
TBL-0014-TPTR	1250	168/4267	48/1219	1/25	5/0.14	190/86
TBL-0016-TPTR	1366	192/4877	48/1219	1/25	6/0.17	220/100




120"W to 192"W tops ship in two pieces

1" thick top with 1.5" black bullnose polymer edge.



TBL-0006-TPTR-BN	515	72/1829	36/914	1/25	2/0.06	80/36
TBL-0008-TPTR-BN	697	96/2438	42/1067	1/25	3/0.08	95/43
TBL-0010-TPTR-BN	868	120/3048	48/1219	1/25	4/0.11	115/52
TBL-0012-TPTR-BN	1286	144/3658	48/1219	1/25	4/0.11	160/73
TBL-0014-TPTR-BN	1523	168/4267	48/1219	1/25	5/0.14	190/86
TBL-0016-TPTR-BN	1689	192/4877	48/1219	1/25	6/0.17	220/100




120"W to 192"W tops ship in two pieces

Round Top

1" thick top with matching edge.




TBL-3030-TPRD	308	30/762	30/762	1/25	1/0.03	25/11
TBL-3636-TPRD	322	36/914	36/914	1/25	2/0.06	30/14
TBL-4242-TPRD	354	42/1067	42/1067	1/25	2/0.06	45/20
TBL-4848-TPRD	407	48/1219	48/1219	1/25	3/0.08	55/25
TBL-5454-TPRD	492	54/1372	54/1372	1/25	4/0.11	70/32



1" thick top with 1.5" black bullnose polymer edge.



TBL-3030-TPRD-BN	348	30/762	30/762	1/25	1/0.03	30/14
TBL-3636-TPRD-BN	369	36/914	36/914	1/25	2/0.06	40/18
TBL-4242-TPRD-BN	396	42/1067	42/1067	1/25	2/0.06	55/25
TBL-4848-TPRD-BN	449	48/1219	48/1219	1/25	3/0.08	70/32
TBL-5454-TPRD-BN	544	54/1372	54/1372	1/25	4/0.11	85/39




For additional specification instructions see pages 6-7.
See pages 128-131 for base options.

Boat Shape Top

1" thick top with matching edge.



CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
TBL-0006-TPBS	481	72/1829	36/914	1/25	2/0.06	80/36
TBL-0008-TPBS	626	96/2438	42/1067	1/25	3/0.08	95/43
TBL-0010-TPBS	735	120/3048	48/1219	1/25	4/0.11	115/52
TBL-0012-TPBS	851	144/3658	48/1219	1/25	4/0.11	160/73
TBL-0014-TPBS	1250	168/4267	48/1219	1/25	5/0.14	190/86
TBL-0016-TPBS	1366	192/4877	48/1219	1/25	6/0.17	220/100



120"W to 192"W tops ship in two pieces


Rectangular Top

1" thick top with matching edge.



If you do not want radius corners add **-QD to code**
example TBL-0006-TPRC-QD

TBL-0006-TPRC	481	72/1829	36/914	1/25	2/0.06	80/36
TBL-0008-TPRC	626	96/2438	42/1067	1/25	3/0.08	95/43
TBL-0010-TPRC	735	120/3048	48/1219	1/25	4/0.11	115/52
TBL-0012-TPRC	851	144/3658	48/1219	1/25	4/0.11	160/73
TBL-0014-TPRC	1250	168/4267	48/1219	1/25	5/0.14	190/86
TBL-0016-TPRC	1366	192/4877	48/1219	1/25	6/0.17	220/100



120"W to 192"W tops ship in two pieces


Square Top

1" thick top with matching edge.




If you do not want radius corners add **-QD to code**
example TBL-4242-TPSQ-QD

TBL-3030-TPSQ	308	30/762	30/762	1/25	1/0.03	25/11
TBL-3636-TPSQ	322	36/914	36/914	1/25	2/0.06	30/14
TBL-4242-TPSQ	354	42/1067	42/1067	1/25	2/0.06	45/20
TBL-4848-TPSQ	407	48/1219	48/1219	1/25	3/0.08	55/25
TBL-5454-TPSQ	492	54/1372	54/1372	1/25	4/0.11	70/32










Pullout keyboard. Available in matching wood finish.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
ACC-22KB	110	22/559	12/305	3.5/89	1/0.03	12/5
ACC-28KB	159	28/711	12/305	3.5/89	1/0.03	15/7




Polymer tray pullout keyboard.
Black finish only.

ACC-PLKB	214	21/533	10.5/267	3.5/89	2/0.06	16/7
----------	-----	--------	----------	--------	--------	------



Articulating keyboard with 20in (508mm) platform. Black finish.
Includes gel wrist support.

ACC-ARKB	468	21/533	10.5/267	3.5/89	2/0.06	14/6
----------	-----	--------	----------	--------	--------	------



Articulating keyboard with 20in (508mm) platform. Black finish.
Includes gel wrist support, mouse support.

ACC-ARKB-PRMS	511	28/711	10.5/267	3.5/89	2/0.06	16/7
---------------	-----	--------	----------	--------	--------	------



Articulating keyboard with 28in (711mm) platform. Black finish.
Includes gel wrist support.

ACC-ARKB-28	538	30/762	10.5/267	3.5/89	2/0.06	16/7
-------------	-----	--------	----------	--------	--------	------


For additional specification instructions see pages 6-7.



Premium Sit/Stand Articulating Keyboard with 20in (508mm) platform. Black finish. Includes gel wrist support.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

ACC-ARKB-SS *	599	20/508	10.5/267	3.5/89	1/0.03	16/7
---------------	-----	--------	----------	--------	--------	------




Premium Sit/Stand Articulating Keyboard with 28in (711mm) platform. Black finish. Includes gel wrist support.

ACC-ARKB-28-SS *	665	28/711	10.5/267	3.5/89	1/0.03	18/8
------------------	-----	--------	----------	--------	--------	------



Premium Sit/Stand Articulating Keyboard with 20in (508mm) platform. Black finish. Includes gel wrist support, mouse support.

ACC-ARKB-PRMS-SS **	638	30/762	10.5/267	3.5/89	2/0.06	17/8
---------------------	-----	--------	----------	--------	--------	------




* Premium Sit/Stand Articulating Keyboard with Platform

** Premium Sit/Stand Articulating Keyboard with Platform and Mouse Support

Work in either "sitting" or "standing" position. Simply raise up to 7in (178mm) above worksurface, or down to 5.5in (140mm) below worksurface. Keyboard height adjusts by lift and release, to lock in place. Keyboard platform tilts +10/-20 degrees to create proper keyboard position. Rotating phenolic keyboard platform includes gel wrist support. Keyboard is mounted on a longer, smooth-rolling 23in (584mm) ball bearing track for extra stability during use. Allows for use in Radius Corner applications. Mouse tray includes Mouse Catcher. Mouse tray mounts on right or left side of keyboard platform or stows underneath when not in use.

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
		CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³) (lbs/kg)
	Polymer tray center drawer. Black finish.	ACC-PLCD	214	22/559	16/406	2/51	2/0.06 6/3
	Center drawer. Available in matching finishes.	ACC-LCD	111	21/533	14.5/368	3.5/89	1/0.03 12/5
	Mobile CPU dolly. Available in matching finishes.	ACC-1018-CPUM	113	10/254	18/457	3.5/89	2/0.06 6/3
	Optional Grommet. Add (-BK) for Black, (-AL) for Silver Specify installed position. See specifications page 211.	ACC-OG-FA ACC-OG-FI	42 22	Factory Installed Optional Grommet - Field Installed			
	PC caddy.	ACC-PCC	394				
	Paper Slot. Black Finish Specify installed position. See specifications pages 210-211.	ACC-PSL	113	17/432	1.5/38	1/25	
	CD holder accomodates 15 CD's.	ACC-LCDH	44	2.5/64	11.5/292	1/25	
	Task Light. Attaches under hutch units. Silver finish.	ACC-LTL24 ACC-LTL36	271 314	24/610 36/914	4/102 4/102	1.5/38 1.5/38	0.5/0.01 3/1 0.5/0.01 3/1

For additional specification instructions see pages 6-7.
See page 133 for grommet placement options.

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT	
		CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)
	Visual presentation cabinet with white board. Includes tackboard, four dry-erase markers and eraser with flip chart pad.	CAB-4848-PC	1104	48/1219	5/127	48/1219	7/0.2	110/50
	Pull down / retractable white colour projection screen. Fits CAB-4848-PC.	ACC-0046-LAVS	254	46/1168	3/76	3/76	2/0.06	15/7
	Flip Chart Pad 20"x30" lecture pads. 50 sheets per pad, 5 pads per carton (Price is per carton).	ACC-2030-FCP	285	20/508	1/25	30/762	2/0.06	20/9
	Wire Management Channel	ELE-WM	11	per/ft	Please specify length required when ordering			
	Wire management U-box cable holder for screwing to a work surface.	ELE-WM12-BK	93	12/305	5/127	3.5/89	1/0.03	3/1
	Cable management spine. Add (-BK) for Black, (-SL) for Silver	ELE-AHWM	163	6/152	6/152		1/0.03	5/2
 Removes Core when lock is in "open" position only.	Lock core kit. Includes: 1 core, 2 keys, 1 core removable key and installation instructions. Add (-BK) for Black, (-SL) for Silver	ACC-LLCK	28	When placing order, indicate number of cores to be supplied with the same key number.				
	Master Key (Smart Key). "One Key System" Smart Key will open all Links products with one master key.	ACC-LMSK	28	Available to all authorized dealers only.				

For additional specification instructions see pages 6-7.



J Channel Assembly
Single sided data ready quad power bar. Four knockouts for data jacks.

Available in **(-BK)** Black or **(-SL)** Silver Finish.



J Channel Assembly
Double sided data ready quad power bar. Four knockouts for data jacks each side.

Available in **(-BK)** Black or **(-SL)** Silver Finish.



72"

Base Feed Hardware.
Most common solution to wiring Links Pak 8 to the building wiring. Requires licensed electrician.



156"

Ceiling Feed Hardware
Used to introduce power to the first power module from a ceiling power pole source. Requires a licensed electrician.



Metal Flex Cable Female both ends.

Connects from power module to power module.



Metal Flex Cable Female/Male

Used in directional systems as an extension cable or pass through from female cable to power module.



Power Pole

Available in 120" and 144" lengths, in Black **(-BK)** or Silver **(-SL)**.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------

ELE-JCA-8-SGL	325	10.44/265	1.56/40	4.5/114		
---------------	-----	-----------	---------	---------	--	--

ELE-JCA-8-DBL	370	10.44/265	2.56/64	4.5/114		
---------------	-----	-----------	---------	---------	--	--

ELE-BFH-8	186	75/1905				
-----------	-----	---------	--	--	--	--

ELE-CFH-8	277	156/3962				
-----------	-----	----------	--	--	--	--

ELE-0024-FF-8	120	24/610
ELE-0036-FF-8	143	36/914
ELE-0042-FF-8	155	42/1067
ELE-0048-FF-8	165	48/1219
ELE-0060-FF-8	186	60/1524
ELE-0072-FF-8	207	72/1829
ELE-0084-FF-8	227	84/2134
ELE-0096-FF-8	249	96/2438

ELE-0024-FM-8	120	24/610
ELE-0036-FM-8	143	36/914
ELE-0042-FM-8	155	42/1067
ELE-0048-FM-8	165	48/1219
ELE-0060-FM-8	186	60/1524
ELE-0072-FM-8	207	72/1829
ELE-0084-FM-8	227	84/2134
ELE-0096-FM-8	249	96/2438


ELE-0120-PP	427	120/3048
ELE-0144-PP	450	144/3658

For additional specification instructions see pages 6-7.

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
		CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3) (lbs/kg)
	Optional communication plugs. RJ11/RJ45	ELE-CP-8	119				
	Extra simplex receptacles. ELE-SI1, ELE-SI2 have black covers. ELE-SIG has an orange cover.	ELE-SI1-8	19				
		ELE-SI2-8	19				
		ELE-SIG-8	21				
	Simplex remover tool. Proper tool for safe removal of simplex receptacles.	ELE-SRT	17				
	Power Center. Plastic 2 power, 2 knockouts Available in (-BK) Black or (-WH) White Finish. Specify position - see page 210.	ELE-PORT-400	325			Please specify position when ordering.	
	Power/Data Center. Metal 2 power, 2 knockouts (jacks not included) Available in (-SL) Silver or (-BK) Black Finish. Specify position - see page 210.	ELE-PORT-200	541			Please specify position when ordering.	
	Retractable power center, factory installed only. Specify position - see pages 210-211.	ELE-RPC	285			Please specify position when ordering.	
	Retractable power/communication center, factory installed. Specify position - see pages 210-211.	ELE-RPCD	356				

For additional specification instructions see pages 6-7.
See pages 132-133 for power/data center, grommet placement options.

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	
Laminate Door Kits for freestanding 36"H, postmounted 38"H hutches, & 42"H standard divider hutches							
	1 flip-up door for 24"W-36"W hutch	DKT-24*	165	24/610	0.75/19	14/356	1/0.03 8/4
	2 hinged doors for 24"W-36"W hutch	DKT-24-HING	165	24/610	0.75/19	14/356	5/0.14 8/4
		DKT-30*	165	30/762	0.75/19	14/356	1/0.03 10/5
		DKT-30-HING	165	30/762	0.75/19	14/356	6/0.17 10/5
		DKT-36*	165	36/914	0.75/19	14/356	1/0.03 13/6
		DKT-36-HING	165	36/914	0.75/19	14/356	8/0.23 13/6
	2 flip-up door for 42"W-48"W hutch	DKT-42*	225	42/1067	0.75/19	14/356	1/0.03 15/7
	4 hinged doors for 42"W-48"W hutch	DKT-42-HING	225	42/1067	0.75/19	14/356	9/0.25 15/7
		DKT-48*	225	48/1219	0.75/19	14/356	1/0.03 17/8
		DKT-48-HING	225	48/1219	0.75/19	14/356	11/0.31 17/8
		DKT-54*	237	54/1372	0.75/19	14/356	1/0.03 19/9
		DKT-54-HING	237	54/1372	0.75/19	14/356	13/0.37 19/9
		DKT-60*	237	60/1524	0.75/19	14/356	1/0.03 21/10
		DKT-60-HING	237	60/1524	0.75/19	14/356	15/0.42 21/10
		DKT-66*	237	66/1676	0.75/19	14/356	1/0.03 23/10
		DKT-66-HING	237	66/1676	0.75/19	14/356	16/0.45 23/10
	2 flip-up door for 54"W-78"W hutch	DKT-72*	237	72/1829	0.75/19	14/356	1/0.03 26/12
	4 hinged doors for 54"W-78"W hutch	DKT-72-HING	237	72/1829	0.75/19	14/356	18/0.51 26/12
		DKT-78*	297	78/1981	0.75/19	14/356	1/0.03 28/13
		DKT-78-HING	297	78/1981	0.75/19	14/356	19/0.54 28/13



Two flip-up or two hinged doors for 36", 42" or 48" corner hutches

Center section remains open.
Includes two divider panels

DKT-3636-CH*	289	36/914	0.75/19	14/356	1/0.03	13/6
DKT-3636-HING	289	36/914	0.75/19	14/356	1/0.03	13/6
DKT-4242-CH*	295	42/1067	0.75/19	14/356	1/0.03	15/7
DKT-4242-HING	295	42/1067	0.75/19	14/356	1/0.03	15/7
DKT-4848-CH*	300	48/1219	0.75/19	14/356	1/0.03	18/8
DKT-4848-HING	300	48/1219	0.75/19	14/356	1/0.03	18/8

Optional Locks



Optional Hutch Lock for hutch door(s). Factory installed.

1LK	87	(Flip-up Style) Hutch 24-36in wide (Hinged Style) Hutch 24-36in wide
2LK	174	(Flip-up Style) Hutch 42in and wider (Hinged Style) Hutch 42in and wider

Optional Handles


For two hinged doors.
For four hinged doors.

2P	42	Hutch 24-36in wide
4P	84	Hutch 42in and wider

For additional specification instructions and handle options see pages 6-7.

		WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft3/m3)	(lbs/kg)

Glazed Door Kits for freestanding 36"H, postmounted 38"H hutches, & 42"H standard divider hutches




2 glazed hinged doors for
24"W-36"W hutch



4 glazed hinged doors for
42"W to 78"W hutch

Z - Specify door frame colour
SZ = Silver frame
BZ = Black frame
WZ = White frame

DKT-24-HING- Z	442	24/610	0.75/19	14/356	5/0.14	8/4
DKT-30-HING- Z	442	30/762	0.75/19	14/356	6/0.17	10/5
DKT-36-HING- Z	442	36/914	0.75/19	14/356	8/0.23	13/6
DKT-42-HING- Z	652	42/1067	0.75/19	14/356	9/0.25	15/7
DKT-48-HING- Z	652	48/1219	0.75/19	14/356	11/0.31	17/8
DKT-54-HING- Z	809	54/1372	0.75/19	14/356	13/0.37	19/9
DKT-60-HING- Z	809	60/1524	0.75/19	14/356	15/0.42	21/10
DKT-66-HING- Z	809	66/1676	0.75/19	14/356	16/0.45	23/10
DKT-72-HING- Z	809	72/1829	0.75/19	14/356	18/0.51	26/12
DKT-78-HING- Z	970	78/1981	0.75/19	14/356	19/0.54	28/13



Two glazed hinged doors for 36",
42" or 48" corner hutch. Center
section remains open. Includes two
divider panels.

Z - Specify door frame colour
SZ = Silver frame
BZ = Black frame
WZ = White frame

DKT-3636-HING- Z	543	36/914	0.75/19	14/356	1/0.03	13/6
DKT-4242-HING- Z	551	42/1067	0.75/19	14/356	1/0.03	15/7
DKT-4848-HING- Z	557	48/1219	0.75/19	14/356	1/0.03	18/8

Optional Locks



Optional Hutch Lock for hutch
door(s). Factory installed.

1LK	87	Hutch 24-36in wide
2LK	174	Hutch 42in and wider

Optional Handles

For two hinged doors.
For four hinged doors.

2P	42	Hutch 24-36in wide
4P	84	Hutch 42in and wider


Laminate Door Kits for freestanding 42"H hutches



2 hinged doors for 24"W to 36"W hutch.



4 hinged doors for 42"W to 78"W hutch.




Two hinged doors for 36", 42" or 48" corner hutch. Center section remains open. Includes two divider panels.


CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
DKT-24-HING-DBL	268	24/610	0.75/19	20/508	5/0.14	12/5
DKT-30-HING-DBL	268	30/762	0.75/19	20/508	7/0.20	15/7
DKT-36-HING-DBL	268	36/914	0.75/19	20/508	9/0.25	18/8
DKT-42-HING-DBL	383	42/1067	0.75/19	20/508	10/0.28	21/10
DKT-48-HING-DBL	383	48/1219	0.75/19	20/508	12/0.34	24/11
DKT-54-HING-DBL	435	54/1372	0.75/19	20/508	14/0.40	27/12
DKT-60-HING-DBL	435	60/1524	0.75/19	20/508	16/0.45	30/14
DKT-66-HING-DBL	435	66/1676	0.75/19	20/508	18/0.51	32/15
DKT-72-HING-DBL	435	72/1829	0.75/19	20/508	20/0.57	35/16
DKT-78-HING-DBL	523	78/1981	0.75/19	20/508	22/0.62	38/17

DKT-3636-HING-DBL	412	36/914	0.75/19	20/508	1/0.03	18/8
DKT-4242-HING-DBL	422	42/1067	0.75/19	20/508	1/0.03	21/10
DKT-4848-HING-DBL	431	48/1219	0.75/19	20/508	2/0.06	24/11

Laminate Door Kits for freestanding 50"H hutches



2 hinged doors for 24"W to 36"W hutch.



4 hinged doors for 42"W to 78"W hutch.

DKT-24-HING-DBS	329	24/610	0.75/19	28/711	7/0.20	15/7
DKT-30-HING-DBS	329	30/762	0.75/19	28/711	9/0.25	18/8
DKT-36-HING-DBS	329	36/914	0.75/19	28/711	11/0.31	21/10
DKT-42-HING-DBS	449	42/1067	0.75/19	28/711	12/0.34	27/12
DKT-48-HING-DBS	449	48/1219	0.75/19	28/711	14/0.40	30/14
DKT-54-HING-DBS	475	54/1372	0.75/19	28/711	16/0.45	33/15
DKT-60-HING-DBS	475	60/1524	0.75/19	28/711	19/0.54	36/16
DKT-66-HING-DBS	475	66/1676	0.75/19	28/711	21/0.59	39/18
DKT-72-HING-DBS	475	72/1829	0.75/19	28/711	24/0.68	43/20
DKT-78-HING-DBS	595	78/1981	0.75/19	28/711	28/0.79	48/22

Optional Locks



Optional Hutch Lock for hutch door(s). Factory installed.

1LK	87	Hutch 24-36in wide
2LK	174	Hutch 42in and wider


Optional Handles

For two hinged doors.
For four hinged doors.


2P	42	Hutch 24-36in wide
4P	84	Hutch 42in and wider

For additional specification instructions see pages 6-7.

Glazed Door Kits for freestanding 42"H hutches




2 glazed hinged doors for 24"W to 36"W hutch.



4 glazed hinged doors for 42"W to 78"W hutch.

Z - Specify door frame colour
SZ = Silver frame
BZ = Black frame
WZ = White frame

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
DKT-24-HING-DBL- Z	524	24/610	0.75/19	20/508	5/0.14	12/5
DKT-30-HING-DBL- Z	524	30/762	0.75/19	20/508	7/0.20	15/7
DKT-36-HING-DBL- Z	524	36/914	0.75/19	20/508	9/0.25	18/8
DKT-42-HING-DBL- Z	765	42/1067	0.75/19	20/508	10/0.28	21/10
DKT-48-HING-DBL- Z	765	48/1219	0.75/19	20/508	12/0.34	24/11
DKT-54-HING-DBL- Z	946	54/1372	0.75/19	20/508	14/0.40	27/12
DKT-60-HING-DBL- Z	946	60/1524	0.75/19	20/508	16/0.45	30/14
DKT-66-HING-DBL- Z	946	66/1676	0.75/19	20/508	18/0.51	32/15
DKT-72-HING-DBL- Z	946	72/1829	0.75/19	20/508	20/0.57	35/16
DKT-78-HING-DBL- Z	1135	78/1981	0.75/19	20/508	22/0.62	38/17




Two glazed hinged doors for 36", 42" or 48" corner hutch. Center section remains open. Includes two divider panels.


Z - Specify door frame colour
SZ = Silver frame
BZ = Black frame
WZ = White frame

DKT-3636-HING-DBL- Z	667	36/914	0.75/19	20/508	1/0.03	18/8
DKT-4242-HING-DBL- Z	676	42/1067	0.75/19	20/508	1/0.03	21/10
DKT-4848-HING-DBL- Z	686	48/1219	0.75/19	20/508	2/0.06	24/11

Glazed Door Kits for freestanding 50"H hutches



2 glazed hinged doors for 24"W to 36"W hutch.



4 glazed hinged doors for 42"W to 78"W hutch.

Z - Specify door frame colour
SZ = Silver frame
BZ = Black frame
WZ = White frame

DKT-24-HING-DBS- Z	885	24/610	0.75/19	28/711	7/0.20	15/7
DKT-30-HING-DBS- Z	885	30/762	0.75/19	28/711	9/0.25	18/8
DKT-36-HING-DBS- Z	885	36/914	0.75/19	28/711	11/0.31	21/10
DKT-42-HING-DBS- Z	1303	42/1067	0.75/19	28/711	12/0.34	27/12
DKT-48-HING-DBS- Z	1303	48/1219	0.75/19	28/711	14/0.40	30/14
DKT-54-HING-DBS- Z	1616	54/1372	0.75/19	28/711	16/0.45	33/15
DKT-60-HING-DBS- Z	1616	60/1524	0.75/19	28/711	19/0.54	36/16
DKT-66-HING-DBS- Z	1616	66/1676	0.75/19	28/711	21/0.59	39/18
DKT-72-HING-DBS- Z	1616	72/1829	0.75/19	28/711	24/0.68	43/20
DKT-78-HING-DBS- Z	1940	78/1981	0.75/19	28/711	28/0.79	48/22

Optional Locks



Optional Hutch Lock for hutch door(s). Factory installed.

1LK	87	Hutch 24-36in wide
2LK	174	Hutch 42in and wider

Optional Handles

For two hinged doors.
 For four hinged doors.

2P	42	Hutch 24-36in wide
4P	84	Hutch 42in and wider

For additional specification instructions see pages 6-7.

tack boards - 36/42/50in high hutches w/ organizer



For use with 36"H, 42"H and 50"H hutches with organizer that have a 15.5" clearance.

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
TB-2413	229	22/559	0.75/19	13/330	0.4/0.01	5/2
TB-3013	236	28/711	0.75/19	13/330	0.5/0.01	5/2
TB-3613	242	34/864	0.75/19	13/330	0.6/0.02	5/2
TB-4213	251	40/1016	0.75/19	13/330	0.7/0.02	6/3
TB-4813	258	46/1168	0.75/19	13/330	0.8/0.02	6/3
TB-5413	264	52/1321	0.75/19	13/330	0.9/0.03	6/3
TB-6013	272	58/1473	0.75/19	13/330	1.0/0.03	7/3
TB-6613	278	64/1626	0.75/19	13/330	1.0/0.03	7/3
TB-7213	286	70/1778	0.75/19	13/330	1.1/0.03	7/3
TB-7813	342	76/1930	0.75/19	13/330	1.5/0.04	8/4

tack boards - 36/42/50in high hutches



For use with 36"H, 42"H and 50"H hutches that have a 21" clearance.

TB-2419	242	22/559	0.75/19	19/483	0.6/0.02	5/2
TB-3019	249	28/711	0.75/19	19/483	0.7/0.02	5/2
TB-3619	256	34/864	0.75/19	19/483	0.8/0.02	5/2
TB-4219	263	40/1016	0.75/19	19/483	0.9/0.03	6/3
TB-4819	271	46/1168	0.75/19	19/483	1.0/0.03	6/3
TB-5419	277	52/1321	0.75/19	19/483	1.2/0.03	6/3
TB-6019	285	58/1473	0.75/19	19/483	1.4/0.04	7/3
TB-6619	292	64/1626	0.75/19	19/483	1.5/0.04	7/3
TB-7219	298	70/1778	0.75/19	19/483	1.6/0.05	7/3
TB-7819	358	76/1930	0.75/19	19/483	1.8/0.05	8/4

tack boards - 42in high standard divider hutches



For use with 42"H hutches that have a standard divider and 27" clearance.

TB-2425	266	22/559	0.75/19	25/635	0.6/0.02	5/2
TB-3025	274	28/711	0.75/19	25/635	0.7/0.02	5/2
TB-3625	281	34/864	0.75/19	25/635	0.8/0.02	5/2
TB-4225	290	40/1016	0.75/19	25/635	0.9/0.03	6/3
TB-4825	297	46/1168	0.75/19	25/635	1.0/0.03	6/3
TB-5425	305	52/1321	0.75/19	25/635	1.2/0.03	6/3
TB-6025	314	58/1473	0.75/19	25/635	1.4/0.04	7/3
TB-6625	320	64/1626	0.75/19	25/635	1.5/0.04	7/3
TB-7225	329	70/1778	0.75/19	25/635	1.6/0.05	7/3
TB-7825	395	76/1930	0.75/19	25/635	1.8/0.05	8/4

Desk Components



12"D Connection Gable

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft3/m3)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--------------------	--------------------

ACC-CG12	84	12/305	1/25	28/711	0.5/0.01	8/4
----------	----	--------	------	--------	----------	-----

All support gables are drilled non-handed for left and right connection



12"D Finished Gable

ACC-LI12	84	12/305	1/25	28/711	0.5/0.01	8/4
----------	----	--------	------	--------	----------	-----

All support gables are drilled non-handed for left and right connection



24"D End Gable

ACC-FCG24	106	24/610	1/25	28/711	0.5/0.01	16/7
-----------	-----	--------	------	--------	----------	------

All support gables are drilled non-handed for left and right connection



30"D End Gable


ACC-FCG30	117	30/762	1/25	28/711	0.5/0.01	20/9
-----------	-----	--------	------	--------	----------	------

All support gables are drilled non-handed for left and right connection

Extended Gables




LEFT




RIGHT

Extended gable for increased privacy. Available on left or right. Gable length refers to overall gable length (desk depth + extension). 3in wide ledge over portion of gable that extends past desk worksurface.



EXT48-L	412	48/1219	3/76	29/737	2.5/0.07	38/17
EXT54-L	428	54/1372	3/76	29/737	2.8/0.08	43/20
EXT60-L	445	60/1524	3/76	29/737	3.0/0.08	48/22
EXT66-L	462	66/1676	3/76	29/737	3.3/0.09	53/24
EXT72-L	479	72/1829	3/76	29/737	3.6/0.10	58/26
EXT48-R	412	48/1219	3/76	29/737	2.5/0.07	38/17
EXT54-R	428	54/1372	3/76	29/737	2.8/0.08	43/20
EXT60-R	445	60/1524	3/76	29/737	3.0/0.08	48/22
EXT66-R	462	66/1676	3/76	29/737	3.3/0.09	53/24
EXT72-R	479	72/1829	3/76	29/737	3.6/0.10	58/26


Drawing must be provided at time of order.



Optional three inch wide ledge allows for addition of privacy panel. Refer to pages 88-93 for options.

For additional specification instructions see pages 6-7.

Square Base



20" for 36"D-42"D top depth.


24" for 48"D top depth.

Shipped K.D.

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	

29H	TBL-20-SB-29	521	20/508	20/508	28/711	2/0.06	60/27
	TBL-24-SB-29	521	24/610	24/610	28/711	2/0.06	62/28
	TBL-30-SB-29	544	30/762	30/762	28/711	2/0.06	66/30

Square Base - Hinged



Square base with right hinged access door (non-locking).

20" for 30"D to 42"D top

24" for 48"D top

30" for 54"D top

Shipped K.D.

29H	TBL-20-SB-29-HING	671	20/508	20/508	28/711	2/0.06	60/27
	TBL-24-SB-29-HING	671	24/610	24/610	28/711	2/0.06	62/28
	TBL-30-SB-29-HING	694	30/762	30/762	28/711	2/0.06	66/30

Rectangular Base



20" for 36"D to 48"D top.

Shipped K.D.

TBL-20-RB-29	516	20/508	10/254	28/711	2/0.06	50/23
--------------	-----	--------	--------	--------	--------	-------

Rectangular Base - Hinged




Rectangular base with right hinged access door (non-locking).

20" for 36"D to 48"D top.

Shipped K.D.

TBL-20-RB-29-HING	666	20/508	10/254	28/711	2/0.06	50/23
-------------------	-----	--------	--------	--------	--------	-------

X-Base




20" for 30"D-36"D top depth.
24" for 42"D top depth.
30" for 48"D top depth.
36" for 54"D top depth.

Shipped K.D.

			WIDTH	DEPTH	HEIGHT	VOLUME	WEIGHT
CODE	PRICE	(in/mm)	(in/mm)	(in/mm)	(ft ³ /m ³)	(lbs/kg)	
29H	TBL-20-XB-29	185	20/508	20/508	28/711	2/0.06	35/16
	TBL-24-XB-29	185	24/610	24/610	28/711	2/0.06	40/18
	TBL-30-XB-29	208	30/762	30/762	28/711	2/0.06	45/20
	TBL-36-XB-29	405	36/914	36/914	28/711	2/0.06	70/32
42H	TBL-20-XB-42	231	20/508	20/508	41/1041	3/0.08	45/20
	TBL-24-XB-42	231	24/610	24/610	41/1041	3/0.08	50/23
	TBL-30-XB-42	255	30/762	30/762	41/1041	3/0.08	55/25
	TBL-36-XB-42	486	36/914	36/914	41/1041	3/0.08	80/36

T-Base




20" for 36"D to 42"D top depth
24" for 48"D top

Shipped K.D.

29H	TBL-20-TB-29	229	20/508	13/330	28/711	2.0/0.06	55/25
	TBL-24-TB-29	229	24/610	13/330	28/711	2.0/0.06	60/27
42H	TBL-20-TB-42	275	20/508	13/330	41/1041	2.5/0.07	70/32
	TBL-24-TB-42	275	24/610	13/330	41/1041	2.5/0.07	72/33

V-Base



20" for 36"D-48"D top depth.
Shipped K.D.

TBL-20-VB-29	229	20/508	14/356	28/711	2.0/0.06	60/27
TBL-20-VB-42	275	20/508	14/356	41/1041	2.5/0.07	70/32

Drum Base



Available in Black (BK)
and Silver (SL).

WT = With Weight

ACC-18-DB	463	18/457	18/457	28/711	6/0.17	80/36
ACC-18-DB-WT	521	18/457	18/457	28/711	6/0.17	130/59

Column Base



Available in Black (C1)
and Silver (C3).

ACC-C1	110	3/76	3/76	28/711	1/0.03	3/1
ACC-C3	110	3/76	3/76	28/711	1/0.03	3/1

See to pages 110-111 for available 1" table tops.
For additional specification instructions see pages 6-7.



Metal T-Base



For 30"-48" top depth

Available in Black (-BK)
and Silver (-SL).

CODE	PRICE	WIDTH (in/mm)	DEPTH (in/mm)	HEIGHT (in/mm)	VOLUME (ft ³ /m ³)	WEIGHT (lbs/kg)
------	-------	------------------	------------------	-------------------	--	--------------------

TBL-26-MTB	284	26/660	11/279	28/711	6.5/0.18	11.5/5
------------	-----	--------	--------	--------	----------	--------

Metal X-Base

26" is for 30-36" top depth.
34" is for 42-48" top depth.Available in Black (-BK)
and Silver (-SL).

TBL-26-MXB	340	26/660	26/660	28/711	13/0.37	13.5/6
TBL-34-MXB	350	34/864	34/864	28/711	22/0.62	14.5/7

Trumpet Base

24" is for 30-36" top depth.
30" is for 42-48" top depth.

WT = With Weight

Available in Black (-BK)
and Silver (-SL).

TBL-24-MTRB	595	24/610	24/610	28/711	11.2/0.32	20/9
TBL-24-MTRB-WT	712	24/610	24/610	28/711	11.2/0.32	20/9
TBL-30-MTRB	830	30/762	30/762	28/711	17.2/0.49	26/12
TBL-30-MTRB-WT	998	30/762	30/762	28/711	17.2/0.49	26/12

Flat Base

24" is for 30-36" top depth.
36" is for 42-48" top depth.Available in Black (-BK)
and Silver (-SL).

TBL-24-MFB	995	24/610	24/610	28/711	11.2/0.32	34/15
TBL-36-MFB	1742	36/914	36/914	28/711	24.5/0.69	78.5/36

Mobile Column Base



Post leg with locking caster.

C1 = Black
C3 = Silver

ACC-C1-MB	158	3/76	3/76	28/711	0.2/0.01	4.5/2
ACC-C3-MB	158	3/76	3/76	28/711	0.2/0.01	4.5/2

See to pages 110-111 for available 1" table tops.
For additional specification instructions see pages 6-7.

ELE-PORT

Power/Data Center

The ELE-PORT is a compact workspace accessory that provides convenient power and data distribution.

Item Codes:

ELE-PORT-100 (Black) and ELE-PORT-200 (Silver)

Standard Features:


- 2 simplexes
- 2 voice/data ports/housing (jacks not included)
- 15 amp cord
- UL listed
- Voice/data adapter kits are standard, accept couplers and jacks.
- Worksurface cutouts included in standard locations.

ELE-PORT Voice/DATA Adapter Kit

- One voice/data kit is supplied with each ELE-PORT.
- Adapters made to accept most couplers and jacks.

ELE-PORT Specifications:

- ELE-PORT may be ordered on all worksurfaces.
- 10 foot black cord included.
- ELE-PORTs are available in standard worksurface locations (shown below)
- ELE-PORTs may be placed in custom locations, a drawing is required indicating exact vertical and horizontal locations for the **center of the cutout**.



Cut-out placed on user side of back panel.



(Black)




(Silver)

Returns / Connecting Tops Standard POS2




(on most worksurfaces)


Shaped Tables



Corner Units / VTI



Extended Corner Units



ELE-PORT Position Codes

- POS1** Left/Left User Side
POS2 Center/Center User Side
POS3 Right/Right User Side
POS4 Left/Center User Side
POS5 Right/Center User Side



See power distribution components on page 121 for pricing.

Grommets


- Additional grommets are available in standard locations (see below).
- Grommets may be placed in custom locations, a drawing is required indicating exact locations.
- For units that include standard grommets, to replace black grommet with silver grommet add OG-SL to end of product code.



ACC-OG-BK
Black Grommet
(Standard)

Black Grommet (OG-BK) Position Codes


- POS1** Left/Left User Side
POS2 Center/Center User Side
POS3 Right/Right User Side
POS4 Left/Center User Side
POS5 Right/Center User Side




ACC-OG-SL
Silver Grommet
(Optional)

Silver Grommet (OG-SL) Position Codes

- POS1** Left/Left User Side
POS2 Center/Center User Side
POS3 Right/Right User Side
POS4 Left/Center User Side
POS5 Right/Center User Side




Returns / Connecting Tops Standard POS2




(on most worksurfaces)


Shaped Tables



Corner Units / VTI



Extended Corner Units



Locks

- Locks are standard with interchangeable lock cores and collapsible keys. Keys supplied with Microban Antimicrobial product protection.
- Locks are standard black finish, to change locks to silver finish specify "silver locks" at time of order.
- Specify "keyed alike" where applicable.

Black Lock
(Standard)



Silver Lock
(Optional)



See accessories on page 116 for pricing.

**prices**

Prices are F.O.B. at our point of distribution in the USA and Canada, and are subject to change without notice. All merchandise will be invoiced at prices prevailing at time of shipment. Applicable taxes are extra.

terms

C.O.D. unless credit has been established. All merchandise will be invoiced at the time of shipment and payment is due 30 days following the date of the invoice. 2% interest per month will be charged on overdue accounts.

claims

Links Contract Furniture Inc. will not be responsible for damages which occur during storage or transit. All shipments should be carefully examined before being accepted from carrier as our liability ends when carrier signs our delivery slip acknowledging that the merchandise has been received in good condition. Claims for damages must be filed with the carrier within 5 days of receiving merchandise.

changes

Links Contract Furniture Inc. reserves the right to make improvements and/or changes in prices, design, material and packaging without prior notice.

shipping

Please specify carrier choice on your purchase order, otherwise carrier will be selected by Links Contract Furniture Inc.

returns

No returns will be accepted without prior written authorization. "Express" item returns are subject to a minimum 15% re-stocking charge and all other items are subject to a minimum 25% re-stocking and handling charge. No refunds will be made on special custom orders of any kind.

cancellations

Cancellations are subject to a 25% expense recovery charge. No cancellations will be accepted on special orders.

special orders

A detailed purchase order must accompany all special orders. It must include a clear sketch of all sizes and finishes of each unit, with a customer signature of approval.

orders

To avoid errors, we request that all purchases be confirmed in writing. Specify model numbers and finishes. Links Contract Furniture Inc. will not be responsible for errors unless orders are supported by a written confirmation.

sizes

All sizes, as specified, are approximate. Exact dimensions will be provided upon request.

Links Contract Furniture is a manufacturer of high quality office furniture with experience in creating high performance workplace environments that have inspired, challenged, and adapted to the changing needs of its consumers since 1995. At Links Contract Furniture we embrace research and design - bringing innovative ideas, products, and services to the North American office furniture market.

Ami Spector

President



Links Contract Furniture Product Solutions

Links Contract Furniture creates products with a full range of design specifications. Our commitment as an organization is to design, manufacture, and deliver innovative, high quality, and environmentally friendly product solutions. Links Contract Furniture also believes in contributing to health and wellness in the workplace and, therefore, offers a broad line of ergonomic solutions.

Links Contract Furniture Processes Examples:

- Verifying incoming component parts against a master component part to ensure consistency of quality and finishes.
- Using the latest in automated manufacturing machinery, ensuring product consistency and accuracy. Ongoing calibration of machinery is conducted to ensure product accuracy is always maintained.
- Product labels are placed on finished products allowing for post-purchase inquiries and product part identification.



A Dedication to Sustainable Design

Through every step in our products' life cycles we consider our environmental impact, in order to act on opportunities to develop increasingly sustainable practices and designs. Behind the scenes, Links Contract Furniture employees work hard to attain environmental performance goals, such as generating low emitting office furniture systems and leveraging natural resources in product development, and cultivating a zero tolerance atmosphere for damaging ecosystem health. Links Contract Furniture goes above and beyond by not only monitoring its own environmental impact but also the impact of its many supplier groups. Links utilizes environmentally preferred products within its manufacturing processes in order to reduce the overall environmental impact of product creation from start to finish.

A Dedication to Growth

Links Contract Furniture is engaged in continuous development in order to meet the growing requirements of the marketplace. We observe a commitment to design, excellence, and innovation; leveraging our dedicated professionals to offer real world solutions for an ever-changing business environment.



Links Contract Furniture Values

We value our customers. We are responsible to the consumers who use our products. Therefore, in meeting the needs of our consumers we are committed to delivering the upmost quality products and providing business excellence as the base of everything we do. We promise to listen closely to the needs of our consumers and strive to continuously exceed expectations.

At Links we recognize our members. An organization is only effective as its people. Therefore, employee development is an essential element of company growth. As an organization we believe in the ability of our people and stand behind them in achieving their greatest potential.

We value integrity. We believe in developing integrity in the deepest layers of our organization and not just at its surface. We strive to build mutually beneficial relationships with our customers, dealers, and suppliers as a foundation for growth.

We value continuous learning. We believe in growth through experience. A constant evolution in the way we think and act brings about new knowledge and skills that allow us to develop improved processes, advanced designs, and reduce our environmental impact.

We value our world. We work to cultivate the world in which we live in through investing in our people and the pursuit of sustainable development. Focusing our value chain on the challenges of sustainable development has allowed us to find new ways to minimize our impact on the environment.







LINKS' Creative Solutions . . . The Industry Leader!



Quality Office Furniture. Products meet or exceed ANSI/BIFMA x 5.5-2008 Quality Standards, Greenguard Certified.

While every effort is made to ensure the accuracy of information contained in this price list at the time of publication, we cannot accept responsibility for inaccuracies resulting from printing errors or omissions. We reserve the right to make product improvements and price changes without notice.

© Copyright 2021 Links Contract Furniture Inc.. All Rights Reserved.

Head Office/Showroom:	131 Ormont Dr.	Toronto	Ontario	Canada	M9L 2S3
Local & International:	P: 416.745.8910	F: 416.745.8779			
Toll Free - North America:	P: 855-50-LINKS (855.505.4657)	F: 855-51-LINKS (855.515.4657)			
Email:	info@linkscontract.com				
Website:	linkscontract.com				

